

[INCH-POUND]
A-A-59547A
8 August 2005
SUPERSEDING
A-A-59547
1 June 2000

COMMERCIAL ITEM DESCRIPTION

RELAYS, ELECTROMAGNETIC, SOCKET MODULE EXTRACTION TOOL

The General Services Administration has authorized the use of this commercial item description (CID) as a replacement for "Relays, Electromagnetic, Socket Module Extraction Tool" of MIL-PRF-6106/32 for all federal agencies.


1. SCOPE. This CID covers the general requirements for a socket module extraction tool for electromagnetic relays. Socket module extraction tool for electromagnetic relays covered by this CID are intended for commercial/industrial applications.
2. CLASSIFICATION/PART OR IDENTIFICATION NUMBER (PIN). This CID uses a classification system which is included in the Part Identification Number (PIN) as shown in the following example (see 7.1).

AA59547	-	001
_____		_____
_____		_____
CID number		Dash number

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to Defense Supply Center Columbus, ATTN: VAT, Post Office Box 3990, Columbus, OH 43218-3990, or email to <mailto:Relay@dsccl.dla.mil>. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at <http://assist.daps.dla.mil>.

3. SALIENT CHARACTERISTICS.

3.1 Interface and physical dimensions. . A socket module extraction tool for electromagnetic relays supplied to this CID shall be as specified herein (see figure 1).



Inches	mm	Inches	mm
.010	0.25	.600	15.24
.015	0.38	.885	22.48
.025	0.64	1.000	25.40
.080	2.03	1.750	44.45
.125	3.18	3.900	99.06
.250	6.35		

NOTES:

1. Dimensions are in inches.
2. Metric equivalents are given for general information.

FIGURE 1. Outline drawing, socket module extraction tool.

3.2 Material: Corrosion resistant, .037 ±.005 thick. Passivated stainless steel has been considered acceptable in the past.

3.3 Capability: The relay socket module extraction tool for electromagnetic relays shall be capable of removing modules from relay bracket mount, MIL-DTL-12883/53.

3.3 Marking. A socket module extraction tool for electromagnetic relays supplied to this CID shall be marked with the manufacturer's (MFR's) standard commercial PIN. The part number on the unit pack shall be the CID PIN.

4. REGULATORY REQUIREMENTS.

4.1 Recycled/recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. PRODUCT CONFORMANCE PROVISIONS.

5.1 Product conformance. The products provided shall meet the salient characteristics of this CID, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

6. PACKAGING.

6.1 Preservation, packing, and marking. Preservation, packing, and marking shall be as specified in the contract or order.

7. NOTES.

7.1 PIN. The PIN should be used for Government purposes to buy commercial products to this CID. See section 2 for PIN format example.

7.2 Commercial and Government Entity (CAGE) code. For ordering purposes, inventory control, and submission of this socket module extraction tool for electromagnetic relays to DSCC under the Military Parts Control Advisory Group (MPCAG) evaluation program, CAGE code 58536 should be used.

7.3 Source of documents.

Federal Specifications

MIL-DTL-12883/53 - Sockets and Accessories for Plug-In Electronic Components, (Mounting Track, for Sockets and Electromagnetic Relays).

(Copies of these documents are available online at <http://assist.daps.dla.mil> or from the Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094.)

7.4 Ordering data. The contract or order should specify the following:

- a. CID document number, revision, and CID PIN.
- b. Product conformance provisions.
- c. Packaging requirements.

7.5 Commercial products. As part of the market analysis and research effort, this CID was coordinated with the following manufacturers of commercial products. At the time of CID preparation and coordination, this manufacturer was known to have commercial products that would meet the requirements of this CID. (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict procurement to only the manufacturers shown.)

<u>MFR's CAGE</u>	<u>MFR's name and address</u>
58657	Leach International, Inc. 6900 Orangethorpe Ave. P.O. Box 5032 Buena Park, CA 90622 (714) 736-0770
58982	Amphenol PCD, Inc. 2 Technology Dr. Peabody, MA 01960 (978) 532-8800

7.6 Part number (P/N) supersession data. This CID supersedes the following manufacturer's P/N's as shown. This information is being provided to assist in reducing proliferation in the Government inventory system.

TABLE I. P/N supersession data.

Dash number (see table I) AA59547-	MFR's CAGE	MFR's P/N ^{1/}
001	58657	002-3669-000
001	58982	CNA081501

^{1/} The manufacturer's P/N shall not be used for procurement to the requirements of this CID. At the time of preparation of this CID, the aforementioned commercial products were reviewed and could be replaced by the CID PIN shown.

7.7 Government users. To acquire information on obtaining this socket module extraction tool for electromagnetic relays from the Government inventory system, contact Defense Supply Center, Columbus, ATTN: DSCC-CAA, Post Office Box 3990, Columbus, OH 43218-3990, or telephone (614) 692-7884.

A-A-59547A

MILITARY INTERESTS:

Custodians:

AF - 11
DLA - CC

Review activities:

AF - 99

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - 7FXE

Preparing Activity:
DLA-CC

Project 5945-1309

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <http://assist.daps.dla.mil>.