

MIL-C-12520/12A(EL)
5 November 1965
~~SUPERSEDES~~
MIL-C-12520/12
3 June 1959

MILITARY SPECIFICATION
COVER AND CHAIN ASSEMBLIES
(EXTERNAL THREADS, FOR USE ON WATERPROOF
CONNECTORS)

1. SCOPE

1.1 Scope.- This specification covers the detail requirements for cover and chain assemblies with external threads for use with waterproof connectors.

1.2 Style.- The style of cover and assemblies shall be as specified on figure 1.

2. APPLICABLE DOCUMENTS

2.1 The following specifications, of the issue in effect on date of invitation for bids, form a part of this specification:

SPECIFICATIONS

MILITARY

MIL-C-12520	Connectors, Plug and Receptacle (Electrical, Waterproof); and Accessories; General Specification for.
MIL-C-13924	Coating, Oxide, Black, for Ferrous Metals.

(Copies of specifications required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Requirements.- Material requirements shall be in accordance with Specification MIL-C-12520, and as specified herein.

SHEET 1 of 4 SHEETS

FSC 5935

MIL-C-12520/12A(EL)

3.2 Design and construction.- Cover and chain assemblies shall be of the design, construction, and physical dimensions specified on figure 1.

3.2.1 Cover.- The cover shall be fabricated of corrosion-resistant steel.

3.2.2 Threaded part.- The threaded part shall be of corrosion-resistant steel and shall be brazed to the cover at the point indicated on figure 1.

3.2.3 Gasket.- The gasket shall be fabricated of rubber or neoprene.

3.2.4 Bead Chain.- The bead chain shall be fabricated of corrosion-resistant steel and shall swivel freely after assembly.

3.2.5 Coating.- Cover and chain assemblies shall be coated in accordance with Specification MIL-C-13924.

3.3 Marking.- Marking shall be in accordance with Specification MIL-C-12520, except that the cover and chain assemblies shall be marked with the applicable style shown on figure 1. The following notice shall be marked on the front face of the cover:

CAUTION: Do not cover connector with power on.

4. QUALITY ASSURANCE PROVISIONS

4.1 Sampling and inspection shall be in accordance with Specification MIL-C-12520. Only visual and mechanical inspection, group A, is applicable.


5. PREPARATION FOR DELIVERY

5.1 Preparation for delivery shall be in accordance with Specification MIL-C-12520.

6. NOTES

6.1 Notes.- In addition to the notes specified herein, the notes specified in Specification MIL-C-12520 are applicable to this specification.

6.2 Intended use.- Cover and chain assemblies covered by this specification are intended for use with the connector types covered by Specifications MIL-C-12520/3A "Connectors, Plug, Electrical, Waterproof (Cathedral Shape, Shell Size 26, Female Inserts)"; MIL-C-12520/8A "Connectors, Receptacle, Electrical, Waterproof (Shell Size 20, Male Inserts)"; MIL-C-12520/9A "Connectors, Receptacle, Electrical, Waterproof (Shell Size 20, Female Inserts)"; and MIL-C-12520/11A "Connectors, Receptacle, Electrical, Waterproof (Shell Size 26, Female Inserts)".



1. All dimensions in inches.
2. Unless otherwise specified, tolerances are $\pm \frac{1}{64}$ on fractions, $\pm .005$ on decimals, and $\pm 2^\circ$ on angles.

Style	A	B	For use with connector types
1X	1/4-20 NS-2A Double thd	1 1/2	UW2020F...
2X	# 10-32 NS-2A Double thd	1 1/2	UW2020M...
3X	1/4-20 NS-2A Double thd	1 1/2	UW1326F... UW2026F...

FIGURE 1. Cover and chain assembly

MIL-C-12520/12A(EL)

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

CUSTODIAN

EL

Preparing activity

EL

Project Nr. 5935-A144