

INCH-POUND

MIL-DTL-13791/1A  
18 February 2015  
SUPERSEDING  
MIL-DTL-13791/1  
15 January 2009

DETAIL SPECIFICATION SHEET

IGNITION DISTRIBUTOR ASSEMBLY, 6 CYL, RH SUBMERSIBLE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-13791.






FIGURE 1. Outline of IAU-4007UT, 6 CYL, RH submersible ignition.





Inches	mm	Inches	mm
.188	4.77	3.625	92.07
.344	8.74	4.016	102.21
.357	9.07	5.125	130.17
1.078	27.38	5.250	133.35
1.125	28.57	5.875	149.23
1.500	38.10	6.469	164.31
2.281	57.94	11.719	297.66
3.151	80.04		

FIGURE 1. Outline of IAU-4007UT, 6 CYL, RH submersible ignition - Continued.



Inches	mm	Inches	mm
.005	0.13	.567	14.40
.0065	0.16	.625	15.87
.010	0.25	.689	17.50
.016	0.406	.705	17.91
.375	9.52	.775	19.68
.495	12.57	.938	23.82

NOTES:

1. Dimensions are in inches.
2. Metric equivalents are given for information only.

FIGURE 1. Outline of IAU-4007UT, 6 CYL, RH submersible ignition - Continued.

MIL-DTL-13791/1A

Dimensions and configurations: See figure 1.

Referenced document. This document references MIL-DTL-13791.

CONCLUDING MATERIAL

Custodians:

Army - AT  
Navy - SH  
DLA - CC

Preparing activity:

DLA - CC

(Project 2920-2015-002)

Review activities:

Army - CR, CR4  
Navy - MC

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.dla.mil>.