

DETAIL SPECIFICATION

FITTING, ADAPTER, HYDRAULIC AND PNEUMATIC, NPTF TO ORFS CONNECTORS, 1500 TO 3000 PSI AND
-65°F TO 250°F.

This supplement forms a part of MIL-DTL-32372, dated 5 December 2011.

SPECIFICATION SHEETS

| | |
|------------------|--|
| MIL-DTL-32372/1 | Fitting, Adapter, Straight, Hydraulic and Pneumatic, NPTF Male to ORFS Male |
| MIL-DTL-32372/2 | Fitting, Adapter, 45° Elbow, Hydraulic and Pneumatic, NPTF Male to ORFS Male |
| MIL-DTL-32372/3 | Fitting, Adapter, 90° Elbow, Hydraulic and Pneumatic, NPTF Male to ORFS Male |
| MIL-DTL-32372/4 | Fitting, Adapter, Straight, Hydraulic and Pneumatic, NPTF Male to ORFS Bulkhead |
| MIL-DTL-32372/5 | Fitting, Adapter, 45° Hydraulic and Pneumatic, NPTF Male to ORFS Bulkhead |
| MIL-DTL-32372/6 | Fitting, Adapter, 90° Hydraulic and Pneumatic, NPTF Male to ORFS Bulkhead |
| MIL-DTL-32372/7 | Fitting, Adapter, Straight, Hydraulic and Pneumatic, NPTF Male to ORFS Female Swivel |
| MIL-DTL-32372/8 | Fitting, Adapter, 45° Hydraulic and Pneumatic, NPTF Male to ORFS Female Swivel |
| MIL-DTL-32372/9 | Fitting, Adapter, 90° Hydraulic and Pneumatic, NPTF Male to ORFS Female Swivel |
| MIL-DTL-32372/10 | Fitting, Adapter, Tee, Hydraulic and Pneumatic, NPTF Male on Branch to ORFS Female Run to Run |
| MIL-DTL-32372/11 | Fitting, Adapter, Tee, Hydraulic and Pneumatic, NPTF Male on Branch to ORFS Male to Female Run to Run |
| MIL-DTL-32372/12 | Fitting, Adapter, Tee, Hydraulic and Pneumatic, NPTF Male on Branch to ORFS Male Run to Run |

CONCLUDING MATERIAL

Custodians:
Army – AR
Navy – SH
Air Force – 99
DLA – CC

Preparing activity:
DLA – CC

(Project 4730-2013-012)

Review activities:
Army – AT, GL
Navy – AS, MC, SA, YD
Air Force – 71

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.dla.mil>.