

INCH - POUND

MIL-DTL-3643/4B
01 August 2013
SUPERSEDING
MIL-C-3643/4A
14 August 1972


DETAIL SPECIFICATION SHEET

CONNECTOR, ADAPTER, SERIES HN,
TYPE UG-212C/U

Inactive for new design after 14 August 1972.

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-3643.



| Inches | mm |
|--------|---------|
| .671 | 17.0434 |
| .875 | 22.225 |
| 1.456 | 36.9824 |

NOTES

- 1. Dimensions are in inches. Metric equivalents are given for informational purposes only.
- 2. Insulator, REA10548, shall be 0.008 (0.2032 mm) min and 0.020 (0.508 mm) max under flush with end of outer contact, REB10536.

FIGURE 1. Type UG-212C/U connector adapter.

REQUIREMENTS

Design and construction. The connector adapter shall be of the design, construction, and physical dimensions specified on figure 1.

Qualification: Required. The activity responsible for qualification and the Qualification Products List (QPL) for this specification sheet is DLA Land and Maritime, DLA-VQ, 3990 East Broad Street, Columbus, Ohio 43218-3990.

Part or Identifying Number (PIN). UG-212/U

Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Referenced documents. This document references MIL-DTL-3643.

CONCLUDING MATERIAL

Custodians:
Army – CR
Navy –EC
Air Force – 85
DLA- CC

Preparing activity:
DLA-CC

Review activities:
Army – AT, MI
Navy – AS
Air Force – 99

(Project 5935-2013-132)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.dla.mil>.