

MS27267A
21 February 2013
SUPERSEDING
MS27267 (USAF)
7 October 1963

DETAIL SPECIFICATION SHEET

SHELL, ELECTRICAL CONNECTOR – RAMP POWER, 416/240 VOLTS

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-38159.




FIGURE 1. Shell, electrical connector – ramp power, 416/240 volts.

MS27267A

Inches	mm	Inches	mm	Inches	mm
.063	1.60	2.125	53.98	3.359	85.32
.125	3.18	2.405	61.09	3.563	90.50
.156	3.96	2.656	67.46	3.906	99.21
.281	7.14	2.813	71.45	4.375	111.13
.375	9.53	3.125	79.38	5.813	147.65
.531	13.49	3.218	81.74	9.063	230.20
1.375	34.93	3.313	84.15		

NOTES:

1. Material: In accordance with MIL-DTL-38159.
2. Remove all sharp edges.
3. Dimension are in inches, metric equivalents are given for information only.

FIGURE 1. Shell, electrical connector – ramp power, 416/240 volts - Continued.

Part or Identifying Number (PIN):

MS27267-1

Changes from previous issues. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Referenced documents. This document references MIL-DTL-38159.

CONCLUDING MATERIAL

Custodians:
Air Force - 85
DLA - CC

Preparing activity:
DLA - CC

(Project 5935-2012-236)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.dla.mil/>.