

INCH-POUND

MIL-DTL-55116/9C
01 August 2013
SUPERSEDING
MIL-DTL-55116/9B
11 December 2000

DETAIL SPECIFICATION SHEET

CONNECTOR, RECEPTACLE, FIVE-PIN AUDIO,
SOLDER CUP SPRING TERMINALS, PANEL MOUNT, U-183 TYPE

This specification is approved for use by all Departments
and Agencies of the Department of Defense.

The requirements for acquiring the product described herein
shall consist of this specification sheet and MIL-DTL-55116.




FIGURE 1. Connector, receptacle, five-pin audio, panel mount.




FIGURE 1. Connector, receptacle, five-pin audio, panel mount - Continued.

MIL-DTL-55116/9C




FIGURE 1. Connector, receptacle, five-pin audio, panel mount - Continued.

REQUIREMENTS:

Contact retention: This test is only applicable when force is applied to the terminal end, tending to push the terminal into the connector body.

Part or Identifying Number (PIN): M55116/9-0.

Dimensions and configuration: See figure 1.

Reference documents. This document references MIL-DTL-55116.

Changes from previous issue. The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

MIL-DTL-55116/9C

CONCLUDING MATERIAL

Custodians:
Army - CR
DLA - CC

Preparing activity:
DLA - CC

(Project 5935-2013-201)

Review activity:
Army – MI

NOTE: The activities listed above were interested in this document as of the date of this document. Since organization and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.dla.mil>.