

INCH-POUND

MS28050C  
11 December 2014  
SUPERSEDING  
MS28050B  
14 September 2005

DETAIL SPECIFICATION SHEET

VALVE, CHECK, LOW PRESSURE, INTERNAL THREADS

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-6129.




FIGURE 1. Valve, check, low pressure, internal threads.



## MS28050C

Order of precedence. Unless otherwise noted herein or in the contract, in the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

Referenced documents shall be of the issue in effect on date of invitations for bid.

Changes from previous issues. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Reference documents. In addition to MIL-DTL-6129, this document references the following:

AND10050  
SAE-AS28778

### CONCLUDING MATERIAL

Custodians:  
Navy - AS  
Air Force - 99  
DLA - CC

Preparing activity:  
DLA - CC

Review activities:  
Navy - MC, SA  
Air Force - 70, 71

(Project 4820-2014-014)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.dla.mil>.