

INCH-POUND

W-C-596/26C
20 July 2001
SUPERSEDING
W-C-596/26B
13 February 1980


FEDERAL SPECIFICATION SHEET

CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE,
3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ

The General Services Administration has authorized the use
of this federal specification sheet by all federal agencies.

The complete requirements for procuring the connectors described herein shall
consist of this document and the latest issue of W-C-596/GEN.

INACTIVE FOR NEW DESIGN



Inches	mm
2.265	57.53
3.380	85.85

NOTES:

- 1. Dimensions are in inches.
- 2. Metric equivalents are given for general information only.
- 3. Undimensioned pictorials are for reference purposes only.

W-C-596/26C

REQUIREMENTS:

Design and configuration: General grade (see figure 1).

Dimensions: Shall conform to NEMA WD 6, configuration 10-20P.

Mating face: Dead-front construction.

Armored construction: Not acceptable.

Rating:

Voltage: 125/260 volts.

Current: 20 amperes.

Frequency: 50/60 hertz.

Mating connector: W-C-596/27.

Strain relief: Accommodate cable diameter .560 -.655 inch (14.22-16.64 mm).

Part or Identifying Number (PIN): W-C-596/26- (dash number from table I).

Supersession and cross reference: See table II.

TABLE I. Dash number.

Dash no.	Supersedes style	Description
1	L21, L22	Plug

TABLE II. Supersession and cross reference.

Active Government PIN	Superseded numbers			
	CAGE ^{1/} 74545	CAGE 75582	CAGE 71183	CAGE 81091
W-C-596/26-1	7089 9977	5035	9320 9322	7198

^{1/} CAGE is the Commercial and Government Entity code which is assigned and maintained by Defense Logistics Information Service (DLIS) in Battle Creek, MI.

MILITARY INTERESTS:

Custodians

Army - CR
Navy - YD
Air Force - 11
DLA - CC

Review Activities

Army - AV, CR4, MI
Navy - AS, EC, MC, SH
Air Force - 99

CIVIL AGENCY
COORDINATING ACTIVITIES:

DCGOVT - DCG
DOT - ACO
GSA - 7FXE
HHS - FEC
USDA - AFS

Preparing Activity:
DLA - CC

(Project 5935-4305-11)