



QUALIFICATIONS VALIDATED
SEMIANNUALLY

QPL-93-107
6 March 2002
SUPERSEDING
QPL-93-106
10 June 1997

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-R-93

RESISTORS, FIXED, WIRE-WOUND (ACCURATE),

GENERAL SPECIFICATION FOR

Effective 22 November 1968, MIL-R-93 has been declared "Inactive for New Design" with no superseding specification. This is applicable on all acquisitions to which MIL-R-93 is applied.

This list has been prepared for use by or for the Government in the acquisition of products covered by Specification MIL-R-93. Listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QPL IS THE DEFENSE SUPPLY CENTER COLUMBUS (DSCC-VQ), COLUMBUS, OH 43216-5000.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	DETAIL SPECIFICATION	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
RB52 Char. C, 0.1 ohm thru 1.0 megohm, res. tols. D and F, 10.0 ohms thru 1.0 megohm, res. tol. B, 100.0 ohms thru 1.0 megohm, res. tol. A.	VA36 VAS36	93-443-66	/10	IRC Shallcross, Inc.
RB53 Char. C, 0.1 ohm thru 0.604 megohm, res. tols. D and F, 10.0 ohms thru 0.604 megohm, res. tol. B, 100.0 ohms thru 0.6004 megohm, res. tol. A.	VA34	93-443-66	/11	IRC Shallcross, Inc.
RB54 Char. C, 0.1 ohm thru 0.226 megohm, res. tols. D and F, 10.0 ohms thru 0.226 megohm, res. tol. B, 100.0 ohms thru 0.221 megohm, res. tol. A.	VA14 VAS14	93-443-66	/12	IRC Shallcross, Inc.
RB55 Char. C, 0.1 ohm thru 0.176 megohm, res. tols. D and F, 10.0 ohms thru 0.176 megohm, res. tol. B, 100.0 ohms thru 0.176 megohm, res. tol. A.	VA12 VAS12	93-443-66	/13	IRC Shallcross, Inc.
RB56 Char. C, 0.1 ohm thru 0.127 megohm, res. tols. D and F, 10.0 ohms thru 0.127 megohm, res. tol. B, 100.0 ohms thru 0.127 megohm, res. tol. A.	VA10 VAS10	93-443-66	/14	IRC Shallcross, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	DETAIL SPECIFI- CATION	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
RB70 Char. C, 10.0 ohms thru 0.301 megohm, res. tols. B, D, and F, 100.0 ohms thru 0.301 megohm, res. tol. A.	4065	93-56-90	/19	IRC Shallcross, Inc.
RB71 Chars. C and W, 0.1 ohm thru 0.100 megohm, res. tols. D and F, 10.0 ohms thru 0.100 megohm, res. tol, B, 100.0 ohms thru 0.100 megohm, res. tol. A.	PC8	93-873-69	/20	IRC Shallcross, Inc.
RB71 Char. C, 100 ohms thru 50,000 ohms, res. tols. B, D, and F.	203PA	39005-095-96	/20	Vishay Intertechnology, Inc.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE CODE
IRC Shallcross, Inc. U.S. 70 East, P.O. Box 2240 Smithfield, NC 27577 Plant: Same Address	54294
Vishay Intertechnology, Inc. 63 Lincoln Highway Malvern, PA 19355-2143 Plant: Same Address	18612