



QUALIFICATIONS VALIDATED
ANNUALLY

QPL-19978-66
29-Nov-02
SUPERSEDING
QPL-19978-65
22-Oct-02

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER PERFORMANCE SPECIFICATION
MIL-PRF-19978
CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC
(HERMETICALLY SEALED IN METAL, CERAMIC, OR GLASS CASES),
ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY,
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QPL IS THE DEFENSE SUPPLY CENTER COLUMBUS (DSCC-VQ), COLUMBUS, OH 43216-5000.

An asterisk (*) adjacent to the product listing indicates that qualified parts listed on the QPL are available through distributors authorized by the manufacturer in accordance with Military Standard MIL-STD-790. Names and addresses of the distributors are listed in the back of this QPL. This list is being furnished merely as an aid in identifying authorized sources of ER parts and the responsibility for complying with contractual provisions requiring use of such parts rests with the user of such parts. Such list has been compiled from information furnished by the manufacturers of ER parts prior to release of this QPL for printing.

Inclusion on, or omission from, the list of a particular distributor cannot be relied upon as a guarantee of the distributor's status since the information upon which the list is based may not have been complete and authorized distributors are subject to change by the manufacturer at any time. Inclusion of a firm on a list is not, under any circumstance, to be considered an indorsement of such firm or its products by the Department of Defense.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CQ05*				
Chars. K; cap. values 0.001uF thru 1uF; tols. K; terms. A; volts 100, 200, 400, 600, 1000; vibration grade 3; circuit 1, 3	131P	19978-332-64	/19	Dearborn Electronics, Inc.
CQ08*				
Chars. K, M; cap. values 0.001uF thru 10uF; tols. F, G, J, K; terms. A; volts 30, 50, 100, 200, 400, 600, 1000; vibration grade 3; circuit 1, 3	(K) 131P (M) 127P 227P 228P 327P	19978-14-63	/1	Dearborn Electronics, Inc.
CQ09*				
Chars. K, M; cap. values 0.001uF thru 10uF; tols. F, G, J, K; terms. A; volts 30, 50, 100, 200, 400, 600, 1000; vibration grade 3; circuit 1, 3	(K) 131P (M) 127P 227P 228P 327P	19978-14-63	/1	Dearborn Electronics, Inc.
CQ10*				
Chars. K; cap. values 0.001uF thru 1uF; tols. K; terms. A; volts 100, 200, 400, 600, 1000; vibration grade 3; circuit 1, 3	131P	19978-332-64	/20	Dearborn Electronics, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CQ11*				
Chars. K-; cap. values 0.001uF thru 1uF; tols. K; terms. A; volts 100, 200, 400, 600; vibration grade 3; circuit 1, 3	131P	19978-332-64	/21	Dearborn Electronics, Inc.
CQ12*				
Chars. K, M; cap. values 0.001uF thru 10uF; tols. F, G, J, K; terms. A; volts 30, 50, 100, 200, 400, 600, 1000; vibration grade 3; circuit 1, 3	(K) 131P (M) 127P 227P 228P 327P	19978-14-63	/1	Dearborn Electronics, Inc.
CQ13*				
Chars. K, M; cap. values 0.001uF thru 10uF; tols. F, G, J, K; terms. A; volts 30, 50, 100, 200, 400, 600, 1000; vibration grade 3; circuit 1, 3	(K) 131P (M) 127P 227P 228P 327P	19978-14-63	/1	Dearborn Electronics, Inc.
CQ20*				
Chars. K; cap. values 0.0001uF thru 1uF; tols. J, K; terms. A, C; volts 1000, 2000, 3000, 5000, 7500, 10000, 12500, 15000; vibration grade 1; circuit 1	250P	19978-617-73	/2	Dearborn Electronics, Inc.
Chars. K; cap. values 0.0001uF thru 1uF; tols. J, K; terms. A, C; volts 1000, 2000, 3000, 5000, 7500, 10000, 12500, 15000; vibration grade 1; circuit 1	205P	19978-15-63	/2	Dearborn Electronics, Inc.
CQ72*				
Chars. E, F, G; cap. values 0.1uF thru 15uF; tols. K; terms. B, D, E, H; volts 400, 600, 1000, 1500, 2000, 2500, 3000, 4000, 5000, 6000, 7500, 10000, 12500; vibration grade 3; circuit 1	263P	19978-332-63	/3	Dearborn Electronics, Inc.
Chars. E, F, G; cap. values 0.1uF thru 15uF; tols. K; terms. B, D, E, H; volts 400, 600, 1000, 1500, 2000, 2500, 3000, 4000, 5000, 6000, 7500, 10000, 12500; vibration grade 1; circuit 1	263P	19978-332-64	/3	Dearborn Electronics, Inc.
CQR09*				
Chars. K; cap. values 0.001uF thru 1uF; tols. G, J, K; terms. A; life failure rates M, P, R; volts 200, 400, 600, 1000; vibration grade 3; circuit 1, 3	131P	14157-332-64	/9	Dearborn Electronics, Inc.
CQR12*				
Chars. K; cap. values 0.001uF thru 1uF; tols. G, J, K; terms. A; life failure rates M, P, R; volts 200, 400, 600, 1000; vibration grade 3; circuit 1, 3	131P	14157-332-64	/10	Dearborn Electronics, Inc.
CQR13*				
Chars. K; cap. values 0.001uF thru 1uF; tols. G, J, K; terms. A; life failure rates M, P, R; volts 200, 400, 600, 1000; vibration grade 3; circuit 1, 3	131P	14157-332-64	/11	Dearborn Electronics, Inc.
CQR19*				
Chars. K; cap. values 0.0039uF thru 1uF; tols. J, K; terms. A; life failure rates M, P, R; volts 200, 300, 400, 600; vibration grade 3; circuit 1, 3	131P	19978-332-64	/12	Dearborn Electronics, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CQR29*				
Chars. M; cap. values 0.001uF thru 15uF; tols. G, J, K; terms. A; life failure rates M, P, R; volts 30, 50, 100, 200, 400, 600, 1000; vibration grade 3; circuit 1, 3	127P 227P 228P 327P	14157-332-64	/13	Dearborn Electronics, Inc.
CQR32*				
Chars. M; cap. values 0.001uF thru 10uF; tols. G, J, K; terms. A; life failure rates M, P, R; volts 30, 50, 100, 200, 400, 600, 1000; vibration grade 3; circuit 1, 3	127P 227P 228P 327P	14157-332-64	/14	Dearborn Electronics, Inc.
CQR33*				
Chars. M; cap. values 0.001uF thru 10uF; tols. G, J, K; terms. A; life failure rates M, P, R; volts 30, 50, 100, 200, 400, 600, 1000; vibration grade 3; circuit 1, 3	127P 227P 228P 327P	14157-322-64	/15	Dearborn Electronics, Inc.
CQR39*				
Chars. K; cap. values 0.001uF thru 1uF; tols. K; terms. A; life failure rates M, P, R; volts 100, 200, 400, 600, 1000; vibration grade 3; circuit 1, 3	131P	25-5-61	/16	Dearborn Electronics, Inc.
CQR42*				
Chars. K; cap. values 0.001uF thru 1uF; tols. K; terms. A; life failure rates M, P, R; volts 100, 200, 400, 600, 1000; vibration grade 3; circuit 1, 3	131P	25-5-61	/17	Dearborn Electronics, Inc.
CQR43*				
Chars. K; cap. values 0.001uF thru 1uF; tols. K; terms. A; life failure rates M, P, R; volts 100, 200, 400, 600; vibration grade 3; circuit 1, 3	131P	25-5-61	/18	Dearborn Electronics, Inc.

Manufacturer and Supplier Location Information

Manufacturer: Dearborn Electronics, Inc. (CAGE Code: 01884)

Location: 1221 N. Highway 17/92, Longwood, FL 32750, US

Plant Location: Same Address as Manufacturer

Category A

Distributor Locations:

1. Electronic Supply Center, 32 River Street, North Adams, MA 01247, US
2. New Yorker Electronics, 420 Center Avenue, Mamaroneck, NY 10543, US
3. New Yorker Electronics, 1103 W. Hibiscus Blvd., Suite 401, Melbourne, FL 32901, US
4. Projections Unlimited, Inc., 14831 Myford Road, Tustin, CA 92780, US
5. Spirit Electronics, 15150 N. Hayden Road, Scottsdale, AZ 85260, US
6. Tri-State Electronics, Inc., 134 Remington Boulevard, Ronkonkoma, NY 11779, US