

**DLA Land and Maritime - VQ
Supplemental Information Sheet for Electronic QPL-26500**

Date: 6/20/2011

Specification Details:

Specification: MIL-DTL-26500
 Title: Connectors, General Purpose, Electrical, Miniature, Circular, Environment Resisting
 Federal Supply Class (FSC): 5935
 Conventional: Yes
 Specification contains quality assurance program: No
 MIL-STD-790 Established Reliability & High Reliability: No
 MIL-STD-690 Failure Rate Sampling Plans & Procedures: No
 Weibull Graded: No
 Specification contains space level reliability requirements: No
 Specification allows test optimization: No

Contact Information:

Office of Primary Involvement: Passive Devices Branch, DLA Land and Maritime - VQP
 Primary Qualifying Activity Contact: 614-692-8367, e-mail: vqp.es@dla.mil
 Secondary Qualifying Activity Contact: 614-692-6608, e-mail: vqp.jf@dla.mil

Notes:

Effective 12 March 1973, MIL-DTL-26500 has been declared "Inactive for New Design." For future acquisitions, use MIL-DTL-83723, Series 3, Connectors.

All connectors listed are qualified to polarization 6, 7, 8, 9, 10 and normal.

Accessories and Hardware are listed as Part II.

PIN: The PIN will consist of any combination of class, coupling and style shown. The insert arrangement number applicable to each shell size is shown in a vertical column under shell size.

Part Configuration:

M26264/R18B31P6

M sheet	Class	Shell Size	Coupling Type	Insert Arrangement	Contact Style	Polarizing Positions
M26264/	R	18	B	31	P	6

PART LISTINGS

Supplier: Amphenol Aerospace/Amphenol Connectors

Part I

Government Designation: MS24264
 Manufacturer Designation: 48-00R ()
 Class: R
 Coupling: T
 Contact Style: P, S
 Shell: 8 Insert: 2, 3
 Shell: 10 Insert: 2, 5, 20
 Shell: 12 Insert: 3, 12
 Shell: 14 Insert: 4, 7, 12, 15
 Shell: 16 Insert: 10, 24
 Shell: 18 Insert: 8, 14, 31
 Shell: 20 Insert: 16, 25, 28, 39, 41
 Shell: 22 Insert: 12, 19, 32, 55
 Shell: 24 Insert: 43, 57, 61

Test or Qualification Reference: 74-091, 26 May 74

Supplier: Amphenol Aerospace/Amphenol Connectors

Part I

Government Designation: MS24264
 Manufacturer Designation: 48-10R ()
 Class: R
 Coupling: B
 Contact Style: P, S
 Shell: 8 Insert: 2, 3
 Shell: 10 Insert: 2, 5, 20
 Shell: 12 Insert: 3, 12
 Shell: 14 Insert: 4, 7, 12, 15
 Shell: 16 Insert: 10, 24
 Shell: 18 Insert: 8, 14, 31
 Shell: 20 Insert: 16, 25, 28, 39, 41
 Shell: 22 Insert: 12, 19, 32, 55
 Shell: 24 Insert: 43, 57, 61

Test or Qualification Reference: 74-091, 26 May 74

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24264
Manufacturer Designation: ZZW-RC-17(-)(-)
Class: E
Coupling: B
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-898-79

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24264
Manufacturer Designation: ZZY-MC-17(-)(-)
Class: G
Coupling: T
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-898-79

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24264
Manufacturer Designation: ZZW-AC-17(-)(-)
Class: R
Coupling: B
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-898-79

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24264
Manufacturer Designation: ZZY-RC-17(-)(-)
Class: E
Coupling: T
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-898-79

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24264
Manufacturer Designation: ZZY-AC-17(-)(-)
Class: R
Coupling: T
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-898-79

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24264
Manufacturer Designation: ZZW-MC-17(-)(-)
Class: G
Coupling: B
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-898-79

Supplier: Cinch Connectors, Inc.

Part I

Government Designation: MS24264
Manufacturer Designation: C48-10R ()
Class: R
Coupling: B
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: R0422-1, 14 Mar 74

Supplier: Conesys/Aero Electric Connector, Inc.

Part I

Government Designation: MS24264
Manufacturer Designation: AE664
Class: R
Coupling: B, T
Contact Style: P, S
Shell: 8 Insert: 3
Shell: 10 Insert: 5
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 11, 14, 31
Shell: 20 Insert: 16, 25, 39, 41
Shell: 22 Insert: 12, 19, 55
Shell: 24 Insert: 43, 57
Test or Qualification Reference: 26500-456-91

Supplier: American Micro Products, Inc.

Part I

Government Designation: MS24265
Manufacturer Designation: 50G/H-()-20-A2, 50G/H-()-20-M2
Class: H
Coupling: B, T
Contact Style: C, E
Shell: 8 Insert: 2, 3, 98
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 14, 31
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 19, 55
Shell: 24 Insert: 24, 61
Test or Qualification Reference: 26500-91-92

Supplier: Cinch Connectors, Inc.

Part I

Government Designation: MS24264
Manufacturer Designation: C48-00R ()
Class: R
Coupling: T
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: R0422-1, 14 Mar 74

Supplier: RMS Company

Part I

Government Designation: MS24264
Manufacturer Designation: R0717, R0719
Class: R
Coupling: B, T
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 3, 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-248-89; 26500-312-93

Supplier: Amphenol Aerospace/Amphenol Connectors

Part I

Government Designation: MS24265
Manufacturer Designation: 48-13R()
Class: R
Coupling: B
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: TR-091, 26 May 74

Supplier: Amphenol Aerospace/Amphenol Connectors

Part I

Government Designation: MS24265
Manufacturer Designation: 48-13R()
Class: R
Coupling: T
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: TR-091, 26 May 74

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24265
Manufacturer Designation: ZZY-RC-15() - ()
Class: E
Coupling: T
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-898-79

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24265
Manufacturer Designation: ZZW-RC-15()-()
Class: E
Coupling: B
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-898-79

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24265
Manufacturer Designation: ZZY-MC-15()-()
Class: G
Coupling: T
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-898-79

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24265
Manufacturer Designation: ZZY-AC-15()-()
Class: R
Coupling: T
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 10
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-898-79

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24265
Manufacturer Designation: ZZW-MC-15()-()
Class: G
Coupling: B
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-898-79

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24265
Manufacturer Designation: ZZW-AC-15(-)(-)
Class: R
Coupling: B
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-898-79

Supplier: Cinch Connectors, Inc.

Part I

Government Designation: MS24265
Manufacturer Designation: C48-13R ()
Class: R
Coupling: B
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: R04221, 14 May 74

Supplier: Hermetic Seal Corporation

Part I

Government Designation: MS24265
Manufacturer Designation: HR-850002
Class: H
Coupling: B, T
Contact Style: C
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: AFALD/PTSP Ltr 11 Jan 83

Supplier: Cinch Connectors, Inc.

Part I

Government Designation: MS24265
Manufacturer Designation: C48-03R ()
Class: R
Coupling: T
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: RO4221, 14 May 74

Supplier: Conesys/Aero Electric Connector, Inc.

Part I

Government Designation: MS24265
Manufacturer Designation: AE665
Class: R
Coupling: B, T
Contact Style: P, S
Shell: 8 Insert: 3
Shell: 10 Insert: 5
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 11, 14, 31
Shell: 20 Insert: 16, 25, 39, 41
Shell: 22 Insert: 12, 19, 55
Shell: 24 Insert: 43, 57
Test or Qualification Reference: 26500-456-91

Supplier: Hermetic Seal Corporation

Part I

Government Designation: MS24265
Manufacturer Designation: HR-820001
Class: H
Coupling: B, T
Contact Style: E
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: AFALD/PTSP Ltr 11 Jan 83

Supplier: Amphenol Aerospace/Amphenol Connectors

Part I

Government Designation: MS24266
Manufacturer Designation: 48-06R ()
Class: R
Coupling: T
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 74-091, 26 May 74

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24266
Manufacturer Designation: ZZW-AC-10()-()
Class: R
Coupling: B
Contact Style: P, S
Shell: 2 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-898-79

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24266
Manufacturer Designation: ZZY-MC-10()-()
Class: G
Coupling: T
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-878-79

Supplier: Amphenol Aerospace/Amphenol Connectors

Part I

Government Designation: MS24266
Manufacturer Designation: 48-16R ()
Class: R
Coupling: B
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 74-091, 26 May 74

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24266
Manufacturer Designation: ZZY-RC-10()-()
Class: E
Coupling: T
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-878-79

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24266
Manufacturer Designation: ZZY-AC-10()-()
Class: R
Coupling: T
Contact Style: P, S
Shell: 8 Insert: 2, 3
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 12, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 20 Insert: 16, 25, 28, 39, 41
Shell: 22 Insert: 12, 19, 32, 55
Shell: 24 Insert: 43, 57, 61
Test or Qualification Reference: 26500-878-79

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24266

Manufacturer Designation: ZZW-RC-10(-)()

Class: E

Coupling: B

Contact Style: P, S

Shell: 8 Insert: 2, 3

Shell: 10 Insert: 2, 5, 20

Shell: 12 Insert: 3, 12

Shell: 14 Insert: 4, 7, 12, 15

Shell: 16 Insert: 10, 24

Shell: 18 Insert: 8, 14, 31

Shell: 20 Insert: 16, 25, 28, 39, 41

Shell: 22 Insert: 12, 19, 32, 55

Shell: 24 Insert: 43, 57, 61

Test or Qualification Reference: 26500-898-79

Supplier: Cinch Connectors, Inc.

Part I

Government Designation: MS24266

Manufacturer Designation: C48-16R ()

Class: R

Coupling: B

Contact Style: P, S

Shell: 8 Insert: 2, 3

Shell: 10 Insert: 2, 5, 20

Shell: 12 Insert: 3, 12

Shell: 14 Insert: 4, 7, 12, 15

Shell: 16 Insert: 10, 24

Shell: 18 Insert: 8, 14, 31

Shell: 20 Insert: 16, 25, 28, 39, 41

Shell: 22 Insert: 12, 19, 32, 55

Shell: 24 Insert: 43, 57, 61

Test or Qualification Reference: R0422-1, 14 May 74

Supplier: Conesys/Aero Electric Connector, Inc.

Part I

Government Designation: MS24266

Manufacturer Designation: AE666

Class: R

Coupling: B, T

Contact Style: P, S

Shell: 8 Insert: 3

Shell: 10 Insert: 5

Shell: 12 Insert: 3, 12

Shell: 14 Insert: 4, 7, 12, 15

Shell: 16 Insert: 10, 24

Shell: 18 Insert: 8, 11, 14, 31

Shell: 20 Insert: 16, 25, 39, 41

Shell: 22 Insert: 12, 19, 55

Shell: 24 Insert: 43, 57

Test or Qualification Reference: 26500-456-91

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS24266

Manufacturer Designation: ZZW-MC-10(-)()

Class: G

Coupling: B

Contact Style: P, S

Shell: 8 Insert: 2, 3

Shell: 10 Insert: 2, 5, 20

Shell: 12 Insert: 3, 12

Shell: 14 Insert: 4, 7, 12, 15

Shell: 16 Insert: 10, 24

Shell: 18 Insert: 8, 14, 31

Shell: 20 Insert: 16, 25, 28, 39, 41

Shell: 22 Insert: 12, 19, 32, 55

Shell: 24 Insert: 43, 57, 61

Test or Qualification Reference: 26500-898-79

Supplier: Cinch Connectors, Inc.

Part I

Government Designation: MS24266

Manufacturer Designation: C48-06R ()

Class: R

Coupling: T

Contact Style: P, S

Shell: 8 Insert: 2, 3

Shell: 10 Insert: 2, 5, 20

Shell: 12 Insert: 3, 12

Shell: 14 Insert: 4, 7, 12, 15

Shell: 16 Insert: 10, 24

Shell: 18 Insert: 8, 14, 31

Shell: 20 Insert: 16, 25, 28, 39, 41

Shell: 22 Insert: 12, 19, 32, 55

Shell: 24 Insert: 43, 57, 61

Test or Qualification Reference: R0422-1, 14 May 74

Supplier: RMS Company

Part I

Government Designation: MS24266

Manufacturer Designation: R0716, R0718

Class: R

Coupling: B, T

Contact Style: P, S

Shell: 8 Insert: 2, 3

Shell: 10 Insert: 2, 5, 20

Shell: 12 Insert: 3, 12

Shell: 14 Insert: 3, 4, 7, 12, 15

Shell: 16 Insert: 10, 24

Shell: 18 Insert: 8, 14, 31

Shell: 20 Insert: 16, 25, 28, 39, 41

Shell: 22 Insert: 12, 19, 32, 55

Shell: 24 Insert: 43, 57, 61

Test or Qualification Reference: 26500-248-89; 26500-312-93

Supplier: American Micro Products, Inc.

Part I

Government Designation: MS27034
Manufacturer Designation: 20G/H-()-10-A2, 20G/H-()-10-M2
Class: H
Coupling: B, T
Contact Style: C, E
Shell: 8 Insert: 2, 3, 98
Shell: 10 Insert: 2, 5, 20
Shell: 12 Insert: 3, 12
Shell: 14 Insert: 4, 7, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 14, 31
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 19, 55
Shell: 24 Insert: 24, 61
Test or Qualification Reference: 26500-91-92

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS27034
Manufacturer Designation: ZZB-HC-14 ()
Class: H
Coupling: B
Contact Style: C, E
Shell: 14 Insert: 4, 7, 15
Shell: 16 Insert: 24
Shell: 18 Insert: 8, 14, 31
Shell: 22 Insert: 12, 19, 55
Test or Qualification Reference: 26500-700-76

Supplier: Hermetic Seal Corporation

Part I

Government Designation: MS27034
Manufacturer Designation: HR-800002
Class: H
Coupling: B, T
Contact Style: C
Shell: 14 Insert: 4, 7, 15
Shell: 16 Insert: 24
Shell: 18 Insert: 8, 14, 31
Shell: 22 Insert: 12, 19, 55
Test or Qualification Reference: AFALD/PTSP Ltr 11 Jan 83

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS27613
Manufacturer Designation: FPK-17-()-()-D
Class: K
Coupling: T
Contact Style: P, S
Shell: 12 Insert: 3
Shell: 14 Insert: 4, 7, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 22 Insert: 12, 19, 55
Test or Qualification Reference: 26500-157-74; 26500-298-75

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS27034
Manufacturer Designation: ZZL-HC-14 ()
Class: H
Coupling: T
Contact Style: C, E
Shell: 14 Insert: 4, 7, 15
Shell: 16 Insert: 24
Shell: 18 Insert: 8, 14, 31
Shell: 22 Insert: 12, 19, 55
Test or Qualification Reference: 26500-700-76

Supplier: Hermetic Seal Corporation

Part I

Government Designation: MS27034
Manufacturer Designation: HR-800001
Class: H
Coupling: B, T
Contact Style: E
Shell: 14 Insert: 4, 7, 15
Shell: 16 Insert: 24
Shell: 18 Insert: 8, 14, 31
Shell: 22 Insert: 12, 19, 55
Test or Qualification Reference: AFALD/PTSP Ltr 11 Jan 83

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS27613
Manufacturer Designation: FYL-17-()-()D
Class: K
Coupling: B
Contact Style: P, S
Shell: 12 Insert: 3
Shell: 14 Insert: 4, 7, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 22 Insert: 12, 19, 55
Test or Qualification Reference: 26500-157-74; 26500-298-75

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS27614
Manufacturer Designation: FYL-19 ()-()-D
Class: K
Coupling: B
Contact Style: P, S
Shell: 12 Insert: 3
Shell: 14 Insert: 4, 7, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 22 Insert: 12, 19, 55
Test or Qualification Reference: 26500-157-74; 26500-298-75

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS27614
Manufacturer Designation: FPK-19-(-)()D
Class: K
Coupling: T
Contact Style: P, S
Shell: 12 Insert: 3
Shell: 14 Insert: 4, 7, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 22 Insert: 12, 19, 55
Test or Qualification Reference: 26500-157-74; 26500-298-75

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS27615
Manufacturer Designation: FPK-11-(-)()D
Class: K
Coupling: T
Contact Style: P, S
Shell: 12 Insert: 3
Shell: 14 Insert: 4, 7, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 22 Insert: 12, 19, 55
Test or Qualification Reference: 26500-157-74; 26500-298-75

Supplier: Amphenol Aerospace/Amphenol Connectors

Part II

Government Designation: MS27291
Manufacturer Designation: 48-234()
Shell: 8 Dash Number: 13, 701
Shell: 10 Dash Number: 1, 101
Shell: 12 Dash Number: 2, 201
Shell: 14 Dash Number: 3, 301
Shell: 16 Dash Number: 4, 401
Shell: 18 Dash Number: 5, 501
Shell: 20 Dash Number: 14, 801
Shell: 22 Dash Number: 6, 601
Shell: 24 Dash Number: 15, 901
Test or Qualification Reference: 74-091, 26 May 74

Supplier: Glenair, Inc.

Part II

Government Designation: MS27291
Manufacturer Designation: GS27291
Shell: 8 Dash Number: 13, 701
Shell: 10 Dash Number: 1, 101
Shell: 12 Dash Number: 2, 201
Shell: 14 Dash Number: 3, 301
Shell: 16 Dash Number: 4, 401
Shell: 18 Dash Number: 5, 501
Shell: 20 Dash Number: 14, 801
Shell: 22 Dash Number: 6, 601
Shell: 24 Dash Number: 15, 901
Test or Qualification Reference: 26500-61-93

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS27615
Manufacturer Designation: FYL-11-(-)()D
Class: K
Coupling: B
Contact Style: P, S
Shell: 12 Insert: 3
Shell: 14 Insert: 4, 7, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 22 Insert: 12, 19, 55
Test or Qualification Reference: 26500-157-74; 26500-298-75

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part I

Government Designation: MS27615
Manufacturer Designation: FPK-12-(-)()T
Class: K
Coupling: S
Contact Style: P, S
Shell: 12 Insert: 3
Shell: 14 Insert: 4, 7, 15
Shell: 16 Insert: 10, 24
Shell: 18 Insert: 8, 14, 31
Shell: 22 Insert: 12, 19, 55
Test or Qualification Reference: 26500-157-74; 26500-298-75

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part II

Government Designation: MS27291
Manufacturer Designation: ZZL-(M)-53(), ZZL-(R)-53()
Shell: 8 Dash Number: 13, 701
Shell: 10 Dash Number: 1, 101, 102
Shell: 12 Dash Number: 2, 201
Shell: 14 Dash Number: 3, 301, 302
Shell: 16 Dash Number: 4, 401
Shell: 18 Dash Number: 5, 501
Shell: 20 Dash Number: 14, 801
Shell: 22 Dash Number: 6, 601
Shell: 24 Dash Number: 15, 901
Test or Qualification Reference: TRC-9140-00-QL 18 Jul 74

Supplier: Joslyn Sunbank Company

Part II

Government Designation: MS27291
Manufacturer Designation: S3903-(-)()
Shell: 8 Dash Number: 13, 701
Shell: 10 Dash Number: 1, 101
Shell: 12 Dash Number: 2, 201
Shell: 14 Dash Number: 3, 301
Shell: 16 Dash Number: 4, 401
Shell: 18 Dash Number: 5, 501
Shell: 20 Dash Number: 14, 801
Shell: 22 Dash Number: 6, 601
Shell: 24 Dash Number: 15, 901
Test or Qualification Reference: 26500-48-91

Supplier: Amphenol Aerospace/Amphenol Connectors

Part II

Government Designation: MS27558
Manufacturer Designation: 48-2222-()100
Shell: 8 Dash Number: 1
Shell: 10 Dash Number: 2
Shell: 12 Dash Number: 3
Shell: 14 Dash Number: 4
Shell: 16 Dash Number: 5
Shell: 18 Dash Number: 6
Shell: 20 Dash Number: 7
Shell: 22 Dash Number: 8
Shell: 24 Dash Number: 9
Test or Qualification Reference: 74-094, 26 May 74

Supplier: Amphenol Aerospace/Amphenol Connectors

Part II

Government Designation: MS27559
Manufacturer Designation: 48-2222-() 200
Shell: 8 Dash Number: 1
Shell: 10 Dash Number: 2
Shell: 12 Dash Number: 3
Shell: 14 Dash Number: 4
Shell: 16 Dash Number: 5
Shell: 18 Dash Number: 6
Shell: 20 Dash Number: 7
Shell: 22 Dash Number: 8
Shell: 24 Dash Number: 9
Test or Qualification Reference: 74-091, 26 May 74

Supplier: Amphenol Aerospace/Pyle-National Connectors

Part II

Government Designation: MS27657
Manufacturer Designation: ZZL-R-53()
Shell: 14 Dash Number: 1
Shell: 14 Dash Number: 14
Shell: 16 Dash Number: 2
Shell: 16 Dash Number: 16
Shell: 18 Dash Number: 18
Shell: 18 Dash Number: 3
Shell: 22 Dash Number: 22
Shell: 22 Dash Number: 4
Test or Qualification Reference: 26500-455-75

Supplier: Glenair, Inc.

Part II

Government Designation: MS27558
Manufacturer Designation: G2221-()A
Shell: 10 Dash Number: 2
Shell: 12 Dash Number: 3
Shell: 14 Dash Number: 4
Shell: 16 Dash Number: 5
Shell: 18 Dash Number: 6
Shell: 20 Dash Number: 7
Shell: 22 Dash Number: 8
Shell: 24 Dash Number: 9
Test or Qualification Reference: 26500-450-72

Supplier: Glenair, Inc.

Part II

Government Designation: MS27559
Manufacturer Designation: G2221-()B
Shell: 10 Dash Number: 2
Shell: 12 Dash Number: 3
Shell: 14 Dash Number: 4
Shell: 16 Dash Number: 5
Shell: 18 Dash Number: 6
Shell: 20 Dash Number: 7
Shell: 22 Dash Number: 8
Shell: 24 Dash Number: 9
Test or Qualification Reference: 26500-450-72

Manufacturer and Supplier Location Information

Manufacturer: American Micro Products, Inc. (CAGE Code: 0GAC8)

Location: 4288 Armstrong Boulevard, Batavia, OH 45103-1600, US

Plants:

1. Plant: Same Address as Manufacturer

Manufacturer: Amphenol Aerospace/Amphenol Connectors (CAGE Code: 77820)

Location: 40-60 Delaware Avenue, Sidney, NY 13838-1395, US

Plants:

1. Plant: Same Address as Manufacturer

Manufacturer: Amphenol Aerospace/Pyle-National Connectors (CAGE Code: 49367)

Location: 40-60 Delaware Avenue, Sidney, NY 13838-1395, US

Plants:

1. Plant: Same Address as Manufacturer
2. Amphenol Aerospace/Amphenol Connectors (Mexico), Productos De Memoria, S.A. de C.V., Parque Industrial San Ramon, APDO Postal 205-A, Nogales, Sonora, Mexico 84000

Manufacturer: Cinch Connectors, Inc. (CAGE Code: 71785)

Location: 1700 Finley Road, Lombard, IL 60148, US

Plants:

1. Cinch Connectors de Mexico, Carretera Riberena KM 9, Parque Industrial Maquilpark, Reynosa, Tamps, Mexico

Authorized Distributors:

1. Aeroflite Enterprises, Inc., 261 Gemini Avenue, Brea, CA 92621, US
2. Electronic Connector Corp., 6332 South Central Avenue, Chicago, IL 60638, US

Manufacturer: Conesys/Aero Electric Connector, Inc. (CAGE Code: 59976)

Location: 2280 208th Street, Torrance, CA 90501, US

Plants:

1. Plant: Same Address as Manufacturer

Authorized Distributors:

1. A.E. Petsche Company, Inc., 2112 West Division, Arlington, TX 76012, US
2. Aero Electric Connector France, 12 AV Clement Ader, 31770 Colomiers, France
3. Benchmark Connector Corp., 4501 NW 103rd Avenue, Suite 101, Sunrise, FL 33351, US
4. Circular Connectors, Inc., 8644 Darby Avenue, Northridge, CA 91325, US
5. J-Tech, Inc., 1631 E. St. Andrews Place, Santa Ana, CA 92705, US
6. Wesco Aircraft (Symbol: A), 3851 North Webb Road, Wichita, KS 67226, US

Manufacturer: Glenair, Inc. (CAGE Code: 06324)

Location: 1211 Air Way, Glendale, CA 91201, US

Plants:

1. Plant: Same Address as Manufacturer

Manufacturer: Hermetic Seal Corporation (CAGE Code: 04820)

Location: 4232 Temple City Boulevard, Rosemead, CA 91770-1592, US

Plants:

1. Plant: Same Address as Manufacturer

Manufacturer: Joslyn Sunbank Company (CAGE Code: 07418)

Location: 1740 Commerce Way, Paso Robles, CA 93446-3620, US

Plants:

1. Plant: Same Address as Manufacturer

Manufacturer: RMS Company (CAGE Code: 41118)

Location: 8600 Evergreen Boulevard, Minneapolis, MN 55433-6036, US

Plants:

1. Plant: Same Address as Manufacturer

Authorized Distributors:

1. CPN/Denelex Group, 4880 North Hiatus Road, Sunrise, FL 33351, US
2. Electro Enterprises, Inc., 3601 N. I-35, Oklahoma City, OK 73111, US
3. Pan Pacific Electronics, Inc., 17985 NE 65th Street, Redmond, WA 98052, US