

QUALIFIED PRODUCTS LIST  
OF  
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION  
MIL-C-28840

CONNECTOR, ELECTRICAL, CIRCULAR THREADED,  
HIGH DENSITY, HIGH SHOCK SHIPBOARD, CLASS D  
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the procurement of products covered by Specification MIL-C-28840. Listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the products as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.




THE ACTIVITY RESPONSIBLE FOR THIS QPL IS THE DEFENSE SUPPLY CENTER COLUMBUS (DSCC-VQ), COLUMBUS, OH 43216-5000.


All parts listed on this QPL are available through distributors authorized by the manufacturer under military requirements. Manufacturers may be contacted for names and addresses of authorized distributors. Names and addresses of authorized assembly plants are listed on the last page of this QPL.

The qualified products are listed in tabular form for each manufacturer. Connectors are qualified to any combination of class and style shown. The military part number consists of alphanumeric characters formulated as shown in the following examples:


**BACKSHELL**



**CONNECTOR**



**CONNECTOR ASSEMBLY**



| GOVERNMENT DESIGNATION  | MANUFACTURER'S DESIGNATION | TEST OR QUALIFICATION REFERENCE  | MANUFACTURER'S NAME (ADDRESS ON LAST PAGE) |
|---|----------------------------|----------------------------------|--|
| M28840/1( )<br>SHELL SIZE: A, D, J<br>MATERIAL: W                                 | 100-28840/1( )             | NWSC Test Report<br>0783/3-8-84  | Electro-Adapter, Inc.                      |
| M28840/1( )<br>SHELL SIZE: A thru J<br>MATERIAL: W                                | GS28840/1( )               | NWSC Test Report<br>0783/9-9-86  | Glenair, Inc.                              |
| M28840/1( )<br>SHELL SIZE: A thru J<br>MATERIAL: W, D                             | S1941( )                   | NWSC Test Report<br>0385/4-22-85 | Joslyn Sunbank Corp.                       |
| M28840/2( )<br>SHELL SIZE: A thru J<br>MATERIAL: W                                | S1942( )                   | NWSC Test Report<br>0385/4-22-85 | Joslyn Sunbank Corp.                       |
| M28840/3( )<br>SHELL SIZE: A thru J<br>MATERIAL: W                                | S1939( )                   | NWSC Test Report<br>0385/4-22-85 | Joslyn Sunbank Corp.                       |
| M28840/4( )<br>SHELL SIZE: 08<br>TYPE: AC, AE, BC, BE                             | BI-PRO-( )                 | NWSC Test Report<br>768B/6-16-80 | Breeze-Illinois, Inc.                      |
| M28840/4( )<br>SHELL SIZE: 03, 04, 05, 06, 08, 10, 12, 16<br>TYPE: AC, AE, BC, BE | GS28840/4( )               | NWSC Test Report<br>0786/9-9-86  | Glenair, Inc.                              |
| M28840/5( )<br>DASH NUMBERS: 01, 08, 09, 10, 23, 24<br>MATERIAL: W<br>STYLE: A, B | 100-28840/5( )             | NWSC Test Report<br>0783/3-8-84  | Electro-Adapter, Inc.                      |
| M28840/5( )<br>DASH NUMBERS: 01 thru 25<br>MATERIAL: W<br>STYLE: A, B             | GS28840/5                  | NWSC Test Report<br>0786/9-9-86  | Glenair, Inc.                              |
| M28840/5( )<br>DASH NUMBERS: 01 thru 25<br>MATERIAL: W, D<br>STYLE: A, B          | S1863( )                   | NWSC Test Report<br>0385/4-22-85 | Joslyn Sunbank Corp.                       |
| M28840/6( )<br>DASH NUMBERS: 01, 08, 09, 10, 22, 23<br>MATERIAL: W<br>STYLE: A, B | 100-28840/6( )             | NWSC Test Report<br>0783/3-8-84  | Electro-Adapter, Inc.                      |
| M28840/6( )<br>DASH NUMBERS: 01 thru 28<br>MATERIAL: W, D<br>STYLE: A, B          | GS28840/6( )               | NWSC Test Report<br>0786/9-9-86  | Glenair, Inc.                              |
| M28840/6( )<br>DASH NUMBERS: 01 thru 28<br>MATERIAL: W, D<br>STYLE: A, B          | S1946( )                   | NWSC Test Report<br>0385/4-22-85 | Joslyn Sunbank Corp.                       |
| M28840/7( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6                    | NC07( )                    | NWSC Test Report<br>0885/1-24-86 | G & H Technology, Inc.                     |
| M28840/7( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6                    | GS28840/7( )               | NWSC Test Report<br>0786/9-9-86  | Glenair, Inc.                              |
| M28840/7( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6                    | KFS7( )                    | NWSC Test Report<br>0285/1-10-85 | ITT Cannon                                 |

| GOVERNMENT<br>DESIGNATION  | MANUFACTURER'S<br>DESIGNATION | TEST OR QUALIFI-<br>CATION REFERENCE | MANUFACTURER'S NAME<br>(ADDRESS ON LAST PAGE) |
|--|-------------------------------|--------------------------------------|---|
| M28840/7( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6   | JSC7( )                       | NWSC Test Report<br>0385/4-22-85     | Joslyn Sunbank Corp.                          |
| M28840/7( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6   | 1145407-( )                   | NWSC Test Report<br>0581/2-19-82     | Packard Hughes Interconnect                   |
| M28840/8( )<br>DASH NUMBERS: 01 thru<br>MATERIAL: W<br>STYLE: A, B   | GS28840/8( )                  | 28840-009-97                         | Glenair, Inc.                                 |
| M28840/8( )<br>DASH NUMBERS: 01 thru 28<br>MATERIAL: W<br>STYLE: A, B  | S1944( )                      | NWSC Test Report<br>0385/4-22-85     | Joslyn Sunbank Corp.                          |
| M28840/9( )<br>DASH NUMBERS: 01 thru<br>MATERIAL: W<br>STYLE: A, B   | GS28840/9( )                  | 28840-009-97                         | Glenair, Inc.                                 |
| M28840/9( )<br>DASH NUMBERS: 01 thru 28<br>MATERIAL: W<br>STYLE: A, B  | S1945( )                      | NWSC Test Report<br>0385/4-22-85     | Joslyn Sunbank Corp.                          |
| M28840/10( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | NC10( )                       | NWSC Test Report<br>0885/1-24-86     | G & H Technology, Inc.                        |
| M28840/10( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | KFS10( )                      | NWSC Test Report<br>0285/1-10-85     | ITT Cannon                                    |
| M28840/10( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | JSC10( )                      | 28840-47-95                          | Joslyn Sunbank Corp.                          |
| M28840/10( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A<br>CONTACT STYLE: P, S, D, E, F, G    | GTOA( )                       | NWSC Test Report<br>0581/2-19-82     | Packard Hughes Interconnect                   |
| M28840/11( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | NC11( )                       | NWSC Test Report<br>0885/1-24-86     | G & H Technology, Inc.                        |
| M28840/11( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | KFS11( )                      | NWSC Test Report<br>0285/1-10-85     | ITT Cannon                                    |

| GOVERNMENT<br>DESIGNATION  | MANUFACTURER'S<br>DESIGNATION | TEST OR QUALIFI-<br>CATION REFERENCE            | MANUFACTURER'S NAME<br>(ADDRESS ON LAST PAGE) |
|--|-------------------------------|---|---|
| M28840/11( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G                 | JSC11( )                      | 28840-47-95                                     | Joslyn Sunbank Corp.                          |
| M28840/11( )<br>SHELL SIZE: J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A<br>CONTACT STYLE: P, S, D, E, F, G                           | GT1A( )                       | NWSC Test Report<br>0581/2-19-82                | Packard Hughes Interconnect                   |
| M28840/12( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G<br>FIGURE: 1, 2 | NC12( )                       | 28840-186-93                                    | G & H Technology, Inc.                        |
| M28840/12( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G<br>FIGURE: 1, 2 | KFS12( )                      | 28840-147-93                                    | ITT Cannon                                    |
| M28840/12( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G<br>FIGURE: 1,2  | JSC12( )                      | 28840-47-95                                     | Joslyn Sunbank Corp.                          |
| M28840/12( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G<br>FIGURE: 1, 2 | GT2A( )<br>GT22A( )           | NWSC Test Report<br>0581/2-19-82<br>28840-27-94 | Packard Hughes Interconnect                   |
| M28840/13( )<br>SHELL SIZE: A thru J<br>MATERIAL: W<br>CHAIN: A, B, C  | GS28840/13( )                 | NWSC Test Report<br>0786/9-9-86                 | Glenair, Inc.                                 |
| M28840/13( )<br>SHELL SIZE: A thru J<br>MATERIAL: W, D<br>CHAIN: A, B, C   | S1967( )                      | NWSC Test Report<br>0385/4-22-85                | Joslyn Sunbank Corp.                          |
| M28840/14( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G                 | NC14( )                       | NWSC Test Report<br>0885/1-24-86                | G & H Technology, Inc.                        |
| M28840/14( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G                 | KFS14( )                      | NWSC Test Report<br>0285/1-10-85                | ITT Cannon                                    |

| GOVERNMENT<br>DESIGNATION  | MANUFACTURER'S<br>DESIGNATION | TEST OR QUALIFI-<br>CATION REFERENCE | MANUFACTURER'S NAME<br>(ADDRESS ON LAST PAGE) |
|--|-------------------------------|--------------------------------------|---|
| M28840/14( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | JSC14( )                      | 28840-47-95                          | Joslyn Sunbank Corp.                          |
| M28840/14( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A<br>CONTACT STYLE: P, S, D, E, F, G    | GT4A( )                       | NWSC Test Report<br>0581/2-19-82     | Packard Hughes Interconnect                   |
| M28840/15( )<br>SHELL SIZE: A thru J<br>MATERIAL: W<br>CHAIN: A, B   | GS28840/15                    | NWSC Test Report<br>0786/9-9-86      | Glenair, Inc.                                 |
| M28840/15( )<br>SHELL SIZE: A thru J<br>MATERIAL: W, D<br>CHAIN: A, B  | S1968( )                      | NWSC Test Report<br>0385/4-22-85     | Joslyn Sunbank Corp.                          |
| M28840/16( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | NC16( )                       | NWSC Test Report<br>0885/1-24-86     | G & H Technology, Inc.                        |
| M28840/16( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | KFS16( )                      | NWSC Test Report<br>0285/1-10-85     | ITT Cannon                                    |
| M28840/16( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | JSC16( )                      | 28840-47-95                          | Joslyn Sunbank Corp.                          |
| M28840/16( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A<br>CONTACT STYLE: P, S, D, E, F, G    | GT6A( )                       | NWSC Test Report<br>0581/2-19-82     | Packard Hughes Interconnect                   |
| M28840/17( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | NC17( )                       | NWSC Test Report<br>0885/1-24-86     | G & H Technology, Inc.                        |
| M28840/17( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | KFS17( )                      | NWSC Test Report<br>0285/1-10-85     | ITT Cannon                                    |
| M28840/17( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | JSC17( )                      | 28840-47-95                          | Joslyn Sunbank Corp.                          |

| GOVERNMENT DESIGNATION   | MANUFACTURER'S DESIGNATION | TEST OR QUALIFICATION REFERENCE  | MANUFACTURER'S NAME (ADDRESS ON LAST PAGE) |
|--|----------------------------|----------------------------------|--|
| M28840/17( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A<br>CONTACT STYLE: P, S, D, E, F, G    | GT6B( )                    | NWSC Test Report<br>0581/2-19-82 | Packard Hughes Interconnect                |
| M28840/18( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | NC18( )                    | NWSC Test Report<br>0885/1-24-86 | G & H Technology, Inc.                     |
| M28840/18( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | KFS18( )                   | NWSC Test Report<br>0285/1-10-85 | ITT Cannon                                 |
| M28840/18( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | JSC18( )                   | 28840-47-95                      | Joslyn Sunbank Corp.                       |
| M28840/18( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A<br>CONTACT STYLE: P, S, D, E, F, G    | GT6C( )                    | NWSC Test Report<br>0581/2-19-82 | Packard Hughes Interconnect                |
| M28840/19( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | NC19( )                    | NWSC Test Report<br>0885/1-24-86 | G & H Technology, Inc.                     |
| M28840/19( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | KFS19( )                   | NWSC Test Report<br>0285/1-10-85 | ITT Cannon                                 |
| M28840/19( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A, B<br>CONTACT STYLE: P, S, D, E, F, G | JSC19( )                   | 28840-47-95                      | Joslyn Sunbank Corp.                       |
| M28840/19( )<br>SHELL SIZE: A thru J<br>KEY POSITIONS: 1 thru 6<br>INSERT ARRANGEMENT: 1<br>CLASS: A<br>CONTACT STYLE: P, S, D, E, F, G    | GT6D( )                    | NWSC Test Report<br>0581/2-19-82 | Packard Hughes Interconnect                |

| GOVERNMENT DESIGNATION   | MANUFACTURER'S DESIGNATION   | TEST OR QUALIFICATION REFERENCE  | MANUFACTURER'S NAME (ADDRESS ON LAST PAGE) |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|--|--|----------------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|--|--|--|---|---|--|--|--|---|--|--|--|--|---|--|--|--|--|--|--|--|--|
| M28840/20( )<br>CLASS: C, E<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | NC20( )  | NWSC Test Report<br>0885/1-24-86 | G & H Technology, Inc.                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  | <table border="1"> <thead> <tr><th>A</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>H</th><th>J</th></tr> </thead> <tbody> <tr><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td></tr> <tr><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td></tr> <tr><td>C</td><td>C</td><td>C</td><td>C</td><td></td><td>C</td><td>C</td><td></td><td></td></tr> <tr><td></td><td>D</td><td>D</td><td></td><td></td><td></td><td>D</td><td></td><td></td></tr> <tr><td></td><td></td><td>E</td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table> | A                                | B  | C | D | E | F | G | H | J | A | A | A | A | A | A | A | A | A | B | B | B | B | B | B | B | B | B | C | C | C | C |  | C | C |  |  |  | D | D |  |  |  | D |  |  |  |  | E |  |  |  |  |  |  |  |  |
| A  | B  | C                                | D  | E | F | G | H | J |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| A  | A  | A                                | A  | A | A | A | A | A |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| B  | B  | B                                | B  | B | B | B | B | B |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| C  | C  | C                                | C  |   | C | C |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  | D  | D                                |  |   |   | D |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  |  | E                                |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| M28840/20( )<br>CLASS: C, E<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | KFS20( )   | NWSC Test Report<br>0285/1-10-85 | ITT Cannon                                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  | <table border="1"> <thead> <tr><th>A</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>H</th><th>J</th></tr> </thead> <tbody> <tr><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td></tr> <tr><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td></tr> <tr><td>C</td><td>C</td><td>C</td><td>C</td><td></td><td>C</td><td>C</td><td></td><td></td></tr> </tbody> </table>   | A                                | B  | C | D | E | F | G | H | J | A | A | A | A | A | A | A | A | A | B | B | B | B | B | B | B | B | B | C | C | C | C |  | C | C |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| A  | B  | C                                | D  | E | F | G | H | J |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| A  | A  | A                                | A  | A | A | A | A | A |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| B  | B  | B                                | B  | B | B | B | B | B |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| C  | C  | C                                | C  |   | C | C |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| M28840/20( )<br>CLASS: C, E<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | JSC20( )   | 28840-47-95                      | Joslyn Sunbank Corp.                       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  | <table border="1"> <thead> <tr><th>A</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>H</th><th>J</th></tr> </thead> <tbody> <tr><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td></tr> <tr><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td></tr> <tr><td>C</td><td>C</td><td>C</td><td>C</td><td></td><td>C</td><td>C</td><td></td><td></td></tr> <tr><td></td><td>D</td><td>D</td><td></td><td></td><td></td><td>D</td><td></td><td></td></tr> <tr><td></td><td></td><td>E</td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table> | A                                | B  | C | D | E | F | G | H | J | A | A | A | A | A | A | A | A | A | B | B | B | B | B | B | B | B | B | C | C | C | C |  | C | C |  |  |  | D | D |  |  |  | D |  |  |  |  | E |  |  |  |  |  |  |  |  |
| A  | B  | C                                | D  | E | F | G | H | J |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| A  | A  | A                                | A  | A | A | A | A | A |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| B  | B  | B                                | B  | B | B | B | B | B |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| C  | C  | C                                | C  |   | C | C |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  | D  | D                                |  |   |   | D |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  |  | E                                |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| M28840/20( )<br>CLASS: C<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR:    | GT0E( )  | NWSC Test Report<br>0581/2-19-82 | Packard Hughes Interconnect                |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  | <table border="1"> <thead> <tr><th>A</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>H</th><th>J</th></tr> </thead> <tbody> <tr><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td></tr> <tr><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td></tr> <tr><td>C</td><td>C</td><td>C</td><td>C</td><td></td><td>C</td><td>C</td><td></td><td></td></tr> <tr><td></td><td>D</td><td>D</td><td></td><td></td><td></td><td>D</td><td></td><td></td></tr> </tbody> </table>   | A                                | B  | C | D | E | F | G | H | J | A | A | A | A | A | A | A | A | A | B | B | B | B | B | B | B | B | B | C | C | C | C |  | C | C |  |  |  | D | D |  |  |  | D |  |  |  |  |   |  |  |  |  |  |  |  |  |
| A  | B  | C                                | D  | E | F | G | H | J |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| A  | A  | A                                | A  | A | A | A | A | A |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| B  | B  | B                                | B  | B | B | B | B | B |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| C  | C  | C                                | C  |   | C | C |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  | D  | D                                |  |   |   | D |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| M28840/21( )<br>CLASS: C, E<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | NC21( )  | NWSC Test Report<br>0885/1-24-86 | G & H Technology, Inc.                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  | <table border="1"> <thead> <tr><th>A</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>H</th><th>J</th></tr> </thead> <tbody> <tr><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td></tr> <tr><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td></tr> <tr><td>C</td><td>C</td><td>C</td><td>C</td><td></td><td>C</td><td>C</td><td></td><td></td></tr> <tr><td></td><td>D</td><td>D</td><td></td><td></td><td></td><td>D</td><td></td><td></td></tr> <tr><td></td><td></td><td>E</td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table> | A                                | B  | C | D | E | F | G | H | J | A | A | A | A | A | A | A | A | A | B | B | B | B | B | B | B | B | B | C | C | C | C |  | C | C |  |  |  | D | D |  |  |  | D |  |  |  |  | E |  |  |  |  |  |  |  |  |
| A  | B  | C                                | D  | E | F | G | H | J |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| A  | A  | A                                | A  | A | A | A | A | A |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| B  | B  | B                                | B  | B | B | B | B | B |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| C  | C  | C                                | C  |   | C | C |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  | D  | D                                |  |   |   | D |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  |  | E                                |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| M28840/21( )<br>CLASS: C, E<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | KFS21( )   | NWSC Test Report<br>0285/1-10-85 | ITT Cannon                                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  | <table border="1"> <thead> <tr><th>A</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>H</th><th>J</th></tr> </thead> <tbody> <tr><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td><td>A</td></tr> <tr><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td><td>B</td></tr> <tr><td>C</td><td>C</td><td>C</td><td>C</td><td></td><td>C</td><td>C</td><td></td><td></td></tr> </tbody> </table>   | A                                | B  | C | D | E | F | G | H | J | A | A | A | A | A | A | A | A | A | B | B | B | B | B | B | B | B | B | C | C | C | C |  | C | C |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| A  | B  | C                                | D  | E | F | G | H | J |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| A  | A  | A                                | A  | A | A | A | A | A |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| B  | B  | B                                | B  | B | B | B | B | B |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| C  | C  | C                                | C  |   | C | C |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION | TEST OR QUALIFICATION REFERENCE | MANUFACTURER'S NAME (ADDRESS ON LAST PAGE) |
|------------------------|----------------------------|---------------------------------|--|
|------------------------|----------------------------|---------------------------------|--|

| M28840/21( )<br>CLASS: C, E<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | JSC21( )   | 28840-47-95 | Joslyn Sunbank Corp. |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|--|--|-------------|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|--|--|--|---|---|--|--|--|---|--|--|--|--|---|--|--|--|--|--|--|--|--|
|  | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> <th>H</th> <th>J</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> </tr> <tr> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> </tr> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td></td> <td>C</td> <td>C</td> <td></td> <td></td> </tr> <tr> <td></td> <td>D</td> <td>D</td> <td></td> <td></td> <td></td> <td>D</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>E</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | A           | B                    | C | D | E | F | G | H | J | A | A | A | A | A | A | A | A | A | B | B | B | B | B | B | B | B | B | C | C | C | C |  | C | C |  |  |  | D | D |  |  |  | D |  |  |  |  | E |  |  |  |  |  |  |  |  |
| A  | B  | C           | D                    | E | F | G | H | J |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| A  | A  | A           | A                    | A | A | A | A | A |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| B  | B  | B           | B                    | B | B | B | B | B |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| C  | C  | C           | C                    |   | C | C |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  | D  | D           |                      |   |   | D |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  |  | E           |                      |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |

| M28840/21( )<br>CLASS: C<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | GT1E( )  | NWSC Test Report<br>0581/2-19-82 | Packard Hughes Interconnect |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
|---|--|----------------------------------|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|--|--|--|---|---|--|--|--|---|--|--|--|--|
|   | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> <th>H</th> <th>J</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> </tr> <tr> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> </tr> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td></td> <td>C</td> <td>C</td> <td></td> <td></td> </tr> <tr> <td></td> <td>D</td> <td>D</td> <td></td> <td></td> <td></td> <td>D</td> <td></td> <td></td> </tr> </tbody> </table> | A                                | B                           | C | D | E | F | G | H | J | A | A | A | A | A | A | A | A | A | B | B | B | B | B | B | B | B | B | C | C | C | C |  | C | C |  |  |  | D | D |  |  |  | D |  |  |  |  |
| A   | B  | C                                | D                           | E | F | G | H | J |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
| A   | A  | A                                | A                           | A | A | A | A | A |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
| B   | B  | B                                | B                           | B | B | B | B | B |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
| C   | C  | C                                | C                           |   | C | C |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
|   | D  | D                                |                             |   |   | D |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |

|   |                 |                                  |                       |
|---|-----------------|----------------------------------|-----------------------|
| M28840/22( )<br>SHELL SIZE: 08<br>MATERIAL: S | E1110-1630-1B63 | NWSC Test Report<br>768B/6-16-80 | Breeze-Illinois, Inc. |
|---|-----------------|----------------------------------|-----------------------|

|  |                 |                                 |                       |
|--|-----------------|---------------------------------|-----------------------|
| M28840/22( )<br>SHELL SIZE: 03, 04, 05, 06,<br>08, 10, 12, 16<br>MATERIAL: S | 100-28840/22( ) | NWSC Test Report<br>0783/3-8-84 | Electro-Adapter, Inc. |
|--|-----------------|---------------------------------|-----------------------|

|  |               |                                 |               |
|--|---------------|---------------------------------|---------------|
| M28840/22( )<br>SHELL SIZE: 03, 04, 05, 06,<br>08, 10, 12, 16<br>MATERIAL: S | GS28840/22( ) | NWSC Test Report<br>0786/9-9-86 | Glenair, Inc. |
|--|---------------|---------------------------------|---------------|

|   |          |                                  |                      |
|---|----------|----------------------------------|----------------------|
| M28840/22( )<br>SHELL SIZE: A thru J<br>MATERIAL: S | S2208( ) | NWSC Test Report<br>0385/4-22-85 | Joslyn Sunbank Corp. |
|---|----------|----------------------------------|----------------------|

|   |               |                                 |               |
|---|---------------|---------------------------------|---------------|
| M28840/23( )<br>SHELL SIZE: A thru J<br>MATERIAL: W | GS28840/23( ) | NWSC Test Report<br>0786/9-9-86 | Glenair, Inc. |
|---|---------------|---------------------------------|---------------|

|  |          |                                  |                      |
|--|----------|----------------------------------|----------------------|
| M28840/23( )<br>SHELL SIZE: A thru J<br>MATERIAL: W, D | S1940( ) | NWSC Test Report<br>0385/4-22-85 | Joslyn Sunbank Corp. |
|--|----------|----------------------------------|----------------------|

|  |              |                                  |            |
|--|--------------|----------------------------------|------------|
| M28840/24( )<br>SHELL SIZE: A thru J<br>MATERIAL: A, B | 075-804()-() | NWSC Test Report<br>0285/1-10-85 | ITT Cannon |
|--|--------------|----------------------------------|------------|

|  |          |                                  |                      |
|--|----------|----------------------------------|----------------------|
| M28840/25( )<br>DASH NUMBER: 01 thru 25<br>STYLE, A, B<br>MATERIAL: A, B | S1867( ) | NWSC Test Report<br>0385/4-22-85 | Joslyn Sunbank Corp. |
|--|----------|----------------------------------|----------------------|



| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION | TEST OR QUALIFICATION REFERENCE | MANUFACTURER'S NAME (ADDRESS ON LAST PAGE) |
|------------------------|----------------------------|---------------------------------|--|
|------------------------|----------------------------|---------------------------------|--|

| M28840/26( )<br>CLASS: C, E<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | NC26( )   | NWSC Test Report<br>0885/1-24-86 | G & H Technology, Inc. |   |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
|--|---|----------------------------------|------------------------|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|--|--|--|---|---|--|--|--|---|--|--|--|--|
|  | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> <th>H</th> <th>J</th> </tr> </thead> <tbody> <tr> <td>A</td> <td></td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> </tr> <tr> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> </tr> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td></td> <td>C</td> <td>C</td> <td></td> <td></td> </tr> <tr> <td></td> <td>D</td> <td>D</td> <td></td> <td></td> <td></td> <td>D</td> <td></td> <td></td> </tr> </tbody> </table> | A                                | B                      | C | D | E | F | G | H | J | A |  | A | A | A | A | A | A | A | B | B | B | B | B | B | B | B | B | C | C | C | C |  | C | C |  |  |  | D | D |  |  |  | D |  |  |  |  |
| A  | B   | C                                | D                      | E | F | G | H | J |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
| A  |   | A                                | A                      | A | A | A | A | A |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
| B  | B   | B                                | B                      | B | B | B | B | B |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
| C  | C   | C                                | C                      |   | C | C |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
|  | D   | D                                |                        |   |   | D |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |

| M28840/26( )<br>CLASS: C, E<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | KFS26( )  | NWSC Test Report<br>0285/1-10-85 | ITT Cannon |   |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
|--|---|----------------------------------|------------|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|--|--|--|---|---|--|--|--|---|--|--|--|--|
|  | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> <th>H</th> <th>J</th> </tr> </thead> <tbody> <tr> <td>A</td> <td></td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> </tr> <tr> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> </tr> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td></td> <td>C</td> <td>C</td> <td></td> <td></td> </tr> <tr> <td></td> <td>D</td> <td>D</td> <td></td> <td></td> <td></td> <td>D</td> <td></td> <td></td> </tr> </tbody> </table> | A                                | B          | C | D | E | F | G | H | J | A |  | A | A | A | A | A | A | A | B | B | B | B | B | B | B | B | B | C | C | C | C |  | C | C |  |  |  | D | D |  |  |  | D |  |  |  |  |
| A  | B   | C                                | D          | E | F | G | H | J |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
| A  |   | A                                | A          | A | A | A | A | A |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
| B  | B   | B                                | B          | B | B | B | B | B |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
| C  | C   | C                                | C          |   | C | C |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
|  | D   | D                                |            |   |   | D |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |

| M28840/26( )<br>CLASS: C, E<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | JSC26( )  | 28840-47-95 | Joslyn Sunbank Corp. |   |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|--|---|-------------|----------------------|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|--|--|--|---|---|--|--|--|---|--|--|--|--|---|--|--|--|--|--|--|--|--|
|  | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> <th>H</th> <th>J</th> </tr> </thead> <tbody> <tr> <td>A</td> <td></td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> </tr> <tr> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> </tr> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td></td> <td>C</td> <td>C</td> <td></td> <td></td> </tr> <tr> <td></td> <td>D</td> <td>D</td> <td></td> <td></td> <td></td> <td>D</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>E</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | A           | B                    | C | D | E | F | G | H | J | A |  | A | A | A | A | A | A | A | B | B | B | B | B | B | B | B | B | C | C | C | C |  | C | C |  |  |  | D | D |  |  |  | D |  |  |  |  | E |  |  |  |  |  |  |  |  |
| A  | B   | C           | D                    | E | F | G | H | J |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| A  |   | A           | A                    | A | A | A | A | A |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| B  | B   | B           | B                    | B | B | B | B | B |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| C  | C   | C           | C                    |   | C | C |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  | D   | D           |                      |   |   | D |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  |   | E           |                      |   |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |

| M28840/26( )<br>CLASS: C<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | GT6F( )   | NWSC Test Report<br>0581/2-19-82 | Packard Hughes Interconnect |   |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
|---|---|----------------------------------|-----------------------------|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|--|--|--|---|---|--|--|--|---|--|--|--|--|
|   | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> <th>H</th> <th>J</th> </tr> </thead> <tbody> <tr> <td>A</td> <td></td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> </tr> <tr> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> </tr> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td></td> <td>C</td> <td>C</td> <td></td> <td></td> </tr> <tr> <td></td> <td>D</td> <td>D</td> <td></td> <td></td> <td></td> <td>D</td> <td></td> <td></td> </tr> </tbody> </table> | A                                | B                           | C | D | E | F | G | H | J | A |  | A | A | A | A | A | A | A | B | B | B | B | B | B | B | B | B | C | C | C | C |  | C | C |  |  |  | D | D |  |  |  | D |  |  |  |  |
| A   | B   | C                                | D                           | E | F | G | H | J |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
| A   |   | A                                | A                           | A | A | A | A | A |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
| B   | B   | B                                | B                           | B | B | B | B | B |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
| C   | C   | C                                | C                           |   | C | C |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |
|   | D   | D                                |                             |   |   | D |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |

|   |          |                                  |                      |
|---|----------|----------------------------------|----------------------|
| M28840/27( )<br>DASH NUMBER: 01 thru 25<br>STYLE, A, B<br>MATERIAL: W | S1868( ) | NWSC Test Report<br>0385/4-22-85 | Joslyn Sunbank Corp. |
|---|----------|----------------------------------|----------------------|

| M28840/28( )<br>CLASS: C, E<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | NC28( )  | NWSC Test Report<br>0885/1-24-86 | G & H Technology, Inc. |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|--|--|----------------------------------|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|--|--|--|---|---|--|--|--|---|--|--|--|--|---|--|--|--|--|--|--|--|--|
|  | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> <th>G</th> <th>H</th> <th>J</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> <td>A</td> </tr> <tr> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> <td>B</td> </tr> <tr> <td>C</td> <td>C</td> <td>C</td> <td>C</td> <td></td> <td>C</td> <td>C</td> <td></td> <td></td> </tr> <tr> <td></td> <td>D</td> <td>D</td> <td></td> <td></td> <td></td> <td>D</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>E</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | A                                | B                      | C | D | E | F | G | H | J | A | A | A | A | A | A | A | A | A | B | B | B | B | B | B | B | B | B | C | C | C | C |  | C | C |  |  |  | D | D |  |  |  | D |  |  |  |  | E |  |  |  |  |  |  |  |  |
| A  | B  | C                                | D                      | E | F | G | H | J |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| A  | A  | A                                | A                      | A | A | A | A | A |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| B  | B  | B                                | B                      | B | B | B | B | B |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
| C  | C  | C                                | C                      |   | C | C |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  | D  | D                                |                        |   |   | D |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |
|  |  | E                                |                        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |  |  |  |   |   |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |  |

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION | TEST OR QUALIFICATION REFERENCE | MANUFACTURER'S NAME (ADDRESS ON LAST PAGE) |
|------------------------|----------------------------|---------------------------------|--|
|------------------------|----------------------------|---------------------------------|--|

|  |  |                                  |            |
|--|--|----------------------------------|------------|
| M28840/28( )<br>CLASS: C, E<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | KFS28( )   | NWSC Test Report<br>0285/1-10-85 | ITT Cannon |
|  | <u>A</u> <u>B</u> <u>C</u> <u>D</u> <u>E</u> <u>F</u> <u>G</u> <u>H</u> <u>J</u> |                                  |            |
|  | A A A A A A A A A  |                                  |            |
|  | B B B B B B B B B  |                                  |            |
|  | C C C C C C  |                                  |            |
|  | D D D  |                                  |            |
|  | E  |                                  |            |

|  |  |             |                      |
|--|--|-------------|----------------------|
| M28840/28( )<br>CLASS: C, E<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | JSC28( )   | 28840-47-95 | Joslyn Sunbank Corp. |
|  | <u>A</u> <u>B</u> <u>C</u> <u>D</u> <u>E</u> <u>F</u> <u>G</u> <u>H</u> <u>J</u> |             |                      |
|  | A A A A A A A A A  |             |                      |
|  | B B B B B B B B B  |             |                      |
|  | C C C C C C  |             |                      |
|  | D D D  |             |                      |
|  | E  |             |                      |

|   |  |                                  |                             |
|---|--|----------------------------------|-----------------------------|
| M28840/28( )<br>CLASS: C<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | GT6G( )  | NWSC Test Report<br>0581/2-19-82 | Packard Hughes Interconnect |
|   | <u>A</u> <u>B</u> <u>C</u> <u>D</u> <u>E</u> <u>F</u> <u>G</u> <u>H</u> <u>J</u> |                                  |                             |
|   | A A A A A A A A A  |                                  |                             |
|   | B B B B B B B B B  |                                  |                             |
|   | C C C C C C  |                                  |                             |
|   | D D D  |                                  |                             |
|   | E  |                                  |                             |

|  |  |                                  |                        |
|--|--|----------------------------------|------------------------|
| M28840/29( )<br>CLASS: C, E<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | NC29( )  | NWSC Test Report<br>0885/1-24-86 | G & H Technology, Inc. |
|  | <u>A</u> <u>B</u> <u>C</u> <u>D</u> <u>E</u> <u>F</u> <u>G</u> <u>H</u> <u>J</u> |                                  |                        |
|  | A A A A A A A A A  |                                  |                        |
|  | B B B B B B B B B  |                                  |                        |
|  | C C C C C C  |                                  |                        |
|  | D D D  |                                  |                        |
|  | E  |                                  |                        |

|  |  |                                  |            |
|--|--|----------------------------------|------------|
| M28840/29( )<br>CLASS: C, E<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | KFS29( )   | NWSC Test Report<br>0285/1-10-85 | ITT Cannon |
|  | <u>A</u> <u>B</u> <u>C</u> <u>D</u> <u>E</u> <u>F</u> <u>G</u> <u>H</u> <u>J</u> |                                  |            |
|  | A A A A A A A A A  |                                  |            |
|  | B B B B B B B B B  |                                  |            |
|  | C C C C C C  |                                  |            |
|  | D D D  |                                  |            |
|  | E  |                                  |            |

|  |  |             |                      |
|--|--|-------------|----------------------|
| M28840/29( )<br>CLASS: C, E<br>CONTACT STYLE: P, S, D, E, F, G<br>BACKSHELL STYLE: A, B<br>KEY POSITIONS: 1 thru 6<br>SHELL SIZE:<br>BACKSHELL DESIGNATOR: | JSC29( )   | 28840-47-95 | Joslyn Sunbank Corp. |
|  | <u>A</u> <u>B</u> <u>C</u> <u>D</u> <u>E</u> <u>F</u> <u>G</u> <u>H</u> <u>J</u> |             |                      |
|  | A A A A A A A A A  |             |                      |
|  | B B B B B B B B B  |             |                      |
|  | C C C C C C  |             |                      |
|  | D D D  |             |                      |
|  | E  |             |                      |

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION | TEST OR QUALIFICATION REFERENCE | MANUFACTURER'S NAME (ADDRESS ON LAST PAGE) |
|------------------------|----------------------------|---------------------------------|--|
|------------------------|----------------------------|---------------------------------|--|

|                          |         |                                  |                             |
|--------------------------|---------|----------------------------------|-----------------------------|
| M28840/29( )<br>CLASS: C | GT6K( ) | NWSC Test Report<br>0581/2-19-82 | Packard Hughes Interconnect |
|--------------------------|---------|----------------------------------|-----------------------------|

CONTACT STYLE: P, S, D, E, F, G  
 BACKSHELL STYLE: A, B  
 KEY POSITIONS: 1 thru 6  
 SHELL SIZE:  
 BACKSHELL DESIGNATOR:

| A | B | C | D | E | F | G | H | J |
|---|---|---|---|---|---|---|---|---|
| A | A | A | A | A | A | A | A | A |
| B | B | B | B | B | B | B | B | B |
| C | C | C | C |   | C | C |   |   |
| D | D |   |   |   |   | D |   |   |

|  |                              |                  |               |
|--|------------------------------|------------------|---------------|
| M28840/30( )<br>DASH NUMBER: 03, 04, 05, 06,<br>08, 10, 12, 16 | GS28840/30( )<br>0786/9-9-86 | NWSC Test Report | Glenair, Inc. |
|--|------------------------------|------------------|---------------|

STYLE: A, B  
 MATERIAL: W

|  |                          |                  |                      |
|--|--------------------------|------------------|----------------------|
| M28840/30( )<br>DASH NUMBER: 03, 04, 05, 06,<br>08, 10, 12, 16 | S1966( )<br>0385/4-22-85 | NWSC Test Report | Joslyn Sunbank Corp. |
|--|--------------------------|------------------|----------------------|

STYLE, A, B  
 MATERIAL: W

| MANUFACTURER'S NAME, ADDRESS<br>AND PLANT  | CAGE<br>CODE | MANUFACTURER'S NAME, ADDRESS<br>AND PLANT   | CAGE<br>CODE |
|--|--------------|---|--------------|
| Breeze-Illinois, Inc.<br>8823 North Industrial Road<br>Peoria, IL 61615-1507<br>Plant: Trans Technology Electronics<br>8800 Allen Road<br>Peoria, IL 61615   | 30463        | Packard Hughes Interconnect<br>P.O. Box 19685<br>Irvine, CA 92713-9685<br>Plant: Interaz, S.A.<br>14532 Boulevard Pacifico<br>Parque Industrial Pacifico<br>Tijuana, Baja, California<br>Mexico | 53669        |
| Electro Adapter, Inc.<br>20640 Nordhoff Street<br>Chatsworth, CA 91311-6114<br>Plant: Same Address   | 31461        | <b>Assembly</b><br><b>Plants:</b> Astrex, Inc.<br>205 Express Street<br>Plainview, NY 11803   |              |
| G & H Technology, Inc.<br>750 West Ventura Boulevard<br>Camarillo, CA 93010-8359<br>Plant: Same Address<br><b>Assembly</b><br><b>Plants:</b> Interstate Connecting<br>Components, Inc.<br>1263 Glen Avenue, Unit 280<br>Morrestown, NJ 08057<br><br>Time Electronics/Arizona<br>1301 W. Geneva Drive<br>Tempe, AZ 85282                  | 0D0V6        | Koehlke Components, Inc.<br>9400 Lebanon Pike<br>Centerville, OH 45458  |              |
| Glenair, Inc.<br>1211 Air Way<br>Glendale, CA 91201-2405<br>Plant: Same Address  | 06324        |   |              |
| ITT Cannon<br>666 East Dyer Road<br>Santa Ana, CA 92702-0929<br>Plant: ITT Cannon<br>Prolongacion<br>Avenida Obregon #3673<br>Nogales, Sonora, Mexico<br><b>Assembly</b><br><b>Plants:</b> PEI/Genesis<br>1915 N. Bendix Drive<br>South Bend, IN 46628<br><br>Time Electronics/New England<br>10-A Centennial Drive<br>Peabody, MA 01960 | 42536        |   |              |
| Joslyn Sunbank Corp.<br>1740 Commerce Way<br>Paso Robles, CA 93446-3620<br>Plant: Same Address<br><b>Assembly</b><br><b>Plant:</b> Interstate Connecting<br>Components, Inc.<br>1263 Glen Avenue, Unit 280<br>Morrestown, NJ 08057   | 07418        |   |              |