

**DLA Land and Maritime - VQ
Supplemental Information Sheet for Electronic QPL-28840**

Date: 6/28/2018

Specification Details:

Specification: MIL-DTL-28840
 Title: Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Class D
 Federal Supply Class (FSC): 5935
 Conventional: No
 Specification contains quality assurance program: No
 MIL-STD-790 Established Reliability & High Reliability: Yes
 MIL-STD-690 Failure Rate Sampling Plans & Procedures: No
 Weibull Graded: No
 Specification contains space level reliability requirements: No
 Specification allows test optimization: No

Contact Information:

Office of Primary Involvement: Passive Devices Branch, DLA Land and Maritime - VQP
 Primary Qualifying Activity Contact: 614-692-3131, e-mail: vqp.lc@dla.mil
 Secondary Qualifying Activity Contact: 614-692-8367, e-mail: vqp.es@dla.mil

Notes:

All parts listed on this report are available through distributors authorized by the manufacturer under military requirements. Manufacturers may be contacted for names and addresses of authorized distributors. Names and addresses of authorized assembly plants are listed on the last page of this report.

Part Configuration:

BackShell: M28840/616WA

| Military Designator | Specification Sheet | Dash Number | Material and Finish | Style Designator |
|---------------------|---------------------|-------------|---------------------|------------------|
| M28840 | /6 | 16 | W | A |

Connector: M28840/11AG1P1

| Military Designator | Specification Sheet | Class | Shell Size | Insert Arrangement | Contact Designator | Key Position |
|---------------------|---------------------|-------|------------|--------------------|--------------------|--------------|
| M28840 | /11 | A | G | 1 | P | 1 |

Connector Assembly: M28840/11AG1PAP1

| Military Designator | Specification Sheet | Class | Shell Size | Insert Arrangement | Backshell Size Designator | Backshell Style | Contact Designator | Key Position |
|---------------------|---------------------|-------|------------|--------------------|---------------------------|-----------------|--------------------|--------------|
| M28840 | /11 | A | G | 1 | P | A | P | 1 |

PART LISTINGS

Glenair, Inc.

Government Designation: M28840/1()
 Manufacturer Designation: GS28840/1()
 Material: D, W
 Shell: A, B, C, D, E, F, G, H, J
 Test or Qualification Reference: NWSC Test Report 0783/9-86

Joslyn Sunbank Corp.

Government Designation: M28840/1()
 Manufacturer Designation: S1941
 Material: D, W
 Shell: A, B, C, D, E, F, G, H, J
 Test or Qualification Reference: NWSC Test Report 0384/4-22-85

Glenair, Inc.

Government Designation: M28840/2()
 Manufacturer Designation: GS28840/2
 Material: D, W
 Shell: A, B, C, D, E, F, G, H, J
 Test or Qualification Reference: DESC-ELSP Itr 96-9843/6-20-96

Joslyn Sunbank Corp.

Government Designation: M28840/2()
 Manufacturer Designation: S1942
 Material: W
 Shell: A, B, C, D, E, F, G, H, J
 Test or Qualification Reference: NWSC Test Report 0385/4-22-85

Glenair, Inc.

Government Designation: M28840/3()
 Manufacturer Designation: GS28840/3
 Material: D, W
 Shell: A, B, C, D, E, F, G, H, J
 Test or Qualification Reference: DESC-ELSP Itr 96-9843/6-20-96

Joslyn Sunbank Corp.

Government Designation: M28840/3()
 Manufacturer Designation: S1939
 Material: W
 Shell: A, B, C, D, E, F, G, H, J
 Test or Qualification Reference: NWSC Test Report 0385/4-22-85

Glenair, Inc.

Government Designation: M28840/4()
 Manufacturer Designation: GS28840/4
 Shell: 03, 04, 05, 06, 08, 10, 12, 16
 Type: AC, AE, BC, BE
 Test or Qualification Reference: NWSC Test Report 0786/9-9-86

Glenair, Inc.

Government Designation: M28840/5()
Manufacturer Designation: GS28840/5
Dash Number: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25
Material: W
Style: A, B
Test or Qualification Reference: NWSC Test Report 0786/9-9-86

Joslyn Sunbank Corp.

Government Designation: M28840/6()
Manufacturer Designation: S1946
Dash Number: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28
Material: D, W
Style: A, B
Test or Qualification Reference: NWSC Test Report 0385/4-22-85

Delphi Connection Systems

Government Designation: M28840/7()
Manufacturer Designation: 1145407
Key Position: 1, 2, 3, 4, 5, 6
Shell: A, B, C, D, E, F, G, H, J
Test or Qualification Reference: NWSC Test Report 0581/2-19-82

Joslyn Sunbank Corp.

Government Designation: M28840/8()
Manufacturer Designation: S1944
Dash Number: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28
Material: W
Style: A, B
Test or Qualification Reference: NWSC Test Report 0685/4-22-85

Joslyn Sunbank Corp.

Government Designation: M28840/9()
Manufacturer Designation: S1945
Dash Number: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28
Material: W
Style: A, B
Test or Qualification Reference: NWSC Test Report 0385/4-22-85

Glenair, Inc.

Government Designation: M28840/10()
Manufacturer Designation: 900-010
Key Position: 1, 2, 3, 4, 5, 6
Insert Arrangement: 1
Class: A, B
Shell: A, B, C, D, E, F, G, H, J
Contact Style: D, E, F, G, P, S
Test or Qualification Reference: 28840-35-02

Glenair, Inc.

Government Designation: M28840/11()
Manufacturer Designation: 900-011
Key Position: 1, 2, 3, 4, 5, 6
Insert Arrangement: 1
Class: A, B
Shell: A, B, C, D, E, F, G, H, J
Contact Style: D, E, F, G, P, S
Test or Qualification Reference: NWSC Test Report 0783/9-8

Glenair, Inc.

Government Designation: M28840/6()
Manufacturer Designation: GS28840/6
Dash Number: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28
Material: D, W
Style: A, B
Test or Qualification Reference: NWSC Test Report 0786/9-9-86

Glenair, Inc.

Government Designation: M28840/7()
Manufacturer Designation: GS28840/7
Key Position: 1, 2, 3, 4, 5, 6
Shell: A, B, C, D, E, F, G, H, J
Test or Qualification Reference: NWSC Test Report 0876/9-9-86

Glenair, Inc.

Government Designation: M28840/8()
Manufacturer Designation: GS28840/8
Dash Number: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28
Material: D, W
Style: A, B
Test or Qualification Reference: 28840-009-97

Glenair, Inc.

Government Designation: M28840/9()
Manufacturer Designation: GS28840/9
Dash Number: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28
Material: D, W
Style: A, B
Test or Qualification Reference: 28840-009-97

Delphi Connection Systems

Government Designation: M28840/10()
Manufacturer Designation: GTOA
Key Position: 1, 2, 3, 4, 5, 6
Insert Arrangement: 1
Class: A
Shell: A, B, C, D, E, F, G, H, J
Contact Style: D, E, F, G, P, S
Test or Qualification Reference: NWSC Test Report 0581/2-19-82

Delphi Connection Systems

Government Designation: M28840/11()
Manufacturer Designation: GT1A
Key Position: 1, 2, 3, 4, 5, 6
Insert Arrangement: 1
Class: A
Shell: A, B, C, D, E, F, G, H, J
Contact Style: D, E, F, G, P, S
Test or Qualification Reference: NWSC Test Reports 0581/2-19-82

Delphi Connection Systems

Government Designation: M28840/12()
Manufacturer Designation: GT22A, GT2A
Key Position: 1, 2, 3, 4, 5, 6
Insert Arrangement: 1
Class: A, B
Figure: 1, 2
Shell: A, B, C, D, E, F, G, H, J
Contact Style: D, E, F, G, P, S
Test or Qualification Reference: 28840-27-94; NWSC Test Report 0581/2-19-82

Glenair, Inc.

Government Designation: M28840/12()
Manufacturer Designation: 900-012
Key Position: 1, 2, 3, 4, 5, 6
Insert Arrangement: 1
Class: A, B
Figure: 1, 2
Shell: A, B, C, D, E, F, G, H, J
Contact Style: D, E, F, G, P, S
Test or Qualification Reference: 28840-35-02

Glenair, Inc.

Government Designation: M28840/13()
Manufacturer Designation: GS28840/13
Chain: A, B, C
Material: D, W
Shell: A, B, C, D, E, F, G, H, J
Test or Qualification Reference: NWSC Test Reports 0786/9-9-86

Glenair, Inc.

Government Designation: M28840/14()
Manufacturer Designation: 900-014
Key Position: 1, 2, 3, 4, 5, 6
Insert Arrangement: 1
Class: A, B
Shell: A, B, C, D, E, F, G, H, J
Contact Style: D, E, F, G, P, S
Test or Qualification Reference: 28840-35-02

Glenair, Inc.

Government Designation: M28840/15()
Manufacturer Designation: GS28840/15
Chain: A, B
Material: D, W
Shell: A, B, C, D, E, F, G, H, J
Test or Qualification Reference: NWSC Test Report 0786/9-9-86

Delphi Connection Systems

Government Designation: M28840/16()
Manufacturer Designation: GT6A
Key Position: 1, 2, 3, 4, 5, 6
Insert Arrangement: 1
Class: A
Shell: A, B, C, D, E, F, G, H, J
Contact Style: D, E, F, G, P, S
Test or Qualification Reference: NWSC Test Report 0581/2-19-82

Delphi Connection Systems

Government Designation: M28840/17()
Manufacturer Designation: GT6B
Key Position: 1, 2, 3, 4, 5, 6
Insert Arrangement: 1
Class: A
Shell: A, B, C, D, E, F, G, H, J
Contact Style: D, E, F, G, P, S
Test or Qualification Reference: NWSC Test Report 0581/2-19-82

Joslyn Sunbank Corp.

Government Designation: M28840/13()
Manufacturer Designation: S1967
Chain: A, B, C
Material: D, W
Shell: A, B, C, D, E, F, G, H, J
Test or Qualification Reference: NWSC Test Report 0385/4-22-85

Delphi Connection Systems

Government Designation: M28840/14()
Manufacturer Designation: GT4A
Key Position: 1, 2, 3, 4, 5, 6
Insert Arrangement: 1
Class: A
Shell: A, B, C, D, E, F, G, H, J
Contact Style: D, E, F, G, P, S,
Test or Qualification Reference: NWSC Test Report 0581/2-19-82

Joslyn Sunbank Corp.

Government Designation: M28840/15()
Manufacturer Designation: S1968
Chain: A, B
Material: D, W
Shell: A, B, C, D, E, F, G, H, J
Test or Qualification Reference: NWSC Test Report 0385/4-22-85

Glenair, Inc.

Government Designation: M28840/16()
Manufacturer Designation: 900-016
Key Position: 1, 2, 3, 4, 5, 6
Insert Arrangement: 1
Class: A, B
Shell: A, B, C, D, E, F, G, H, J
Contact Style: D, E, F, G, P, S
Test or Qualification Reference: 28840-35-02

Glenair, Inc.

Government Designation: M28840/17()
Manufacturer Designation: 901-017
Key Position: 1, 2, 3, 4, 5, 6
Insert Arrangement: 1
Class: A, B
Shell: A, B, C, D, E, F, G, H, J
Contact Style: D, E, F, G, P, S
Test or Qualification Reference: 28840-35-02

Delphi Connection Systems

Government Designation: M28840/18()
Manufacturer Designation: GT6C
Key Position: 1, 2, 3, 4, 5, 6
Insert Arrangement: 1
Class: A
Shell: A, B, C, D, E, F, G, H, J
Contact Style: D, E, F, G, P, S
Test or Qualification Reference: NWSC Test Report 0581/2-19-82

Glenair, Inc.

Government Designation: M28840/18()
 Manufacturer Designation: 901-018
 Key Position: 1, 2, 3, 4, 5, 6
 Insert Arrangement: 1
 Class: A, B
 Shell: A, B, C, D, E, F, G, H, J
 Contact Style: D, E, F, G, P, S
 Test or Qualification Reference: 28840-35-02

Glenair, Inc.

Government Designation: M28840/19()
 Manufacturer Designation: 901-019
 Key Position: 1, 2, 3, 4, 5, 6
 Insert Arrangement: 1
 Class: A, B
 Shell: A, B, C, D, E, F, G, H, J
 Contact Style: D, E, F, G, P, S
 Test or Qualification Reference: 28840-35-02

Glenair, Inc.

Government Designation: M28840/20()
 Manufacturer Designation: 901-020
 Key Position: 1, 2, 3, 4, 5, 6
 Insert Arrangement: 1
 Class: C, E
 Shell: A Backshell Designator: A, B, C
 Shell: B Backshell Designator: A, B, C, D
 Shell: C Backshell Designator: A, B, C, D, E
 Shell: D Backshell Designator: A, B, C
 Shell: E Backshell Designator: A, B
 Shell: F Backshell Designator: A, B, C
 Shell: G Backshell Designator: A, B, C, D
 Shell: H Backshell Designator: A, B
 Shell: J Backshell Designator: A, B
 Backshell Style: A, B
 Contact Style: D, E, F, G, P, S
 Test or Qualification Reference: 28840-35-02

Delphi Connection Systems

Government Designation: M28840/21()
 Manufacturer Designation: GT1E
 Key Position: 1, 2, 3, 4, 5, 6
 Insert Arrangement: 1
 Class: C
 Shell: A Backshell Designator: A, B, C
 Shell: B Backshell Designator: A, B, C, D
 Shell: C Backshell Designator: A, B, C, D
 Shell: D Backshell Designator: A, B, C
 Shell: E Backshell Designator: A, B
 Shell: F Backshell Designator: A, B, C, D
 Shell: G Backshell Designator: A, B, C, D
 Shell: H Backshell Designator: A, B
 Shell: J Backshell Designator: A, B
 Backshell Style: A, B
 Contact Style: D, E, F, G, P, S
 Test or Qualification Reference: NWSC Test Report 0581/2-19-82

Delphi Connection Systems

Government Designation: M28840/19()
 Manufacturer Designation: GT6D
 Key Position: 1, 2, 3, 4, 5, 6
 Insert Arrangement: 1
 Class: A
 Shell: A, B, C, D, E, F, G, H, J
 Contact Style: D, E, F, G, P, S
 Test or Qualification Reference: NWSC Test Report 0581/2-19-82

Delphi Connection Systems

Government Designation: M28840/20()
 Manufacturer Designation: GT0E
 Key Position: 1, 2, 3, 4, 5, 6
 Insert Arrangement: 1
 Class: C
 Shell: A Backshell Designator: A, B, C
 Shell: B Backshell Designator: A, B, C, D
 Shell: C Backshell Designator: A, B, C, D
 Shell: D Backshell Designator: A, B, C
 Shell: E Backshell Designator: A, B
 Shell: F Backshell Designator: A, B, C
 Shell: G Backshell Designator: A, B, C, D
 Shell: H Backshell Designator: A, B
 Shell: J Backshell Designator: A, B
 Backshell Style: A, B
 Contact Style: D, E, F, G, P, S
 Test or Qualification Reference: NWSC Test Report 0581/2-19-82

Joslyn Sunbank Corp.

Government Designation: M28840/21()
 Manufacturer Designation: JSC21
 Key Position: 1, 2, 3, 4, 5, 6
 Insert Arrangement: 1
 Class: C, E
 Shell: A Backshell Designator: A, B, C
 Shell: B Backshell Designator: A, B, C, D
 Shell: C Backshell Designator: A, B, C, D, E
 Shell: D Backshell Designator: A, B, C
 Shell: E Backshell Designator: A, B
 Shell: F Backshell Designator: C
 Shell: G Backshell Designator: A, B, C, D
 Shell: H Backshell Designator: A, B
 Shell: J Backshell Designator: A, B
 Backshell Style: A, B
 Contact Style: D, E, F, G, P, S
 Test or Qualification Reference: 28840-47-95

Glenair, Inc.

Government Designation: M28840/21()
 Manufacturer Designation: 901-021
 Key Position: 1, 2, 3, 4, 5, 6
 Insert Arrangement: 1
 Class: C, E
 Shell: A Backshell Designator: A, B, C
 Shell: B Backshell Designator: A, B, C, D
 Shell: C Backshell Designator: A, B, C, D, E
 Shell: D Backshell Designator: A, B, C
 Shell: E Backshell Designator: A, B
 Shell: F Backshell Designator: A, B, C
 Shell: G Backshell Designator: A, B, C, D
 Shell: H Backshell Designator: A, B
 Shell: J Backshell Designator: A, B
 Backshell Style: A, B
 Contact Style: D, E, F, G, P, S
 Test or Qualification Reference: 28840-35-02

Joslyn Sunbank Corp.

Government Designation: M28840/22()
 Manufacturer Designation: S2208
 Material: S
 Shell: A, B, C, D, E, F, G, H, J
 Test or Qualification Reference: NWSC Test Report 0385/4-22-85

Joslyn Sunbank Corp.

Government Designation: M28840/23()
 Manufacturer Designation: S1940
 Material: D
 Shell: A, B, C, D, E, F, G, H, J
 Test or Qualification Reference: NWSC Test Report 0385/4-22-85

Glenair, Inc.

Government Designation: M28840/24()
 Manufacturer Designation: 930-006 F, 930-006 M
 Material: A, B
 Shell: A, B, C, D, E, F, G, H, J
 Test or Qualification Reference: 28840-052-99

Glenair, Inc.

Government Designation: M28840/25()
 Manufacturer Designation: GS28840/25
 Dash Number: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28
 Material: W
 Style: A, B
 Test or Qualification Reference: 28840-009-97

Delphi Connection Systems

Government Designation: M28840/26()
 Manufacturer Designation: GT6F & GT6F()
 Key Position: 1, 2, 3, 4, 5, 6
 Insert Arrangement: 1
 Class: C
 Shell: A Backshell Designator: A, B, C
 Shell: B Backshell Designator: B, C, D
 Shell: C Backshell Designator: A, B, C, D
 Shell: D Backshell Designator: A, B, C
 Shell: E Backshell Designator: A, B
 Shell: F Backshell Designator: A, B, C
 Shell: G Backshell Designator: A, B, C, D
 Shell: H Backshell Designator: A, B
 Shell: J Backshell Designator: A, B
 Backshell Style: A, B
 Contact Style: D, E, F, G, P, S
 Test or Qualification Reference: NWSC Test Report 0581/2-19-82

Joslyn Sunbank Corp.

Government Designation: M28840/27()
 Manufacturer Designation: S1868
 Dash Number: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25
 Material: W
 Style: A, B
 Test or Qualification Reference: NWSC Test Report 0385/4-22-85

Glenair, Inc.

Government Designation: M28840/22()
 Manufacturer Designation: GS28840/22
 Material: S
 Shell: 03, 04, 05, 06, 08, 10, 12, 16
 Test or Qualification Reference: NWSC Test Report 0786/9-9-86

Glenair, Inc.

Government Designation: M28840/23()
 Manufacturer Designation: GS28840/23
 Material: D, W
 Shell: A, B, C, D, E, F, G, H, J
 Test or Qualification Reference: NWSC Test Report 0786/9-9-86

Joslyn Sunbank Corp.

Government Designation: M28840/25()
 Manufacturer Designation: S1867
 Dash Number: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25
 Material: A, B
 Style: A, B
 Test or Qualification Reference: NWSC Test Report 0385/4-22-85

Glenair, Inc.

Government Designation: M28840/26()
 Manufacturer Designation: 901-026
 Key Position: 1, 2, 3, 4, 5, 6
 Insert Arrangement: 1
 Class: C, E
 Shell: A Backshell Designator: A, B, C
 Shell: B Backshell Designator: A, B, C, D
 Shell: C Backshell Designator: A, B, C, D, E
 Shell: D Backshell Designator: A, B, C
 Shell: E Backshell Designator: A, B
 Shell: F Backshell Designator: A, B, C
 Shell: G Backshell Designator: A, B, C, D
 Shell: H Backshell Designator: A, B
 Shell: J Backshell Designator: A, B
 Backshell Style: A, B
 Contact Style: D, E, F, G, P, S
 Test or Qualification Reference: 28840-35-02

Glenair, Inc.

Government Designation: M28840/27()
 Manufacturer Designation: GS28840/27()
 Dash Number: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28
 Material: W
 Style: A, B
 Test or Qualification Reference: 28840-009-97

Delphi Connection Systems

Government Designation: M28840/28()
 Manufacturer Designation: GT6G & GT6H()
 Key Position: 1, 2, 3, 4, 5, 6
 Insert Arrangement: 1
 Class: C
 Shell: A Backshell Designator: A, B, C
 Shell: B Backshell Designator: B, C, D
 Shell: C Backshell Designator: A, B, C, D
 Shell: D Backshell Designator: A, B, C
 Shell: E Backshell Designator: A, B
 Shell: F Backshell Designator: A, B, C
 Shell: G Backshell Designator: A, B, C, D
 Shell: H Backshell Designator: A, B
 Shell: J Backshell Designator: A, B
 Backshell Style: A, B
 Contact Style: D, E, F, G, P, S
 Test or Qualification Reference: NWSC Test Report 0581/2-19-82

Delphi Connection Systems

Government Designation: M28840/29()
 Manufacturer Designation: GT6J & GT6K()
 Key Position: 1, 2, 3, 4, 5, 6
 Insert Arrangement: 1
 Class: C
 Shell: A Backshell Designator: A, B, C
 Shell: B Backshell Designator: B, C, D
 Shell: C Backshell Designator: A, B, C, D
 Shell: D Backshell Designator: A, B, C
 Shell: E Backshell Designator: A, B
 Shell: F Backshell Designator: A, B, C
 Shell: G Backshell Designator: A, B, C, D
 Shell: H Backshell Designator: A, B
 Shell: J Backshell Designator: A, B
 Backshell Style: A, B
 Contact Style: D, E, F, G, P, S
 Test or Qualification Reference: NWSC Test Report 0581/2-19-92

Joslyn Sunbank Corp.

Government Designation: M28840/30()
 Manufacturer Designation: S1966
 Dash Number: 3, 4, 5, 6, 8, 10, 12, 16
 Material: W
 Style: A, B
 Test or Qualification Reference: NWSC Test Report 0385/4-22-85

Glenair, Inc.

Government Designation: M28840/28()
 Manufacturer Designation: 901-028
 Key Position: 1, 2, 3, 4, 5, 6
 Insert Arrangement: 1
 Class: C, E
 Shell: A Backshell Designator: A, B, C
 Shell: B Backshell Designator: A, B, C, D
 Shell: C Backshell Designator: A, B, C, D, E
 Shell: D Backshell Designator: A, B, C
 Shell: E Backshell Designator: A, B
 Shell: F Backshell Designator: A, B, C
 Shell: G Backshell Designator: A, B, C, D
 Shell: H Backshell Designator: A, B
 Shell: J Backshell Designator: A, B
 Backshell Style: A, B
 Contact Style: D, E, F, G, P, S
 Test or Qualification Reference: 28840-35-02

Glenair, Inc.

Government Designation: M28840/29()
 Manufacturer Designation: 901-029
 Key Position: 1, 2, 3, 4, 5, 6
 Insert Arrangement: 1
 Class: C, E
 Shell: A Backshell Designator: A, B, C
 Shell: B Backshell Designator: A, B, C, D
 Shell: C Backshell Designator: A, B, C, D, E
 Shell: D Backshell Designator: A, B, C
 Shell: E Backshell Designator: A, B
 Shell: F Backshell Designator: A, B, C
 Shell: G Backshell Designator: A, B, C, D
 Shell: H Backshell Designator: A, B
 Shell: J Backshell Designator: A, B
 Backshell Style: A, B
 Contact Style: D, E, F, G, P, S
 Test or Qualification Reference: 28840-35-02

Glenair, Inc.

Government Designation: M28840/30()
 Manufacturer Designation: GS28840/30
 Dash Number: 3, 4, 5, 6, 8, 10, 12, 16
 Material: W
 Style: A, B
 Test or Qualification Reference: NWSC Test Report 0786/9-9-86

Manufacturer and Supplier Location Information

Manufacturer: Delphi Connection Systems (CAGE Code: 53669)

Location: 1 Vanderbilt, Irvine, CA 92618, US

Plants:

1. Delphi Connection Systems, Blvd. Pacifico No. 8332, Parque Industrial Pacifico, Tijuana B.C. Mexico, C.P. 22643,

Authorized Distributors:

1. TTI, Inc., 205 Express Street, Plainview, NY 11803, US

Manufacturer: Glenair, Inc. (CAGE Code: 06324)

Location: 1211 Air Way, Glendale, CA 91201-2497, US

Plants:

1. Plant: Same Address as Manufacturer

Authorized Distributors:

1. Interstate Connecting Components, Inc., Symbol: ICC, 120 Mount Holly Bypass, Lumberton, NJ 08048, US

Manufacturer: Joslyn Sunbank Company (CAGE Code: 07418)

Location: 1740 Commerce Way, Paso Robles, CA 93446-3620, US

Plants:

1. Plant: Same Address as Manufacturer