

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER PERFORMANCE SPECIFICATION
MIL-PRF-39005
RESISTORS, FIXED, WIRE-WOUND (ACCURATE),
NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY,
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by Specification MIL-PRF-39005. Listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THE QPL IS THE U.S. ARMY COMMUNICATIONS-ELECTRONICS COMMAND AND FORT MONMOUTH. The activity

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
RBR52 Terms. L, U; res. values .1 ohms thru 1.21 megohms; tols. F; life failure rates M, P, R	HR36	39005-1054-65	/1	IRC/TT Electronics
RBR52 Terms. L, U; res. values 10 ohms thru 1.21 megohms; tols. A, B, Q, T; life failure rates M, P, R	HRS36	39005-1054-65	/1	IRC/TT Electronics
RBR53 Terms. L, U; res. values .1 ohms thru 1.1 megohms; tols F; life failure rates M, P, R	HR34	39005-285-67	/2	IRC/TT Electronics
RBR53 Terms. L, U; res. values 10 ohms thru 1.1 megohms; tols. A, B, Q, T; life failure rates M, P, R	HRS34	39005-285-67	/2	IRC/TT Electronics
RBR54 Terms. L, U; res. values .1 ohms thru 562 kilohms; tols. F; life failure rates M, P, R	HR14	39005-1289-64	/3	IRC/TT Electronics
RBR54 Terms. L, U; res. values 4.99 ohms thru 562 kilohms; tols. A, B, Q, T; life failure rates M, P, R	HRS14	39005-1289-64	/3	IRC/TT Electronics
RBR55 Terms. L, U; res. values .1 ohms thru 332 kilohms; tols. F; life failure rates M, P, R	HR12	39005-1291-64	/4	IRC/TT Electronics
RBR55 Terms. L, U; res. values 10 ohms thru 332 kilohms; tols. A, B, Q, T; life failure rates M, P, R	HRS12	39005-1291-64	/4	IRC/TT Electronics
RBR56 Terms. L, U; res. values .1 ohms thru 220 kilohms; tols. F; life failure rates M, P, R	HR10	39005-1290-64	/5	IRC/TT Electronics
RBR56 Terms. L, U; res. values 10 ohms thru 220 kilohms; tols. A, B, Q, T; life failure rates M, P, R	HRS10	39005-1290-64	/5	IRC/TT Electronics
RBR71 Terms. L, U; res. values .1 ohms thru 150 kilohms; tols. F; life failure rates M, P, R	HR8	39005-1189-67	/6	IRC/TT Electronics
RBR71 Terms. L, U; res. values 10 ohms thru 150 kilohms; tols. A, B, Q, T; life failure rates M, P, R	HR8	39005-1189-67	/6	IRC/TT Electronics

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
RBR80 Terms. L, U; res. values 10 ohms thru 40.2 kilohms; tols. B, F; life failure rates M, P	HR341	39005-1088-76	/11(EC)	IRC/TT Electronics
RBR80 Terms. L, U; res. values 100 ohms thru 40.2 kilohms; tols. A, Q; life failure rates M, P	HR341	39005-1088-76	/11(EC)	IRC/TT Electronics
RBR80 Terms. L, U; res. values 1 kilohms thru 40.2 kilohms; tols. T; life failure rates M, P	HR341	39005-1088-76	/11(EC)	IRC/TT Electronics

Manufacturer and Supplier Location Information

Manufacturer: IRC/TT Electronics (CAGE Code: 54294)

Location: P.O. Box 2240, U.S. 70 East, Smithfield, NC 27577, US

Plants:

1. Plant: Same Address as Manufacturer