



DEFENSE LOGISTICS AGENCY

DLA LAND AND MARITIME
POST OFFICE BOX 3990
COLUMBUS, OH 43218-3990

April 14, 2011

Mr. Steven McGonnell
Olean Advanced Products
1695 Seneca Avenue
P.O. Box 493
Olean, New York 14760-0493

Dear Mr. McGonnell:

Re: Notification of Qualification, MIL-PRF-49470; FSC 5910; VQP-11-022345

Qualification of your products is granted under the current issue of the Military Specification, as a result of your successful qualification testing in accordance with the test report number listed in the Qualification Reference section below. Therefore, your products will be listed as shown below on QPL 49470.

Government Designation	Manufacturer Designation	Qualification Reference	Spec Sheet	Manufacturer's Name & Address
PS01 0.047 thru 1.8 uF, tols J, K Case Codes 3, 4, 5, 100 volts, BP char, B level	SM0x	49470-2651-09	/1	Olean Advanced Products Division of AVX Corp. 1696 Seneca Avenue Olean, NY 14760
PS02 0.047 thru 1.8uF, tols J, K Case Codes 3, 4, 5, 100 volts, BP char, B level	SM9x	49470-2651-09	/2	

This qualification approval is subject to the conditions as stated in DoD 4120.24 and SD-6.

To maintain the listing of the products on QPL 49470 you are required to compile a summary of quality conformance data every six (6) months. This is in accordance with paragraph 4.5. In the event there is no production during the reporting period, you are required to submit a report of no production. A DD Form 1718 may be used for this negative report with those products not produced listed in the remarks section.

Because we are held responsible for the accuracy and currency of this Qualified Products List, please let us know if your company discontinues production of these products. No changes are to be made in the design and construction of the products qualified without the approval of the DLA Land and Maritime.

If you have any questions concerning this letter, please contact Mr. Dwight Oglesby at 614-692-0609.

Sincerely,

/SIGNED/

JOSEPH GEMPERLINE
Chief
Sourcing and Qualifications Division

cc: Nancy-VQ