



QUALIFICATIONS VALIDATED
EVERY TWO YEARS

QPL-55342-96
23-Mar-04
SUPERSEDING
QPL-55342-95
15-Jan-04

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER PERFORMANCE SPECIFICATION
MIL-PRF-55342
RESISTORS, CHIP, FIXED, FILM, NONESTABLISHED RELIABILITY,
ESTABLISHED RELIABILITY, SPACE LEVEL,
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by Specification MIL-PRF-55342. Listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QPL IS THE U.S. ARMY COMMUNICATIONS-ELECTRONICS COMMAND AND FORT MONMOUTH. The activity designated as agent for all contacts relative to this QPL is the Defense Supply Center Columbus (DSCC-VQ), Columbus, OH 43216-5000.

NOTE: An asterisk (*) adjacent to the product listing indicates that qualified parts listed on the QPL are available through distributors authorized by the manufacturer in accordance with Military Standard MIL-STD-790. Names and addresses of the distributors are listed in the back of this QPL. This list of authorized distributors is being furnished merely as an aid in identifying authorized sources of ER parts and the responsibility for complying with contractual provisions requiring use of such parts rests with the user of such parts. This list has been compiled from information furnished by the manufacturers of ER parts prior to release of this QPL.

Inclusion on, or omission from, the list of a particular distributor cannot be relied upon as a guarantee of such distributor's status since the information upon which the list is based may not have been complete and since authorized distributors are subject to change by the manufacturer at any time. Inclusion of a firm on such list is not, under any circumstance, to be considered an endorsement of such firm or its products by the Department of Defense.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
M55342/01				
Chars. K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, D, G, T, U, W; product levels C, M, P, R, S, T	J201	55342-21-80	/1	Mini-Systems, Inc. (1)
	J203	55342-1850-86		
	J204	55342-1853-86		
	J540	55342-118-92 55342-298-02		
Chars. K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, C, D, G, T, U, W; product levels C, M, P, R, S, T	J201	55342-21-80	/1	Mini-Systems, Inc. (1)
	J203	55342-1850-86		
	J204	55342-1853-86		
	J540	55342-118-92 55342-298-02		
Chars. K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M0502XX	55342-60-83	/1	State of the Art, Inc.
		55342-40-83		
		55342-98-91		
		55342-800-87 55342-188-94		
Chars. K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M0502XX	55342-60-81	/1	State of the Art, Inc.
		55342-40-83		
		55342-98-91		
		55342-800-87 55342-188-94		
Chars. E, H, K, M; res. values 100 ohms thru 150 kilohms; res. tols. 0.1 pct.; terms. B, W; product levels C, M, P, R, T	M0502XX	55342-460-88	/1	State of the Art, Inc.
		55342-293-89		
		55342-043-93		

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
M55342/01				
Chars. E, H, K, M; res. values 5.62 ohms thru 150 kilohms; res. tols. 1 pct.; terms. B, W; product levels C, M, P, R, T	M0502XX	55342-468-88 55342-293-89 55342-043-93	/1	State of the Art, Inc.
Chars. E, H, K, M; res. values 5.6 ohms thru 150 kilohms; res. tols. 2, 5, 10 pct.; terms. B, W; product levels C, M, P, R, T	M0502XX	55342-468-88 55342-293-89 55342-043-93	/1	State of the Art, Inc.
Chars. E, H, K, M; res. values 59 ohms thru 130 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P0502E	55342-303-88 55342-4-92 55342-109-00 55342-29-02	/1	Vishay Thin Film, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 130 kilohms; res. tols. 0.1, 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P0502E	55342-303-88 55342-4-92 55342-109-00 55342-29-02	/1	Vishay Thin Film, Inc.
M55342/02				
Chars. H, K, M; res. values 100 ohms thru 294 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	WATF 4AN- XXXXXX-XX	55342-87-94	/2	Mini-Systems, Inc (2)
Chars. K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, D, G, T, U, W; product levels C, M, P, R, S, T	J1283 J216 J218 J219 J529	55342-24-80 55342-1851-86 55342-1854-86 55342-1191-92 55342-1078-00 55342-155-00	/2	Mini-Systems, Inc. (1)
Chars. K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, C, D, G, T, U, W; product levels C, M, P, R, S, T	J1283 J216 J218 J219 J529	55342-24-80 55342-1851-86 55342-1854-86 55342-1191-92 55342-1078-00 55342-155-00	/2	Mini-Systems, Inc. (1)
Chars. K, M; res. values 10 ohms thru 470 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels M	0505-15-FRSA SR-XXXX-	55342-201-93 55342-177-94	/2	Piconics, Inc.
Chars. K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M0505XX	55342-60-83 55342-40-84 55342-98-91 55342-800-87 55342-188-94	/2	State of the Art, Inc.
Chars. E, H, K, M; res. values 5.6 ohms thru 470 kilohms; res. tols. 2, 5, 10 pct.; terms. B, W; product levels C, M, P, R, T	M0505XX	55342-293-88 55342-293-89 55342-043-98	/2	State of the Art, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 470 kilohms; res. tols. 0.1 pct.; terms. B, W; product levels C, M, P, R, T	M0505XX	55342-488-88 55342-293-89 55342-041-98	/2	State of the Art, Inc.
Chars. E, H, K, M; res. values 5.62 ohms thru 464 kilohms; res. tols. 1 pct.; terms. B, W; product levels C, M, P, R, T	M0505XX	55342-488-88 55342-293-89 55342-043-93	/2	State of the Art, Inc.
Chars. K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M0505XX	55342-60-83 55342-40-84 55342-98-91 55342-800-87 55342-188-94	/2	State of the Art, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
M55342/02				
Chars. M; res. values 5.62 ohms thru 464 kilohms; res. tols. 1 pct.; terms. B; product levels C, M, P, R, T	RCWP-550-60 RCWPM-550-60	55342-493-81 55342-1212-84 55342-1078-87	/2	Vishay Dale Electronics, Inc.
Chars. K; res. values 10 ohms thru 464 kilohms; res. tols. 1 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-550 RCWM-550 RCWM-550-8 RCWPM-550 RCWPM-550-98 RWCP-550	55342-493-81 55342-1212-84 55342-1078-87	/2	Vishay Dale Electronics, Inc.
Chars. M; res. values 10 ohms thru 464 kilohms; res. tols. 1 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-550 RCWM-550 RCWM-550-8 RCWPM-550 RCWPM-550-98 RWCP-550	55342-493-81 55342-1212-84 55342-1087-87	/2	Vishay Dale Electronics, Inc.
Chars. M; res. values 5.6 ohms thru 470 kilohms; res. tols. 10 pct.; terms. B; product levels C, M, P, R	RCWP-550-60 RCWPM-550-60	55342-493-81 55342-1212-84 55342-1078-87	/2	Vishay Dale Electronics, Inc.
Chars. M; res. values 5.6 ohms thru 470 kilohms; res. tols. 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-550 RCWM-550 RCWM-550-8 RCWPM-550 RCWPM-550-98 RWCP-550	55342-493-81 55342-1212-84 55342-1078-87	/2	Vishay Dale Electronics, Inc.
Chars. K; res. values 10 ohms thru 464 kilohms; res. tols. 1 pct.; terms. B; product levels C, M, P, R	RCWP-550-60 RCWPM-550-60	55342-493-81 55342-1212-84 55342-1078-87	/2	Vishay Dale Electronics, Inc.
Chars. K; res. values 10 ohms thru 470 kilohms; res. tols. 2, 5, 10 pct.; terms. B; product levels C, M, P, R	RCWP-550-60 RCWPM-550-60	55342-493-81 55342-1212-84 55342-1078-87	/2	Vishay Dale Electronics, Inc.
Chars. K; res. values 10 ohms thru 470 kilohms; res. tols. 2, 5, 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-550 RCWM-550 RCWM-550-8 RCWPM-550 RCWPM-550-98 RWCP-550	55342-493-81 55342-1212-84 55342-1078-87	/2	Vishay Dale Electronics, Inc.
Chars. M; res. values 10 ohms thru 470 kilohms; res. tols. 2, 5 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-550 RCWM-550 RCWM-550-8 RCWPM-550 RCWPM-550-98 RWCP-550	55342-493-81 55342-1212-84 55342-1078-87	/2	Vishay Dale Electronics, Inc.
Chars. H, K, M; res. values 20 ohms thru 301 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P0505E	55342-303-88 55342-4-92 55342-109-00 55342-29-02	/2	Vishay Thin Film, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 301 kilohms; res. tols. 0.1 pct.; terms. B; product levels C, M, P, R	P0505E	55342-303-88 55342-4-92 55342-109-00 55342-29-02	/2	Vishay Thin Film, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
M55342/02				
Chars. E, K, M; res. values 49.9 ohms thru 301 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P0505E	55342-4-92 55342-303-88 55342-109-00 55342-29-02	/2	Vishay Thin Film, Inc.
M55342/03				
Chars. K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels M, P	M2B2513	55342-181-92	/2	Amitron, Inc.
M55342/03				
Chars. H, K, M; res. values 100 ohms thru 294 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	WATF 6AN-XXXXXX-XX	55342-87-94	/3	Mini-Systems, Inc (2)
Chars. K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, D, G, T, U, W; product levels C, M, P, R, S, T	J221 J223 J224 J530	55342-24-80 55342-1851-86 55342-1854-86 55342-155-00	/3	Mini-Systems, Inc. (1)
Chars. K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, C, D, G, T, U, W; product levels C, M, P, R, S, T	J221 J223 J224 J530	55342-24-80 55342-1851-86 55342-1854-86 55342-155-00	/3	Mini-Systems, Inc. (1)
Chars. K, M; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels M	15-FRSA SR-XXXX-1005-	55342-201-93 55342-177-94	/3	Piconics, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 1 megohms; res. tols. 0.1 pct.; terms. B, W; product levels C, M, P, R, T	M1005XX	55342-468-88 55342-273-89 55342-043-98	/3	State of the Art, Inc.
Chars. E, H, K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, W; product levels C, M, P, R, T	M1005XX	55342-468-88 55342-273-89 55342-043-98	/3	State of the Art, Inc.
Chars. K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M1005XX	55342-60-83 55342-40-84 55342-98-91 55342-800-87 55342-188-94	/3	State of the Art, Inc.
Chars. E, H, K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, W; product levels C, M, P, R, T	M1005XX	55342-468-88 55342-273-89 55342-043-98	/3	State of the Art, Inc.
Chars. K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M1005XX	55342-60-83 55342-40-84 55342-98-91 55342-800-87 55342-188-94	/3	State of the Art, Inc.
Chars. M; res. values 5.6 ohms thru 1 megohms; res. tols. 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-5100 RCWM-5100 RCWM-5100-8 RCWP-5100 RCWPM-5100 RCWPM-5100-20 RCWPM-5100-98	55342-593-81 55342-1212-84 55342-1079-87	/3	Vishay Dale Electronics, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
M55342/03				
Chars. M; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-5100 RCWM-5100 RCWM-5100-8 RCWP-5100 RCWPM-5100 RCWPM-5100-20 RCWPM-5100-98	55342-493-81 55342-1212-84 55342-1078-87	/3	Vishay Dale Electronics, Inc.
Chars. K; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-5100 RCWM-5100 RCWM-5100-8 RCWP-5100 RCWPM-5100 RCWPM-5100-20 RCWPM-5100-98	55342-493-81 55342-1212-84 55342-1078-87	/3	Vishay Dale Electronics, Inc.
Chars. M; res. values 5.6 ohms thru 1 megohms; res. tols. 10 pct.; terms. B; product levels C, M, P, R, T	RCWP-5100-60 RCWPM-5100-60	55342-493-81 55342-1212-84 55342-1078-87	/3	Vishay Dale Electronics, Inc.
Chars. M; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5 pct.; terms. B; product levels C, M, P, R, T	RCWP-5100-60 RCWPM-5100-60	55342-493-81 55342-1212-84 55342-1078-87	/3	Vishay Dale Electronics, Inc.
Chars. K; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R, T	RCWP-5100-60 RCWPM-5100-60	55342-493-81 55342-1212-84 55342-1078-87	/3	Vishay Dale Electronics, Inc.
Chars. E, K, M; res. values 49 ohms thru 649 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P1005E	55342-303-88 55342-4-92 55342-109-00 55342-29-02	/3	Vishay Thin Film, Inc.
Chars. H, K, M; res. values 10 ohms thru 649 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P1005E	55342-303-88 55342-4-92 55342-109-00 55342-29-02	/3	Vishay Thin Film, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 649 kilohms; res. tols. 0.1 pct.; terms. B; product levels C, M, P, R	P1005E	55342-303-88 55342-4-92 55342-109-00 55342-29-02	/3	Vishay Thin Film, Inc.
M55342/04				
Chars. K, M; res. values 5.62 ohms thru 4.75 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels M, P	M2B3813	55342-181-92	/4	Amitron, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 125 kilohms; res. tols. 0.1, 1, 2, 5, 10 pct.; terms. B; product levels M, P, R, S	W1505R-07	55342-295-89 55342-150-95 55342-104-96	/4	IRC, Inc.
Chars. E, H, K, M; res. values 10 ohms thru 125 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels M, P, R, S	W1505R-07	55342-295-89 55342-150-95 55342-104-96	/4	IRC, Inc.
Chars. K, M; res. values 5.62 ohms thru 4.75 megohms; res. tols. 1 pct.; terms. B, C, D, G, T, U, W; product levels C, M, P, R, S, T	J1285 J206 J208 J209 J531	55342-24-80 55342-1851-86 55342-1854-86 55342-155-00 55342-062-01	/4	Mini-Systems, Inc (1)

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
M55342/04				
Chars. K, M; res. values 5.6 ohms thru 4.7 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, D, G, T, U, W; product levels C, M, P, R, S, T	J1285	55342-24-80	/4	Mini-Systems, Inc. (1)
	J206	55342-1851-86		
	J208	55342-1854-86		
	J209	55342-155-00		
	J531	55342-062-01		
Chars. K, M; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels M	15-FRSA	55342-201-93	/4	Piconics, Inc.
	SR-XXXX-1505-	55342-177-94		
Chars. E, H, K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, W; product levels C, M, P, R, T	M1505XX	55342-468-88	/4	State of the Art, Inc.
		55342-293-89		
		55342-043-98		
Chars. E, H, K, M; res. values 100 ohms thru 1 megohms; res. tols. 0.1 pct.; terms. B, W; product levels C, M, P, R, T	M1505XX	55342-468-88	/4	State of the Art, Inc.
		55342-293-89		
		55342-043-98		
Chars. E, H, K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, W; product levels C, M, P, R, T	M1505XX	55342-468-88	/4	State of the Art, Inc.
		55342-293-89		
		55342-043-98		
Chars. K, M; res. values 5.6 ohms thru 4.75 megohms; res. tols. 1 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M1505XX	55342-60-83	/4	State of the Art, Inc.
		55342-40-84		
		55342-98-91		
		55342-800-87		
		55342-188-94		
		55342-167-95		
		55342-49-99		
Chars. K, M; res. values 5.6 ohms thru 4.7 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M1505XX	55342-60-83	/4	State of the Art, Inc.
		55342-40-84		
		55342-98-91		
		55342-800-87		
		55342-188-94		
		55342-167-95		
		55342-49-99		
Chars. K; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-5150	55342-491-81	/4	Vishay Dale Electronics, Inc.
	RCM-5150-8	55342-1212-84		
	RCWM-5150	55342-1079-87		
	RCWP-5150			
	RCWPM-5150			
	RCWPM-5150-20			
Chars. K; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R, T	RCWP-5150-60	55342-493-81	/4	Vishay Dale Electronics, Inc.
	RCWPM-5150-60	55342-1212-84 55342-1078-87		
Chars. M; res. values 10 ohms thru 4.7 megohms; res. tols. 2, 5 pct.; terms. B; product levels C, M, P, R, T	RCWP-5150-60	55342-491-81	/4	Vishay Dale Electronics, Inc.
	RCWPM-5150-60	55342-1212-84		
		55342-1078-87		
Chars. M; res. values 5.6 ohms thru 4.7 megohms; res. tols. 10 pct.; terms. B; product levels C, M, P, R, T	RCWP-5150-60	55342-493-81	/4	Vishay Dale Electronics, Inc.
	RCWPM-5150-60	55342-1212-84		
		55342-1078-87		
Chars. M; res. values 10 ohms thru 4.7 megohms; res. tols. 2, 5 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-5150	55342-493-81	/4	Vishay Dale Electronics, Inc.
	RCM-5150-8	55342-1212-84		
	RCWM-5150	55342-1078-87		
	RCWP-5150			
	RCWPM-5150			
	RCWPM-5150-20			
RCWPM-5150-98				

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
M55342/04				
Chars. M; res. values 5.6 ohms thru 4.7 megohms; res. tols. 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-5150 RCM-5150-/ RCWM-5150 RCWP-5150 RCWPM-5150 RCWPM-5150-20 RCWPM-5150-98	55342-493-81 55342-1212-84 55342-1078-87	/4	Vishay Dale Electronics, Inc.
Chars. M; res. values 10 ohms thru 1 megohms; res. tols. 1 pct.; terms. B; product levels C, M, P, R, T	RCWP-5150-60 RCWPM-5150-60	55342-493-81 55342-1212-84 55342-1078-87	/4	Vishay Dale Electronics, Inc.
Chars. M; res. values 10 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-5150 RCM-5150-8 RCWM-5150 RCWP-5150 RCWPM-5150 RCWPM-5150-20 RCWPM-5150-98	55342-493-81 55342-1212-84 55342-1078-87	/4	Vishay Dale Electronics, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 1 megohms; res. tols. 0.1 pct.; terms. B; product levels C, M, P, R	P1505E	55342-303-88 55342-4-92 55342-29-02 55342-109-00	/4	Vishay Thin Film, Inc.
Chars. H, K, M; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P1505E	55342-303-88 55342-4-92 55342-109-00 55342-29-02	/4	Vishay Thin Film, Inc.
Chars. E, K, M; res. values 49.9 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P1505E	55342-303-88 55342-4-92 55342-109-00 55342-29-02	/4	Vishay Thin Film, Inc.
M55342/05				
Chars. K, M; res. values 5.62 ohms thru 15 megohms; res. tols. 1 pct.; terms. B, C, D, G, T, U, W; product levels C, M, P, R, S, T	J211 J213 J214 J532	55342-27-80 55342-1852-86 55342-1855-86 55342-063-01	/5	Mini-Systems, Inc. (1)
Chars. K, M; res. values 5.6 ohms thru 15 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, D, G, T, U, W; product levels C, M, P, R, S, T	J211 J213 J214 J532	55342-27-80 55342-1852-86 55342-1855-86 55342-063-01	/5	Mini-Systems, Inc. (1)
Chars. E, H, K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, W; product levels C, M, P, R, T	M2208XX	55342-452-91	/5	State of the Art, Inc.
Chars. K, M; res. values 5.6 ohms thru 15 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M2208XX	55342-468-88 55342-40-84 55342-98-91 55342-799-87 55342-168-95	/5	State of the Art, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 1 megohms; res. tols. 0.1 pct.; terms. B, W; product levels C, M, P, R, T	M2208XX	55342-452-91	/5	State of the Art, Inc.
Chars. E, H, K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, W; product levels C, M, P, R, T	M2208XX	55342-452-91	/5	State of the Art, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
M55342/05				
Chars. K, M; res. values 5.62 ohms thru 15 megohms; res. tols. 1 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M2208XX	55342-468-88 55342-40-84 55342-98-91 55342-799-87 55342-168-95	/5	State of the Art, Inc.
Chars. K; res. values 10 ohms thru 2 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R, T	RCWP-1079-87 RCWPM-7225-60	55342-1346-85 55342-1079-87	/5	Vishay Dale Electronics, Inc.
Chars. M; res. values 10 ohms thru 15 megohms; res. tols. 2, 5 pct.; terms. B; product levels C, M, P, R, T	RCWP-7225-60 RCWPM-7225-60	55342-1346-85 55342-1079-87	/5	Vishay Dale Electronics, Inc.
Chars. M; res. values 10 ohms thru 2 megohms; res. tols. 1 pct.; terms. B; product levels C, M, P, R, T	RCWP-7225-60 RCWPM-7225-60	55342-1346-85 55342-1079-87	/5	Vishay Dale Electronics, Inc.
Chars. M; res. values 10 ohms thru 15 megohms; res. tols. 2, 5 pct.; terms. B, C, T; product levels C, M, P, R, S, T	RCM-7225 RCWM-7225 RCWM-7225-8 RCWP-7225 RCWPM-7225 RCWPM-7225-20 RCWPM-7225-98	55342-1346-85 55342-1079-87	/5	Vishay Dale Electronics, Inc.
Chars. K; res. values 10 ohms thru 2 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B, C, T; product levels C, M, P, R, S, T	RCM-7225 RCWM-7225 RCWM-7225-8 RCWP-7225 RCWPM-7225 RCWPM-7225-20 RCWPM-7225-98	55342-1346-85 55342-1079-87	/5	Vishay Dale Electronics, Inc.
Chars. M; res. values 5.6 ohms thru 15 megohms; res. tols. 10 pct.; terms. B, C, T; product levels C, M, P, R, S, T	RCM-7225 RCWM-7225 RCWM-7225-8 RCWP-7225 RCWPM-7225 RCWPM-7225-20 RCWPM-7225-98	55342-1346-95 55342-1079-87	/5	Vishay Dale Electronics, Inc.
Chars. M; res. values 5.6 ohms thru 15 megohms; res. tols. 10 pct.; terms. B; product levels C, M, P, R, T	RCWP-7225-60 RCWPM-7225-60	55342-1346-85 55342-1079-87	/5	Vishay Dale Electronics, Inc.
Chars. M; res. values 10 ohms thru 2 megohms; res. tols. 1 pct.; terms. B, C, T; product levels C, M, P, R, S, T	RCM-7225 RCWM-7225 RCWM-7225-8 RCWP-7225 RCWPM-7225 RCWPM-7225-20 RCWPM-7225-98	55342-1346-85 55342-1079-87	/5	Vishay Dale Electronics, Inc.
Chars. E, K, M; res. values 49.9 ohms thru 1.75 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P2208E	55342-110-00 55342-30-02	/5	Vishay Thin Film, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 1.75 megohms; res. tols. 0.1 pct.; terms. B; product levels C, M, P, R	P2208E	55342-110-00 55342-30-02	/5	Vishay Thin Film, Inc.
Chars. H, K, M; res. values 10 ohms thru 1.75 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P2208E	55342-110-00 55342-30-02	/5	Vishay Thin Film, Inc.
M55342/06				
Chars. K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels M, P	M2B1913	55342-181-92	/6	Amitron, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
M55342/06				
Chars. E, H, K, M; res. values 10 ohms thru 125 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels M, P, R, S	W0805R-07	55342-295-89 55342-150-95 55342-104-96	/6	IRC, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 125 kilohms; res. tols. 0.1, 1, 2, 5, 10 pct.; terms. B; product levels M, P, R, S	W0805R-07	55342-295-89 55342-150-95 55342-104-96	/6	IRC, Inc.
Chars. K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, D, G, T, U, W; product levels C, M, P, R, S, T	J1286 J262 J264 J265 J533	55342-24-80 55342-1851-86 55342-1854-86 55342-118-92 55342-116-00	/6	Mini-Systems, Inc. (1)
Chars. K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, C, D, G, T, U, W; product levels C, M, P, R, S, T	J1286 J262 J264 J265 J533	55342-24-80 55342-1851-86 55342-1854-86 55342-118-92 55342-116-00	/6	Mini-Systems, Inc. (1)
Chars. K, M; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels M	15-FRSA SR-XXXX-0705-	55342-201-93 55342-177-94	/6	Passive Components, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 1 megohms; res. tols. 0.1 pct.; terms. B, W; product levels C, M, P, R, T	M0705XX	55342-469-88 55342-293-89 55342-043-98	/6	State of the Art, Inc.
Chars. E, H, K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, W; product levels C, M, P, R, T	M0705XX	55342-469-88 55342-293-89 55342-043-98	/6	State of the Art, Inc.
Chars. E, H, K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, W; product levels C, M, P, R, T	M0705XX	55342-468-88 55342-293-89 55342-043-98	/6	State of the Art, Inc.
Chars. K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M0705XX	55342-468-88 55342-40-84 55342-98-91 55342-799-87 55342-168-95	/6	State of the Art, Inc.
Chars. K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M0705XX	55342-60-83 55342-40-84 55342-98-91 55342-800-87 55342-188-94	/6	State of the Art, Inc.
Chars. M; res. values 5.6 ohms thru 1 megohms; res. tols. 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-575 RCWM-575 RCWM-575-8 RCWP-575 RCWPM-575 RCWPM-575-98	55342-493-81 55342-1212-84 55342-1078-87	/6	Vishay Dale Electronics, Inc.
Chars. M; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5 pct.; terms. B; product levels C, M, P, R, T	RCWP-575-60 RCWPM-575-60	55342-493-81 55342-1212-84 55342-1078-87	/6	Vishay Dale Electronics, Inc.
Chars. M; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-575 RCWM-575 RCWM-575-8 RCWP-575 RCWPM-575 RCWPM-575-98	55342-493-81 55342-1212-84 55342-1078-87	/6	Vishay Dale Electronics, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
M55342/06				
Chars. K; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-575 RCWM-575 RCWM-575-8 RCWP-575 RCWPM-575 RCWPM-575-98	55342-493-81 55342-1212-84 55342-1078-87	/6	Vishay Dale Electronics, Inc.
Chars. M; res. values 5.6 ohms thru 1 megohms; res. tols. 10 pct.; terms. B; product levels C, M, P, R, T	RCWP-575-60 RCWPM-575-60	55342-493-81 55342-1212-84 55342-1078-87	/6	Vishay Dale Electronics, Inc.
Chars. K; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R, T	RCWP-575-60 RCWPM-575-60	55342-493-81 55342-1212-84 55342-1078-87	/6	Vishay Dale Electronics, Inc.
Chars. K, M; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels M, P, R, T	RCWPM-575-68	55342-103-97	/6	Vishay Israel, Ltd.
Chars. H, K, M; res. values 10 ohms thru 475 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P0705E	55342-303-88 55342-4-92 55342-109-00 55342-29-02	/6	Vishay Thin Film, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 475 kilohms; res. tols. 0.1 pct.; terms. B; product levels C, M, P, R	P0705E	55342-303-88 55342-4-92 55342-109-00 55342-29-02	/6	Vishay Thin Film, Inc.
Chars. E, K, M; res. values 49.9 ohms thru 475 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P0705E	55342-303-88 55342-4-92 55342-109-00 55342-29-02	/6	Vishay Thin Film, Inc.
D55342/07				
Chars. K, M; res. values 5.62 ohms thru 5.62 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels M, P	M2B3217	55342-181-92	/7	Amitron, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 125 kilohms; res. tols. 0.1, 1, 2, 5, 10 pct.; terms. B; product levels M, P, R, S	W1206R-07	55342-295-89 55342-150-95 55342-104-96	/7	IRC, Inc.
Chars. E, H, K, M; res. values 10 ohms thru 125 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels M, P, R, S	W1206R-07	55342-295-89 55342-150-95 55342-104-96	/7	IRC, Inc.
Chars. H, K, M; res. values 100 ohms thru 294 ohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	WATF 5AN-XXXXXX-XX	55342-87-94	/7	Mini-Systems, Inc (2)
Chars. K, M; res. values 5.62 ohms thru 5.62 megohms; res. tols. 1 pct.; terms. B, C, D, G, T, U, W; product levels C, M, P, R, S, T	J1287 J612 J690 J692 J694 J695 J696	55342-216-90 55342-155-00 55342-062-01	/7	Mini-Systems, Inc. (1)
Chars. K, M; res. values 5.6 ohms thru 5.6 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, D, G, T, U, W; product levels C, M, P, R, S, T	J1287 J612 J690 J692 J694 J695 J696	55142-216-90 55342-155-00 55342-062-01	/7	Mini-Systems, Inc. (1)

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
D55342/07				
Chars. K, M; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels M	15-FRSA SR-XXXX-1206-	55342-201-93 55342-177-94	/7	Piconics, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 1 megohms; res. tols. 0.1 pct.; terms. B, W; product levels C, M, P, R, T	M1206XX	55342-468-88 55342-293-89 55342-043-98	/7	State of the Art, Inc.
Chars. E, H, K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, W; product levels C, M, P, R, T	M1206XX	55342-468-88 55342-293-89 55342-043-98	/7	State of the Art, Inc.
Chars. K, M; res. values 5.62 ohms thru 5.62 megohms; res. tols. 1 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M1206XX	55342-203-88 55342-98-91 55342-188-94 55342-167-95 55342-49-99	/7	State of the Art, Inc.
Chars. K, M; res. values 5.6 ohms thru 5.6 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M1206XX	55342-203-88 55342-98-91 55342-188-94 55342-167-95 55342-49-99	/7	State of the Art, Inc.
Chars. E, H, K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, W; product levels C, M, P, R, T	M1206XX	55342-468-88 55342-293-89 55342-043-98	/7	State of the Art, Inc.
Chars. K; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-1206 RCWM-1206 RCWM-1206-8 RCWP-1206 RCWPM-1206 RCWPM-1206-20 RCWPM-1206-98	55342-348-88 55342-169-92 55342-217-94	/7	Vishay Dale Electronics, Inc.
Chars. K; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R, T	RCWP-1206-62 RCWPM-1206-60	55342-348-88 55342-169-92 55342-217-94	/7	Vishay Dale Electronics, Inc.
Chars. M; res. values 5.6 ohms thru 1 megohms; res. tols. 10 pct.; terms. B; product levels C, M, P, R, T	RCWP-1206-60 RCWPM-1206-60	55342-348-88 55342-169-92 55342-217-*94	/7	Vishay Dale Electronics, Inc.
Chars. M; res. values 10 ohms thru 5.62 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-1206 RCWM-1206 RCWM-1206-8 RCWP-1206 RCWPM-1206 RCWPM-1206-20 RCWPM-1206-98	55342-348-88 55342-169-92 55342-217-94	/7	Vishay Dale Electronics, Inc.
Chars. M; res. values 5.6 ohms thru 1 megohms; res. tols. 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-1206 RCWM-1206 RCWM-1206-8 RCWP-1206 RCWPM-1206 RCWPM-1206-20 RCWPM-1206-98	55342-348-88 55342-169-92 55342-217-94	/7	Vishay Dale Electronics, Inc.
Chars. H, M; res. values 49.9 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels M, P, R	TNPWM-1206	55342-191-89 55342-301-90 55342-56-99	/7	Vishay Dale Electronics, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
D55342/07				
Chars. E, H; res. values 100 ohms thru 1 megohms; res. tols. 0.1 pct.; terms. B; product levels M, P, R	TNPWM-1206	55342-191-89 55342-301-90 55342-56-99	/7	Vishay Dale Electronics, Inc.
Chars. M; res. values 10 ohms thru 5.62 megohms; res. tols. 1, 2, 5 pct.; terms. B; product levels C, M, P, R, T	RCWP-1206-60 RCWPM-1206-60	55342-169-92 55342-348-88 55342-217-94	/7	Vishay Dale Electronics, Inc.
Chars. K, M; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels M, P, R, T	RCWPM-1206-68	55342-103-97	/7	Vishay Israel, Ltd.
Chars. E, K, M; res. values 49.9 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P1206E	55342-303-88 55342-4-92 55342-109-00 55342-29-02	/7	Vishay Thin Film, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 1 megohms; res. tols. 0.1 pct.; terms. B; product levels C, M, P, R	P1206E	55342-303-88 55342-4-92 55342-109-00 55342-29-02	/7	Vishay Thin Film, Inc.
Chars. H, K, M; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P1206E	55342-303-88 55342-4-92 55342-109-00 55342-29-02	/7	Vishay Thin Film, Inc.
M55342/08				
Chars. K, M; res. values 5.62 ohms thru 15 megohms; res. tols. 1 pct.; terms. B, C, D, T, U, W; product levels C, M, P, R, S, T	J696 J698 J700 J701 J907 J913	55342-217-90 55342-063-01	/8	Mini-Systems, Inc. (1)
Chars. K, M; res. values 5.6 ohms thru 15 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, D, T, U, W; product levels C, M, P, R, S, T	J696 J698 J700 J701 J907 J913	55342-217-90 55342-063-01	/8	Mini-Systems, Inc. (1)
Chars. E, H, K, M; res. values 100 ohms thru 1 megohms; res. tols. 0.1 pct.; terms. B, W; product levels C, M, P, R, T	M2010XX	55342-452-91	/8	State of the Art, Inc.
Chars. E, H, K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, W; product levels C, M, P, R, T	M2010XX	55342-452-91	/8	State of the Art, Inc.
Chars. K, M; res. values 5.62 ohms thru 15 megohms; res. tols. 1 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M2010XX	55342-203-88 55342-98-91 55342-168-95 55342-117-99	/8	State of the Art, Inc.
Chars. E, H, K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, W; product levels C, M, P, R, T	M2010XX	55342-452-91	/8	State of the Art, Inc.
Chars. K, M; res. values 5.6 ohms thru 15 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M2010XX	55342-203-88 55342-98-91 55342-168-95 55342-117-99	/8	State of the Art, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
M55342/08				
Chars. M; res. values 10 ohms thru 15 megohms; res. tols. 2, 5 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-2010 RCWM-2010 RCWM-2010-8 RCWP-2010 RCWPM-2010 RCWPM-2010-20 RCWPM-2010-98	55342-349-88	/8	Vishay Dale Electronics, Inc.
Chars. M; res. values 10 ohms thru 7.5 megohms; res. tols. 1 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-2010 RCWM-2010 RCWP-2010 RCWPM-2010 RCWPM-2010-20 RCWPM-2010-8 RCWPM-2010-98	55342-349-88	/8	Vishay Dale Electronics, Inc.
Chars. K; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-2010 RCWM-2010 RCWM-2010-8 RCWP-2010 RCWPM-2010 RCWPM-2010-20 RCWPM-2010-98	55342-349-88	/8	Vishay Dale Electronics, Inc.
Chars. M; res. values 5.6 ohms thru 15 megohms; res. tols. 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-2010 RCWM-2010 RCWM-2010-8 RCWP-2010 RCWPM-2010 RCWPM-2010-20 RCWPM-2010-98	55342-349-88	/8	Vishay Dale Electronics, Inc.
Chars. E, K, M; res. values 49.9 ohms thru 2 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P2010E	55342-110-00 55342-30-02	/8	Vishay Thin Film, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 2 megohms; res. tols. 0.1 pct.; terms. B; product levels C, M, P, R	P2010E	55342-110-00 55342-30-02	/8	Vishay Thin Film, Inc.
Chars. H, K, M; res. values 10 ohms thru 2 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P2010E	55342-110-00 55342-30-02	/8	Vishay Thin Film, Inc.
M55342/09				
Chars. K, M; res. values 5.62 ohms thru 15 megohms; res. tols. 1 pct.; terms. B, C, D, T, U, W; product levels C, M, P, R, S, T	J702 J704 J706 J707 J908 J914	55342-217-90 55342-063-01	/9	Mini-Systems, Inc. (1)
Chars. K, M; res. values 5.6 ohms thru 15 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, D, T, U, W; product levels C, M, P, R, S, T	J702 J704 J706 J707 J908 J914	55342-217-90 55342-063-01	/9	Mini-Systems, Inc. (1)
Chars. K, M; res. values 5.6 ohms thru 15 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M2512XX	55342-203-88 55342-98-91 55342-168-95 55342-117-99	/9	State of the Art, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
M55342/09				
Chars. E, H, K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, W; product levels C, M, P, R, T	M2512XX	55342-452-91	/9	State of the Art, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 1 megohms; res. tols. 0.1 pct.; terms. B, W; product levels C, M, P, R, T	M2512XX	55342-452-91	/9	State of the Art, Inc.
Chars. K, M; res. values 5.62 ohms thru 15 megohms; res. tols. 1 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M2512XX	55342-203-88 55342-98-91 55342-168-95 55342-117-99	/9	State of the Art, Inc.
Chars. E, H, K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, W; product levels C, M, P, R, T	M2512XX	55342-452-91	/9	State of the Art, Inc.
Chars. M; res. values 5.6 ohms thru 15 megohms; res. tols. 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-2512 RCWM-2512 RCWM-2512-8 RCWP-2512 RCWPM-2512 RCWPM-2512-20 RCWPM-2512-98	55342-349-99	/9	Vishay Dale Electronics, Inc.
Chars. M; res. values 10 ohms thru 15 megohms; res. tols. 2, 5 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-2512 RCWM-2512 RCWM-2512-20 RCWM-2512-8 RCWP-2512 RCWPM-2512 RCWPM-2512-98	55342-349-99	/9	Vishay Dale Electronics, Inc.
Chars. M; res. values 10 ohms thru 7.5 megohms; res. tols. 1 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-2512 RCWM-2512 RCWM-2512-8 RCWP-2512 RCWPM-2512 RCWPM-2512-20 RCWPM-2512-98	55342-349-99	/9	Vishay Dale Electronics, Inc.
Chars. K; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-2512 RCW,-2512-8 RCWM-2512 RCWP-2512 RCWPM-2512 RCWPM-2512-20 RCWPM-2512-98	55342-349-99	/9	Vishay Dale Electronics, Inc.
Chars. E, K, M; res. values 49.9 ohms thru 3 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P2512E	55342-110-02 55342-30-02	/9	Vishay Thin Film, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 3 megohms; res. tols. 0.1 pct.; terms. B; product levels C, M, P, R	P2512E	55342-110-00 55342-30-02	/9	Vishay Thin Film, Inc.
Chars. H, K, M; res. values 10 ohms thru 3 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P2512E	55342-110-00 55342-30-02	/9	Vishay Thin Film, Inc.
M55342/10				
Chars. K, M; res. values 5.6 ohms thru 5.62 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, D, G, T, U, W; product levels C, M, P, R, S, T	J1288 J957 J958 J959 J961	55342-118-92 55342-155-00 55342-062-01	/10	Mini-Systems, Inc. (1)

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
M55342/10				
Chars. K, M; res. values 5.62 ohms thru 5.62 megohms; res. tols. 1 pct.; terms. B, C, D, G, T, U, W; product levels C, M, P, R, S, T	J1288 J957 J958 J959 J961	55342-118-92 55342-155-00 55342-062-01	/10	Mini-Systems, Inc. (1)
Chars. K, M; res. values 5.6 ohms thru 5.62 megohms; res. tols. 1 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M1010XX	55342-98-91 55342-188-94 55342-167-95 55342-49-99	/10	State of the Art, Inc.
Chars. E, H, K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, W; product levels C, M, P, R, T	M1010XX	55342-488-88 55342-293-89 55342-043-98	/10	State of the Art, Inc.
Chars. K, M; res. values 5.6 ohms thru 5.6 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M1010XX	55342-98-91 55342-188-94 55342-167-95 55342-49-99	/10	State of the Art, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 1 megohms; res. tols. 0.1 pct.; terms. B, W; product levels C, M, P, R, T	M1010XX	55342-488-88 55342-293-89 55342-043-98	/10	State of the Art, Inc.
Chars. E, H, K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, W; product levels C, M, P, R, T	M1010XX	55342-488-88 55342-293-89 55342-043-98	/10	State of the Art, Inc.
Chars. M; res. values 5.6 ohms thru 5.62 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCW-1100 RCWM-1100 RCWM-1100-8 RCWP-1100 RCWPM-1100 RCWPM-1100-20 RCWPM-1100-98	55342-563-91	/10	Vishay Dale Electronics, Inc.
Chars. M; res. values 5.6 ohms thru 5.62 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R, T	RCWP-1100-60 RCWPM-1100-60	55342-563-91	/10	Vishay Dale Electronics, Inc.
Chars. K; res. values 10 ohms thru 499 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R, T	RCWP-1100-60 RCWPM-1100-60	55342-563-91	/10	Vishay Dale Electronics, Inc.
Chars. K; res. values 10 ohms thru 499 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B, C, T, U; product levels C, M, P, R, S, T	RCM-1100 RCWM-1100 RCWM-1100-8 RCWP-1100 RCWPM-1100 RCWPM-1100-98 RCWPM-1120-20	55342-563-91	/10	Vishay Dale Electronics, Inc.
Chars. E, H, K, M; res. values 100 ohms thru 1 megohms; res. tols. 0.1 pct.; terms. B; product levels C, M, P, R	P1010E	55342-303-88 55342-4-92 55342-29-02	/10	Vishay Thin Film, Inc.
Chars. E, H, K, M; res. values 49.9 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P1010E	55342-303-88 55342-4-92 55342-29-02	/10	Vishay Thin Film, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
M55342/11				
Chars. K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, D, G, U, W; product levels C, M, P, R, S, T	J1271	55342-24-80	/11	Mini-Systems, Inc. (1)
	J1272	55342-1851-86		
	J1273	55342-1854-86		
	J1289	55342-118-92		
	J1391	55342-155-00		
	J1392	55342-216-90		
Chars. K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, C, D, G, U, W; product levels C, M, P, R, S, T	J1271	55342-24-80	/11	Mini-Systems, Inc. (1)
	J1272	55342-1851-86		
	J1273	55342-1854-86		
	J1289	55342-118-92		
	J1391	55342-155-00		
	J1392	55342-216-90		
Chars. E, H, K, M; res. values 100 ohms thru 100 kilohms; res. tols. 0.1 pct.; terms. B, W; product levels C, M, P, R, T	M0402XX	55342-468-88	/11	State of the Art, Inc.
		55342-293-89		
		55342-043-93		
Chars. E, H, K, M; res. values 5.6 ohms thru 100 kilohms; res. tols. 2, 5, 10 pct.; terms. B, W; product levels C, M, P, R, T	M0402XX	55342-468-88	/11	State of the Art, Inc.
		55342-293-89		
		55342-043-93		
Chars. K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M0402XX	55342-60-83	/11	State of the Art, Inc.
		55342-40-83		
		55342-98-91		
		55342-800-87		
		55342-188-94		
Chars. K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M0402XX	55342-60-83	/11	State of the Art, Inc.
		55342-40-83		
		55342-98-91		
		55342-800-87		
		55342-188-94		
Chars. E, H, K, M; res. values 5.62 ohms thru 100 kilohms; res. tols. 1 pct.; terms. B, W; product levels C, M, P, R, T	M0402XX	55342-468-88	/11	State of the Art, Inc.
		55342-293-89		
		55342-043-93		
Chars. E, H, K, M; res. values 100 ohms thru 715 kilohms; res. tols. 0.1, 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P0402E	55342-303-88	/11	Vishay Thin Film, Inc.
		55342-4-92		
		55342-109-00		
		55342-29-02		
Chars. E, H, K, M; res. values 59 ohms thru 715 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P0402E	55342-303-88	/11	Vishay Thin Film, Inc.
		55342-4-92		
		55342-109-00		
		55342-29-02		
M55342/12*				
Chars. E, H, K, M; res. values 10 ohms thru 59 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels M, P, R, S	W0603R-07	55342-295-89	/12	IRC, Inc.
		55342-150-95		
		55342-104-96		
Chars. E, H, K, M; res. values 100 ohms thru 59 kilohms; res. tols. 0.1, 1, 2, 5, 10 pct.; terms. B; product levels M, P, R, S	W0603R-07	55342-295-89	/12	IRC, Inc.
		55342-150-95		
		55342-104-96		
Chars. K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, D, G, U, W; product levels C, M, P, R, S, T	J1274	55342-24-80	/12	Mini-Systems, Inc. (1)
	J1275	55342-1851-86		
	J1276	55342-1854-86		
	J1290	55342-118-92		
	J1393	55342-155-00		
	J1394	55342-216-90		

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
M55342/12*				
Chars. K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, C, D, G, U, W; product levels C, M, P, R, S, T	J1274	55342-24-80	/12	Mini-Systems, Inc. (1)
	J1275	55342-1851-86		
	J1276	55342-1854-86		
	J1290	55342-118-92		
	J1393	55342-155-00		
	J1394	55342-216-90		
Chars. E, H, K, M; res. values 5.62 ohms thru 267 kilohms; res. tols. 1 pct.; terms. B, W; product levels C, M, P, R, T	M0603XX	55342-468-88	/12	State of the Art, Inc.
		55342-293-89		
		55342-043-93		
Chars. E, H, K, M; res. values 100 ohms thru 270 kilohms; res. tols. 0.1 pct.; terms. B, W; product levels C, M, P, R, T	M0603XX	55342-468-88	/12	State of the Art, Inc.
		55342-293-89		
		55342-043-93		
Chars. K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M0603XX	55342-60-83	/12	State of the Art, Inc.
		55342-40-83		
		55342-98-91		
		55342-800-97		
		55342-188-94		
Chars. E, H, K, M; res. values 5.6 ohms thru 270 kilohms; res. tols. 2, 5, 10 pct.; terms. B, W; product levels C, M, P, R, T	M0603XX	55342-468-88	/12	State of the Art, Inc.
		55342-293-89		
		55342-043-93		
Chars. K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M0603XX	55342-60-83	/12	State of the Art, Inc.
		55342-40-83		
		55342-98-91		
		55342-800-87		
		55342-188-94		
Chars. M; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 10 pct.; terms. B; product levels C, M, P, R, T	RCWPM-0603-60	55342-493-81	/12	Vishay Dale Electronics, Inc.
		55342-1212-84		
		55342-1078-87		
Chars. K; res. values 10 ohms thru 1 megohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R, T	RCWPM-0603-60	55342-493-81	/12	Vishay Dale Electronics, Inc.
		55342-1212-84		
		55342-1078-87		
Chars. M; res. values 5.6 ohms thru 1 megohms; res. tols. 10 pct.; terms. B; product levels C, M, P, R, T	RCWPM-0603-60	55342-493-81	/12	Vishay Dale Electronics, Inc.
		55342-1212-84		
		55342-1078-87		
Chars. H, K, M; res. values 20 ohms thru 160 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P0603E	55342-303-88	/12	Vishay Thin Film, Inc.
		55342-4-92		
		55342-109-00		
		55342-29-02		
Chars. E, K, M; res. values 49.9 ohms thru 160 kilohms; res. tols. 1, 2, 5, 10 pct.; terms. B; product levels C, M, P, R	P0603E	55342-303-88	/12	Vishay Thin Film, Inc.
		55342-4-92		
		55342-109-00		
		55342-29-02		
Chars. E, H, K, M; res. values 100 ohms thru 160 kilohms; res. tols. 0.1 pct.; terms. B; product levels C, M, P, R	P0603E	55342-303-88	/12	Vishay Thin Film, Inc.
		55342-4-92		
		55342-109-00		
		55342-29-02		

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
M55342/13*				
Chars. K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, D, G, U, W; product levels C, M, P, R, S, T	J1473	55342-24-80	/13	Mini-Systems, Inc. (1)
	J1474	55342-1851-86		
	J1475	55342-1854-86		
	J1476	55342-118-92		
	J1477	55342-155-00		
	J1478			
Chars. K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, C, D, G, U, W; product levels C, M, P, R, S, T	J1473	55342-24-80	/13	Mini-Systems, Inc. (1)
	J1474	55342-1851-86		
	J1475	55342-1854-86		
	J1476	55342-118-92		
	J1477	55342-155-00		
	J1478			
Chars. K, M; res. values 5.6 ohms thru 1 megohms; res. tols. 2, 5, 10 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M0302XX	55342-60-83	/13	State of the Art, Inc.
		55342-40-83		
		55342-98-91		
		55342-800-97		
		55342-188-94		
Chars. E, H, K, M; res. values 5.6 ohms thru 82 kilohms; res. tols. 2, 5, 10 pct.; terms. B, W; product levels C, M, P, R, T	M0302XX	55342-468-88	/13	State of the Art, Inc.
		55342-293-89		
		55342-043-93		
Chars. E, H, K, M; res. values 5.62 ohms thru 95.3 ohms; res. tols. 1 pct.; terms. B, W; product levels C, M, P, R, T	M0302XX	55342-468-88	/13	State of the Art, Inc.
		55342-293-89		
		55342-043-93		
Chars. E, H, K, M; res. values 100 ohms thru 95.3 ohms; res. tols. 0.1 pct.; terms. B, W; product levels C, M, P, R, T	M0302XX	55342-468-88	/13	State of the Art, Inc.
		55342-293-89		
		55342-043-93		
Chars. K, M; res. values 5.62 ohms thru 1 megohms; res. tols. 1 pct.; terms. B, C, G, U, W; product levels C, M, P, R, S, T	M0302XX	55342-60-83	/13	State of the Art, Inc.
		55342-40-83		
		55342-98-91		
		55342-800-97		
		55342-188-94		

Manufacturer and Supplier Location Information

Manufacturer: Amitron, Inc. (CAGE Code: 0BXB2)

Location: 85 Flagship Drive, N. Andover, MA 01845-6148, US

Plant Location: Same Address as Manufacturer

Manufacturer: IRC, Inc. (CAGE Code: 57027)

Location: 4222 S. Staples Street, Corpus Christi, TX 78411, US

Plant Location: Same Address as Manufacturer

Category A**Distributor Locations:**

1. Future Electronics, 41 Main Street, Bolton, MA 01740, US
2. Laurelekx, Inc., 1202 Tech Boulevard Suite 108, Tampa, FL 33619, US
3. Neumann Electronics, 8665 Miralani Drive, San Diego, CA 92126, US
4. Newark Electronics, 217 Wilcox Avenue, Gaffney, SC 29340, US
5. Newark Electronics, 4801 N. Ravenswood, Chicago, IL 60640, US

Category A

NON-STOCKING: NORMALLY DOES NOT STOCK PARTS IN QUANTITY

Distributor Locations:

1. Arrow Zeus, 3254 Fraser Street, Aurora, CO 80011, US
2. Jaco Electronics, 145 Oser Avenue, Hauppauge, L.I., NY 11787, US
3. Jaco Electronics, 2822 Townsgate Road, Westlake Village, CA 91361, US
4. Marsh Electronics, 1563 South 101st Street, Milwaukee, WI 53214, US
5. New Yorker Electronics, 420 Center Avenue, Mamaroneck, NY 10543, US
6. Spirit Electronics, 7819 East Greenway, Suite 9, Scottsdale, AZ 85269, US

Category B**Distributor Location:**

1. T.T.I., Inc., 2441 Northeast Parkway, Fort Worth, TX 76101, US

Category B

NON-STOCKING: NORMALLY DOES NOT STOCK PARTS IN QUANTITY

Distributor Location:

1. Justin Electronics, 3300 Highway 421 North, Wilmington, NC 28402, US

Manufacturer: Mini-Systems, Inc. (1) (CAGE Code: 50316)

Location: 20 David Road, North Attleboro, MA 02761-0069, US

Plant Locations:

1. Same Address as Manufacturer
2. Mini-Systems, Inc (2), CAGE Code: 08EH9, 45 Frank Mossberg Drive, Attleboro, MA 02703, US

Distributor Location: Justin Electronics, 3300 Highway 421 North, Wilmington, NC 28402, US

Manufacturer: Piconics, Inc. (CAGE Code: 26618)

Location: 26 Cummings Road, Tyngsboro, MA 01829-1406, US

Plant Location: Same Address as Manufacturer

Manufacturer: State of the Art, Inc. (CAGE Code: 56235)

Location: 2470 Fox Hill Road, State College, PA 16803-1797, US

Plant Location: Same Address as Manufacturer

Category A

NON-STOCKING: NORMALLY DOES NOT STOCK PARTS IN QUANTITY

Distributor Locations:

1. C & D Electronics, 28 Appleton Street, Holyoke, MA 01040, US
2. Components Distributors, 10311 West Hampden Avenue, Suite A-105, Lakewood, CO 80227, US
3. Gemini Electronic Components, Inc., 28 Kaysal Court, Armonk, NY 10504, US

Manufacturer and Supplier Location Information

4. Jaco Electronics, Inc., 145 Oser Avenue, Hauppauge, NY 11788, US
5. Justin Electronics Copr., 3300 Highway 421 North, Wilmington, NC 28402, US
6. Mast Distributors, Inc., 710-2 Union Parkway, Ronkonkoma, NY 11779, US
7. Micross Components, 35 Kulick Road, Fairfield, NJ 07007, US
8. New Yorker Electronics, 420 Center Avenue, Mamaroneck, NY 10543, US
9. Resco/Baltimore, 4961 Mercantile Road, Baltimore, MD 21236, US
10. Semi-Dice, Inc., 10961 Bloomfield Street, Los Alamitos, CA 90720, US
11. Spirit Electronics, Inc., 7432 East Tierra Buena Lane, Suite 102, Scottsdale, AZ 85260, US
12. Universal Semiconductor, Inc., 1415 West Cypress Creek Road, Fort Lauderdale, FL 33309, US
13. Zeus/An Arrow Company, 50 Horseblock Road, Brookhaven, NY 11719, US

Manufacturer: Vishay Dale Electronics, Inc. (CAGE Code: 91637)

Location: P.O. Box 609, 1122 23rd Street, Columbus, NE 68602-0609, US

Plant Location: Vishay Dale Electronics, Inc., 2300 Riverside Blvd., Norfolk, NE, US

Category A

Distributor Locations:

1. Arrow Electronics, 50 Horseblock Road, Brookhaven, NY 11719, US
2. Avnet EMG, 60 S. McKemy, Chandler, AZ 85226, US
3. Ffuture Electronics, 237 Hymus Boulevard, Pointe Claire, Quebec, Canada, H9R 5C7, Canada
4. Jaco Electronics, Inc., 145 Oser Avenue, Hauppauge, NY 11788, US
5. Kent Electronics, Inc., 7433 Harwin Drive, Houston, TX 77036-2015, US
6. New Yorker Electronics Co., Inc., 420 Center Avenue, Mamaroneck, NY 10543, US
7. Pioneer Standard Electronics, 4800 E. 131 Street, Cleveland, OH 44105, US
8. Tri-Start Electronics, Inc., 134 Remington Boulevard, Ronkonkoma, NY 11779, US

Category B

Distributor Locations:

1. T.T.I., Inc., 2441 Northeast Parkway, Fort Worth, TX 76101-1896, US
2. Vishay Thin Film, Inc., 2160 Liberty Drive, Niagara Falls, NY 14304-3676, US

Category B

Hot Soilder Dip Only 39007, 39009, 39017, 55182

Distributor Location:

1. Loras Industries, Inc., 2640 Freewood Drive, Dallas, TX 75220, US

Manufacturer: Vishay Israel, Ltd. (CAGE Code: SH903)

Location: Emek-Sara "B" Industrial Park, P.O. Box 2317, Be'er Sheva 84874 Israel, Israel

Plant Location: Same Address as Manufacturer

Manufacturer: Vishay Thin Film, Inc. (CAGE Code: 57489)

Location: 2160 Liberty Drive, Niagara Falls, NY 14304-3676, US

Plant Location: Same Address as Manufacturer

Category A

Distributor Locations:

1. Command Electronics Corp., 42 Central Drive, Farmingdale, NY 11735, US
2. Jaco Electronics, 145 Oser Avenue, Hauppauge, L.I., NY 11788, US
3. Jaco Electronics, 4257 Kellway Circle, Addison, TX 75244, US
4. RESCO/Baltimore, 4961 Mercantile Road, Baltimore, MD 21236, US
5. Vish Dale Electronics, Inc., P.O. Box 74, 2300 Riverside Boulevard, Norfolk, NE 68702-0074, US

Category A

NON-STOCKING: NORMALLY DOES NOT STOCK PARTS IN QUANTITY

Distributor Locations:

1. Jaco Electronics, 1053 Est Street, Tewksbury, MA 01876, Us
2. Jaco Electronics, 384 Pratt Street, Meriden, CT 06450, US
3. Jaco Electronics, 3029-107 Stonybrook Drive, Raleigh, NC 27604, US
4. Jaco Electronics, 10270-F Old Columbia Road, Columbia, NC 21046, US
5. Jaco Electronics, 1060 Holland Drive, Boca Raton, FL 33497, US

Manufacturer and Supplier Location Information

6. Jaco Electronics, 23-441 S. Pointe Dr., Suite 140, Laguna Hills, CA 92653, US
7. Jaco Electronics, 2880 Zanker Road, Suite 202, San Jose, CA 95134, US
8. Jaco Electronics, 2260 Townsgate Road, Westlake Village, CA 91361, US
9. Kent Electronics, 21 Alpha Road, Chelmsford, MA 01824, US
10. Kent Electronics, 5300 Park Place, N.E., Suite 110, Cedar Rapids, IA 52402, US
11. Kent Electronics, 2190 N. Gladstone Court, Glen Dale Heights, IL 60139, US
12. Kent Electronics, 1500 West Hampden, Bldg. #4, Englewood, CO 80110, US
13. Kent Electronics, 15209 N.E. 95th Street, Redmond, WA 98052, US
14. Kent Electronics, 1520 Montague Expressway, San Jose, CA 95131, US
15. Kent Electronics, 6195 Cornerstone Court East, San Diego, CA 92121, US
16. Kent Electronics, 9760 Owensmouth Avenue, Chatsworth, CA 91311, US
17. Kent Electronics, 549 S. 48th Street #104, Tempe, AZ 85281, US
18. Kent Electronics, 3121-B South Dodgion, Independence, MO 64055, US
19. Kent Electronics, 5494 Brown Road, Hazelwood, MO 63042, US
20. Kent Electronics, 2515 Wabash Avenue, St. Paul, MN 55114, US
21. Kent Electronics, 9280 Bay Plaza Blvd., Tampa, FL 33619-9627, US
22. Kent Electronics, 1727 North Ocean Avenue, Medford, NY 11763, US
23. L & S Electronics, 139 N. Central Avenue, Valley Stream, NY 11580, US
24. L & S Electronics, 21 Burns Lane, Charleston, SC 29481, US
25. Micross Components, 35 Kulick Road, Fairfield, NJ 07006, US
26. Passive Components, Inc., 1590 Oakland Road, San Jose, CA 91311, US
27. Petell/Passive Components Corp., 21113 Superior Street, Chatsworth, CA 91311, US
28. T.T.I., Inc, 13220 Evening Creek Drive South, San Diego, CA 92128, US
29. T.T.I., Inc., 100 Research Drive, Wilmington, MA 01887, US
30. T.T.I., Inc., 8 Fairfield Blvd., Wallingford, CT 06492, US
31. T.T.I., Inc., 200 Century Parkway, Suite 120, Mount Laurel, NJ 08054, US
32. T.T.I., Inc., 6420 Dobbin Road, Columbia, MD 21045, US
33. T.T.I., Inc., 2979-A Pacific Drive, Norcross, GA 30071, US
34. T.T.I., Inc., 6220 S. Orange Blossom Trail Suite 516, Orlando, CA 32809, US
35. T.T.I., Inc., 12301 Whitewater Drive, Minnetonka, MN 55343, US
36. T.T.I., Inc., 670-A Lakeview Plaza Blvd., Columbus, OH 43085, US
37. T.T.I., Inc., 9577 N.E. 153rd Avenue, Redmond, WA 98052, US
38. T.T.I., Inc., 1535 McCandless Dr., Bldg 11, Militas, CA 95035, US
39. T.T.I., Inc., 1570 Brookhollow, Suite 103, Santa Ana, CA 92705, US
40. T.T.I., Inc., 10200 Sepulveda lvd. Suite 380, Mission Hill, CA 91345, US
41. T.T.I., Inc., 4625 S. Wendler Dr,m, Tempe, AZ 85282, US
42. T.T.I., Inc., 6800 N. Broadway, Suite 107, Denver, CO 80221, US
43. T.T.I., Inc., 921 South Second Street, Ronkonkoma, NY 11779, US
44. Texas Components Corp, 1716 Sam Houston Parkway North, Houston, TX 77043, US
45. Zeus/An Arrow Company, 2110 Smithtown Avenue, Ronkonkoma, NY 11779, US
46. Zeus/An Arrow Company, 6276 San Ignacio Avenue, San Jose, CA 95119, US
47. Zeus/An Arrow Company, 22700 Savi Ranch Parkway, Yorba Linda, CA 92686, US
48. Zeus/An Arrow Company, 5626 Ruffin Road, San Diego, CA 92123, US
49. Zeus/An Arrow Company, 5236 Colony Dr. Suite 102, Agoura Hills, CA 91301, US
50. Zeus/An Arrow Company, 8930-A Route 108, Columbia, MD 21045, US
51. Zeus/An Arrow Company, 1800 N. Glenville Dr., Suite 120, Richardson, TX 75081, US
52. Zeus/An Arrow Company, 1750 W. Broadway, Suite 114, Oviedo, FL 32765, US
53. Zeus/An Arrow company, 429 Marrett Avenue, Lexington, MA 02173, US

Category B

Distributor Location:

1. Zeus/An Arrow Company, 100 Midland Avenue, Port Chester, NY 10573, US

Category B

NON-STOCKING: NORMALLY DOES NOT STOCK PARTS IN QUANTITY

Distributor Location:

1. T.T.I., Inc. (HQ), 2441 Northeast Parkway, Fort Worth, TX 76101-1896, US