

**Specification Details:**

Specification: MIL-DTL-83513  
 Title: Connectors, Electrical, Rectangular, Microminiature, Polarized Shell  
 Federal Supply Class (FSC): 5935  
 Conventional: No  
 Specification contains quality assurance program: No  
 MIL-STD-790 Established Reliability & High Reliability: Yes  
 MIL-STD-690 Failure Rate Sampling Plans & Procedures: No  
 Weibull Graded: No  
 Specification contains space level reliability requirements: No  
 Specification allows test optimization: No

**Contact Information:**

Office of Primary Involvement: Passive Devices Branch, DLA Land and Maritime - VQP  
 Primary Qualifying Activity Contact: 614-692-8367, e-mail: vqp.es@dla.mil  
 Secondary Qualifying Activity Contact: 614-692-7076, e-mail: vqp.jbc@dla.mil

**Notes:**

N/A

**Part Configuration:**

Specification Sheet Number	Insert Arrangement	Shell Finish
M83513/01	A	C

**PART LISTINGS**

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/01- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MM-(2,3,4)1(2,3,5,A,K,T)-(009 thru 100)-113-0000 INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: A, C, K, N, P, T	/1	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/01- TEST OR QUALIFICATION REFERENCE: 83513-332-90 MANUFACTURER DESIGNATION: 100R ( ) ( ) P-B (09 thru 100) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N	/1	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/01- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100PFSB, MDA2100PFSB, MDAS100PFSB INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N, P	/1	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/01- TEST OR QUALIFICATION REFERENCE: 83513-761-87 MANUFACTURER DESIGNATION: 288-(25)- (10 thru 90, 00)-001 INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N	/1	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/01- TEST OR QUALIFICATION REFERENCE: 83513-332-90 MANUFACTURER DESIGNATION: CIM01-(A thru H) (C, N) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N	/1	Cristek Intereconnects, Inc.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/01- TEST OR QUALIFICATION REFERENCE: 83513-120-92; 83513-361-89; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-01(A-H)-PSC INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: A, C, K, N, P, T	/1	Glenair
GOVERNMENT DESIGNATION: M83513/01- TEST OR QUALIFICATION REFERENCE: 83513-143-91; 83513-144-91; 83513-387-86 MANUFACTURER DESIGNATION: MDM ( )01-( ) ( ) ( , V) (A9 thru H100) ( , A174) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N	/1	ITT Cannon
GOVERNMENT DESIGNATION: M83513/01- TEST OR QUALIFICATION REFERENCE: 83513-2932-10 MANUFACTURER DESIGNATION: MMDP/01-(A-G)(C,N,P) INSERT ARRANGEMENT: A, B, C, D, E, F, G SHELL FINISH: C, N, P	/1	Omnetics Connector Corp.
GOVERNMENT DESIGNATION: M83513/01- TEST OR QUALIFICATION REFERENCE: 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: 094-7 (1 thru 9) 04-(0000, 0020) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N	/1	TE Connectivity
GOVERNMENT DESIGNATION: M83513/01- TEST OR QUALIFICATION REFERENCE: 83513-1228-05 MANUFACTURER DESIGNATION: 8351(1 thru 8)(0 thru 1)000 INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N	/1	Ulti-Mate Connector, Inc.
GOVERNMENT DESIGNATION: M83513/02- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MM-(2,3,4)1(2,3,5,A,K,T)-(009 thru 100)-213-0000-900 INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: A, C, K, N, P, T	/2	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/02- TEST OR QUALIFICATION REFERENCE: 83513-53-95 MANUFACTURER DESIGNATION: 100R( ) ( )S-B(09 thru 100) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N	/2	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/02- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100SFSB, MDA2100SFSB, MDAS100SFSB INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N, P	/2	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/02- TEST OR QUALIFICATION REFERENCE: 83513-761-87 MANUFACTURER DESIGNATION: 289-(25)-(10 thru 90, 00)-001 INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N	/2	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/02- TEST OR QUALIFICATION REFERENCE: 83513-332-90 MANUFACTURER DESIGNATION: CIM02-(A thru H) (C,N) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N	/2	Cristek Intereconnects, Inc.

PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
<p>GOVERNMENT DESIGNATION: M83513/02-  TEST OR QUALIFICATION REFERENCE: 83513-120-92; 83513-361-89; 83513-488-03  MANUFACTURER DESIGNATION: MWDM(1-3)-02(A-H)-SSC  INSERT ARRANGEMENT: A, B, C, D, E, F, G, H  SHELL FINISH: A, C, K, N, P, T</p>	/2	Glenair
<p>GOVERNMENT DESIGNATION: M83513/02-  TEST OR QUALIFICATION REFERENCE: 83513-143-91; 83513-144-91; 83513-387-86  MANUFACTURER DESIGNATION: MDM ( )02-( ) ( ,V) (A9 thru H100) ( ,A174)  INSERT ARRANGEMENT: A, B, C, D, E, F, G, H  SHELL FINISH: C, N</p>	/2	ITT Cannon
<p>GOVERNMENT DESIGNATION: M83513/02-  TEST OR QUALIFICATION REFERENCE: 83513-388-86; 83513-432-89  MANUFACTURER DESIGNATION: M83513/02-( ) ( )  INSERT ARRANGEMENT: A, B, C, D, E, F, G, H  SHELL FINISH: C, N</p>	/2	Min-E-Con
<p>GOVERNMENT DESIGNATION: M83513/02-  TEST OR QUALIFICATION REFERENCE: 83513-2932-10  MANUFACTURER DESIGNATION: MMDS/02-(A-G)(C,N,P)  INSERT ARRANGEMENT: A, B, C, D, E, F, G  SHELL FINISH: C, N, P</p>	/2	Omnitronics Connector Corp.
<p>GOVERNMENT DESIGNATION: M83513/02-  TEST OR QUALIFICATION REFERENCE: 83513-310-89; 83513-313-90; 83513-389-86  MANUFACTURER DESIGNATION: 094-7(1 thru 9) 06-(0000, 0020)  INSERT ARRANGEMENT: A, B, C, D, E, F, G, H  SHELL FINISH: C, N</p>	/2	TE Connectivity
<p>GOVERNMENT DESIGNATION: M83513/02-  TEST OR QUALIFICATION REFERENCE: 83513-1228-05  MANUFACTURER DESIGNATION: 8352(1 thru 8)(0 thru 1)000  INSERT ARRANGEMENT: A, B, C, D, E, F, G, H  SHELL FINISH: C, N</p>	/2	Ulti-Mate Connector, Inc.
<p>GOVERNMENT DESIGNATION: M83513/03-  TEST OR QUALIFICATION REFERENCE: 83513-286-86  MANUFACTURER DESIGNATION: MM-(2,3,4)1(2,3,5,A,K,T)-(009 THRU 100)-1(43,45,53,55,61)-00(V1,V2,W1,W2,Y1,Y2,Y3,Y4,Y5,Y6,Y7,Y8,00)  INSERT ARRANGEMENT: A, B, C, D, E, F, G, H  SHELL FINISH: A, C, K, N, P, T  WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16</p>	/3	AirBorn, Inc.
<p>GOVERNMENT DESIGNATION: M83513/03-  TEST OR QUALIFICATION REFERENCE: 83513-332-90  MANUFACTURER DESIGNATION: 100R( ) ( )P-( ) ( ) ( )B (09 thru 100)  INSERT ARRANGEMENT: A, B, C, D, E, F, G, H  SHELL FINISH: C, N  WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16</p>	/3	Amphenol Canada Corp.
<p>GOVERNMENT DESIGNATION: M83513/03-  TEST OR QUALIFICATION REFERENCE: 83513-3462-12  MANUFACTURER DESIGNATION: 10-505953-( )  INSERT ARRANGEMENT: A, B, C, D, E, F, G, H  SHELL FINISH: C, K, N, P, T  WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16</p>	/3	Amphenol Aerospace/Amphenol Connectors

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/03- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100P4L46B, MDA2100PEL46B, MDAS100SP4L46B, MDA1100PG1.27B INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N, P	/3	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/03- TEST OR QUALIFICATION REFERENCE: 83513-761-87 MANUFACTURER DESIGNATION: 288-(11,15,25)-(10 thru 90,00)-(002 thru 017) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/3	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/03- TEST OR QUALIFICATION REFERENCE: 83513-332-90 MANUFACTURER DESIGNATION: CIM03-(A thru H) (01 thru 16) (C,N) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/3	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/03- TEST OR QUALIFICATION REFERENCE: 83513-120-92; 83513-361-89; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-03(A-H)-(01-16)P(18,36,72,05,10)(W,C,G,T,) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: A, C, K, N, P, T WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/3	Glenair
GOVERNMENT DESIGNATION: M83513/03- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM03-(HC)(HN)(HP) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N, P WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/3	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/03- TEST OR QUALIFICATION REFERENCE: 83513-143-91; 83513-144-91 MANUFACTURER DESIGNATION: MDM( )03-( ) ( ) ( , V) (A9 thru H100)-(01 thru 06)( ,A174) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/3	ITT Cannon
GOVERNMENT DESIGNATION: M83513/03- TEST OR QUALIFICATION REFERENCE: 83513-388-86; 83513-432-89 MANUFACTURER DESIGNATION: M83513/03-( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/3	Min-E-Con
GOVERNMENT DESIGNATION: M83513/03- TEST OR QUALIFICATION REFERENCE: 83513-2932-10 MANUFACTURER DESIGNATION: MMDP/03-(A-G)(01-04 & 09-16)(C,N,P) INSERT ARRANGEMENT: A, B, C, D, E, F, G SHELL FINISH: C, N, P	/3	Omnitronics Connector Corp.
GOVERNMENT DESIGNATION: M83513/03- TEST OR QUALIFICATION REFERENCE: 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: 094-8(1 thru 9) 04-00(0,2) (1 thru 8), MDE03 INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/3	TE Connectivity

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/03- TEST OR QUALIFICATION REFERENCE: 83513-2673-09 MANUFACTURER DESIGNATION: 8351(1 thru 8)(0 thru 1)(01 thru 16)(0,7,8,9) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/3	Ulti-Mate Connector, Inc.
GOVERNMENT DESIGNATION: M83513/04- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MM-(2,3,4)2(2,3,5,A,K,T)-(009 THRU 100)-1(43,45,53,55,61)-00(V1,V2,W1,W2,Y1,Y2,Y3,Y4,Y5,Y6,Y7,Y8,00) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: A, C, K, N, P, T WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/4	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/04- TEST OR QUALIFICATION REFERENCE: 83513-53-95 MANUFACTURER DESIGNATION: 100R( ) ( ) S-( ) ( ) ( ) B (09 thru 100) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/4	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/04- TEST OR QUALIFICATION REFERENCE: 83513-3462-12 MANUFACTURER DESIGNATION: 10-505954-( ) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, K, N, P, T WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/4	Amphenol Aerospace/Amphenol Connectors
GOVERNMENT DESIGNATION: M83513/04- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100S4L46B, MDA2100SEL46B, MDAS100S4L46B INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N, P	/4	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/04- TEST OR QUALIFICATION REFERENCE: 83513-761-87 MANUFACTURER DESIGNATION: 289-(11,15,25)-(10 thru 90,00)-(002 thru 017) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/4	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/04- TEST OR QUALIFICATION REFERENCE: 83513-332-90 MANUFACTURER DESIGNATION: CIM04-(A thru H) (01 thru 16) (C,N) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/4	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/04- TEST OR QUALIFICATION REFERENCE: 83513-120-92; 83513-361-89; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-04(A-H)-(01-16)S(18,36,72,05,10)(W,C,G,T,) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: A, C, K, N, P, T WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/4	Glenair

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/04- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM04-(HC)(HN)(HP) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N, P WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/4	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/04- TEST OR QUALIFICATION REFERENCE: 83513-143-91; 83513-144-91 MANUFACTURER DESIGNATION: MDM( )04-( ) ( ) ( .V) (A9 thru H100)-(01 thru 06)( ,A174) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/4	ITT Cannon
GOVERNMENT DESIGNATION: M83513/04- TEST OR QUALIFICATION REFERENCE: 83513-388-86; 83513-432-89 MANUFACTURER DESIGNATION: M83513/04-( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/4	Min-E-Con
GOVERNMENT DESIGNATION: M83513/04- TEST OR QUALIFICATION REFERENCE: 83513-2932-10 MANUFACTURER DESIGNATION: MMDS/04-(A-G)(01-04 & 09-16)(C,N,P) INSERT ARRANGEMENT: A, B, C, D, E, F, G SHELL FINISH: C, N, P	/4	Omnetics Connector Corp.
GOVERNMENT DESIGNATION: M83513/04- TEST OR QUALIFICATION REFERENCE: 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: 094-8(1 thru 9) 06-00(0,2) (1 thru 8), MDE04 INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/4	TE Connectivity
GOVERNMENT DESIGNATION: M83513/04- TEST OR QUALIFICATION REFERENCE: 83513-2673-09 MANUFACTURER DESIGNATION: 8352(1 thru 8)(0 thru 1)(01 thru 16)(0,7,8,9) INSERT ARRANGEMENT: A, B, C, D, E, F, G, H SHELL FINISH: C, N WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/4	Ulti-Mate Connector, Inc.
GOVERNMENT DESIGNATION: M83513/05- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: 00-000-000-000-(22,41,42,43,44,62,81,82,83,84)00 02,03,05,06,07,12,13,15,17 WIRE TYPE: 2, 3, 5, 6, 7, 12, 13, 15, 16, 17	/5	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/05- TEST OR QUALIFICATION REFERENCE: 83513-53-95 MANUFACTURER DESIGNATION: PI83513/05-( ), 02, 03, 05, 06, 07, 12, 13, 15 INSERT ARRANGEMENT: A, B, C, D, E, F, G, H WIRE TYPE: 2, 3, 5, 6, 7, 12, 13, 15, 16, 17	/5	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/05- TEST OR QUALIFICATION REFERENCE: 83513-761-87 MANUFACTURER DESIGNATION: 289-00-00-(001,003,005,011,012,013,014,015,016,017) WIRE TYPE: 2, 3, 5, 6, 7, 13, 15, 16, 17	/5	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/05- TEST OR QUALIFICATION REFERENCE: 83513-332-90 MANUFACTURER DESIGNATION: CIM05-(02, 03, 05, 06, 07, 15, 16, 17) WIRE TYPE: 2, 3, 5, 6, 7, 12, 13, 15, 16, 17	/5	Cristek Intereconnects, Inc.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/05- TEST OR QUALIFICATION REFERENCE: 83513-361-89 MANUFACTURER DESIGNATION: MWJS2-502-LPH, MWJS2-503-HPH, MWJS2-505-LPS,, MWJS2-506-HPS, MWJS4-512-LPH, MWJS4-513-LPH,, MWJS4-515-LPS, MWJS4-516-HPS, MWJS4-517-JPH WIRE TYPE: 2, 3, 5, 6, 7, 12, 13, 15, 16, 17	/5	Glenair
GOVERNMENT DESIGNATION: M83513/05- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: 500-( ) WIRE TYPE: 2, 3, 5, 6, 7, 12, 13, 15, 16, 17	/5	HTS-Engineering, Inc.
GOVERNMENT DESIGNATION: M83513/05- TEST OR QUALIFICATION REFERENCE: 83513-143-91; 83513-144-91; 83513-387-86 MANUFACTURER DESIGNATION: 026, 028, 025, 027, 022, 024, 021, 023, 320-9508-( ), 320-9505-030, 329-9505-033 WIRE TYPE: 2, 3, 5, 6, 7, 12, 13, 15, 16, 17	/5	ITT Cannon
GOVERNMENT DESIGNATION: M83513/05- TEST OR QUALIFICATION REFERENCE: 83513-388-86; 83513-432-89 MANUFACTURER DESIGNATION: M83513/05-( ) ( ) WIRE TYPE: 2, 3, 5, 6, 7, 12, 13, 15, 16, 17	/5	Min-E-Con
GOVERNMENT DESIGNATION: M83513/05- TEST OR QUALIFICATION REFERENCE: 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: S96-0002-00 (89, 88, 87, 86, 85, 84, 91, 90, 60) or 5-1532137-(5, 6, 7, 8, 9), 6-1532137-(0, 1, 2, 3, 4) WIRE TYPE: 2, 3, 5, 6, 7, 12, 13, 15, 16, 17	/5	TE Connectivity
GOVERNMENT DESIGNATION: M83513/06- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MP-(2.3)1(1)-(009 thru 051)-113-0000 A thru G INSERT ARRANGEMENT: A, B, C, D, E, F, G	/6	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/06- TEST OR QUALIFICATION REFERENCE: 83513-53-95 MANUFACTURER DESIGNATION: 101R( )P-B (09 thru 51) INSERT ARRANGEMENT: A, B, C, D, E, F, G	/6	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/06- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDAL51PFSB INSERT ARRANGEMENT: A, B, C, D, E, F, G SHELL FINISH: C, N, P	/6	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/06- TEST OR QUALIFICATION REFERENCE: 83513-761-87 MANUFACTURER DESIGNATION: 288-05-(10 thru 90)-001 INSERT ARRANGEMENT: A, B, C, D, E, F, G	/6	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/06- TEST OR QUALIFICATION REFERENCE: 83513-332-90 MANUFACTURER DESIGNATION: CIM06-(A thru H) INSERT ARRANGEMENT: A, B, C, D, E, F, G	/6	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/06- TEST OR QUALIFICATION REFERENCE: 83513-361-89 MANUFACTURER DESIGNATION: MWD-06(A thru G)-PSC INSERT ARRANGEMENT: A, B, C, D, E, F, G	/6	Glenair, Inc.
GOVERNMENT DESIGNATION: M83513/06- TEST OR QUALIFICATION REFERENCE: 83513-143-91; 83513-144-91; 83513-387-86 MANUFACTURER DESIGNATION: MD ( ) B06-( ) ( ,V) (A9 thru G51) INSERT ARRANGEMENT: A, B, C, D, E, F, G	/6	ITT Cannon

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/06- TEST OR QUALIFICATION REFERENCE: 83513-143-91; 83513-144-91; 83513-387-86 MANUFACTURER DESIGNATION: MD( ) B06-( ) (,V) (A9 thru A51) INSERT ARRANGEMENT: A, B, C, D, E, F, G	/6	ITT Cannon
GOVERNMENT DESIGNATION: M83513/06- TEST OR QUALIFICATION REFERENCE: 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: 095-06 (03, 05, 07, 09, 11, 13, 15) INSERT ARRANGEMENT: A, B, C, D, E, F, G	/6	TE Connectivity
GOVERNMENT DESIGNATION: M83513/07- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MP-(2.3)2(1)-(009 thru 051)-113-0000 A thru G INSERT ARRANGEMENT: A, B, C, D, E, F, G	/7	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/07- TEST OR QUALIFICATION REFERENCE: 83513-53-95 MANUFACTURER DESIGNATION: 101R( )S-B (09 thru 51) INSERT ARRANGEMENT: A, B, C, D, E, F, G	/7	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/07- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDAL51SFSB INSERT ARRANGEMENT: A, B, C, D, E, F, G	/7	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/07- TEST OR QUALIFICATION REFERENCE: 83513-761-87 MANUFACTURER DESIGNATION: 289-05-(10 thru 90)-001 INSERT ARRANGEMENT: A, B, C, D, E, F, G	/7	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/07- TEST OR QUALIFICATION REFERENCE: 83513-332-90 MANUFACTURER DESIGNATION: CIM07-(A thru H) INSERT ARRANGEMENT: A, B, C, D, E, F, G	/7	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/07- TEST OR QUALIFICATION REFERENCE: 83513-361-89 MANUFACTURER DESIGNATION: MWD-07(A-G)-SSC INSERT ARRANGEMENT: A, B, C, D, E, F, G	/7	Glenair
GOVERNMENT DESIGNATION: M83513/07- TEST OR QUALIFICATION REFERENCE: 83513-143-91; 83513-144-91; 83513-387-86 MANUFACTURER DESIGNATION: MD ( ) B07-( ) ( , V) (A9 thru G51) INSERT ARRANGEMENT: A, B, C, D, E, F, G	/7	ITT Cannon
GOVERNMENT DESIGNATION: M83513/07- TEST OR QUALIFICATION REFERENCE: 83513-388-86; 83513-432-89 MANUFACTURER DESIGNATION: M83513/07-( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F, G	/7	Min-E-Con
GOVERNMENT DESIGNATION: M83513/07- TEST OR QUALIFICATION REFERENCE: 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: 095-06 (04, 06, 08, 10, 12, 14, 16,) INSERT ARRANGEMENT: A, B, C, D, E, F, G	/7	TE Connectivity
GOVERNMENT DESIGNATION: M83513/08- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MP-(2,3)1(1)-(009 thru 051)-1(43,45,53,55,61)-00(V1,V2,W1,W2,Y1,Y2,Y3,Y4,Y5,Y6,Y7,Y8,00) INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/8	AirBorn, Inc.



## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/08- TEST OR QUALIFICATION REFERENCE: 83513-53-95 MANUFACTURER DESIGNATION: 101R( ) P-( ) ( ) ( ) B (09 thru 51) INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/8	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/08- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDAL51P4L46B INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/8	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/08- TEST OR QUALIFICATION REFERENCE: 83513-761-87 MANUFACTURER DESIGNATION: 288-05-(10 thru 90)-(002 thru 017) INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/8	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/08- TEST OR QUALIFICATION REFERENCE: 83513-332-90 MANUFACTURER DESIGNATION: CIM08-(A thru H) (01 thru 16) INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/8	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/08- TEST OR QUALIFICATION REFERENCE: 83513-361-89 MANUFACTURER DESIGNATION: MWD-08(A-G)-(01-16)P(18,36,72,05,10)(W,C,G,T) INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/8	Glenair
GOVERNMENT DESIGNATION: M83513/08- TEST OR QUALIFICATION REFERENCE: 83513-143-91; 83513-144-91 MANUFACTURER DESIGNATION: MD ( ) B08-( ) ( , V) (A9 thru G51) (01 thru 06) INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/8	ITT Cannon
GOVERNMENT DESIGNATION: M83513/08- TEST OR QUALIFICATION REFERENCE: 83513-388-86; 83513-432-89 MANUFACTURER DESIGNATION: M83513/08-( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/8	Min-E-Con
GOVERNMENT DESIGNATION: M83513/08- TEST OR QUALIFICATION REFERENCE: 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: 095-06 (03, 05, 07, 09, 11, 13, 15)-203 (1 thru 8) INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/8	TE Connectivity
GOVERNMENT DESIGNATION: M83513/09- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MP-(2,3)2(1)-(009 thru 051)-2(43,45,53,55,61)-00(V1,V2,W1,W2,Y1,Y2,Y3,Y4,Y5,Y6,Y7,Y8,00) INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/9	AirBom, Inc.
GOVERNMENT DESIGNATION: M83513/09- TEST OR QUALIFICATION REFERENCE: 83513-53-95 MANUFACTURER DESIGNATION: 101R( )S-( ) ( ) ( ) B (09 thru 51) INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/9	Amphenol Canada Corp.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/09- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDAL51S4L46B, MDAL51SG1.27B INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8	/9	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/09- TEST OR QUALIFICATION REFERENCE: 83513-761-87 MANUFACTURER DESIGNATION: 289-05-(10 thru 90) - (002 thru 017) INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/9	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/09- TEST OR QUALIFICATION REFERENCE: 83513-332-90 MANUFACTURER DESIGNATION: CIM09- (A thru H) (01 thru 16) INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/9	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/09- TEST OR QUALIFICATION REFERENCE: 83513-361-89 MANUFACTURER DESIGNATION: MWD-09(A-G)-(01-16)S(18,36,72,05,10)(W,C,G,T) INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/9	Glenair
GOVERNMENT DESIGNATION: M83513/09- TEST OR QUALIFICATION REFERENCE: 83513-143-91; 83513-144-91 MANUFACTURER DESIGNATION: MD( )B09-( ) ( ,V) (A9 thru G51)-(01 thru 06)(,A174) INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/9	ITT Cannon
GOVERNMENT DESIGNATION: M83513/09- TEST OR QUALIFICATION REFERENCE: 83513-388-86; 83513-432-89 MANUFACTURER DESIGNATION: M83513/09-( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/9	Min-E-Con
GOVERNMENT DESIGNATION: M83513/09- TEST OR QUALIFICATION REFERENCE: 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: 095-06 (04, 06, 08, 10, 12, 14, 16)-203 (1 thru 8) INSERT ARRANGEMENT: A, B, C, D, E, F, G WIRE TYPE: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	/9	TE Connectivity
GOVERNMENT DESIGNATION: M83513/10- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-25(2,3,5,A,K,T)-(009 thru 037)-3(2,3,4)5-(00,22)0S(-0B7) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/10	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/10- TEST OR QUALIFICATION REFERENCE: 83513-054-95 MANUFACTURER DESIGNATION: 100R ( ) ( ) PCBR ( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/10	Amphenol Canada Corp.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/10- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1037PCBRRT3, MDA2037PCBRPT3, MDAS037PCBRWT3 INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/10	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/10- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 288-(61 thru 66)-(10 thru 80)-(0, 1, 2) (03) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/10	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/10- TEST OR QUALIFICATION REFERENCE: 83513-284-92 MANUFACTURER DESIGNATION: CIM10 (A thru F) (01, 02, 03) (C, N) (N, P) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/10	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/10- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-10(A-F)-(01-03)P(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/10	Glenair
GOVERNMENT DESIGNATION: M83513/10- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM10-(H03CP)(H03NP)(H03PP) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/10	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/10- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM10 (B15 thru F37) (01, 02, 03) ( , A174P) (N, P) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/10	ITT Cannon
GOVERNMENT DESIGNATION: M83513/10- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/10-( ) ( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/10	Min-E-Con

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/10- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: (0 thru 1)-15322(50 thru 55)-(0 thru 9) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/10	TE Connectivity
GOVERNMENT DESIGNATION: M83513/11- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-35(2,3,5,A,K,T)-051-3(2, 3, 4)5-(00,22)0S(-0B7) INSERT ARRANGEMENT: G SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/11	AirBom, Inc.
GOVERNMENT DESIGNATION: M83513/11- TEST OR QUALIFICATION REFERENCE: 83513-054-95 MANUFACTURER DESIGNATION: 100R ( ) ( ) 51PCBR ( ) ( ) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/11	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/11- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1051PCBRRT3, MDA2051PCBRPT3, MDASP051PCBRWT3 INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/11	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/11- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 288-(61 thru 66)-(90)-(0, 1, 2) (03) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/11	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/11- TEST OR QUALIFICATION REFERENCE: 83513-284-92 MANUFACTURER DESIGNATION: CIM11 (01, 02, 03) (C, N) (N, P) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/11	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/11- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-11G)-(01-03)P(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: G SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/11	Glenair

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/11- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM11-(H03CP)(H03NP)(H03PP) INSERT ARRANGEMENT: G, , , , SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/11	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/11- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM11G51 (01, 02, 03) ( , A174P) (N, P) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/11	ITT Cannon
GOVERNMENT DESIGNATION: M83513/11- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/11-G ( ) ( ) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/11	Min-E-Con
GOVERNMENT DESIGNATION: M83513/11- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: (0 thru 1)-1532256-(0 thru 9) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/11	TE Connectivity
GOVERNMENT DESIGNATION: M83513/12- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-45(2,3,5,A,K,T)-100-3(2,3,4)5-(00,62)0S-(94P,0BJ,0H6) INSERT ARRANGEMENT: H SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, U, W, Y	/12	AirBom, Inc.
GOVERNMENT DESIGNATION: M83513/12- TEST OR QUALIFICATION REFERENCE: 83513-054-95 MANUFACTURER DESIGNATION: 100R ( ) ( ) 100PCBR ( ) ( ) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/12	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/12- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100PCBRPT3, MDA2100PCBRRTT3, MDAS100PCBRWT3 INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/12	Axon Cable, Inc.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/12- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 288-(61 thru 66)-(00)-(0, 1, 2) (03) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/12	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/12- TEST OR QUALIFICATION REFERENCE: 83513-284-92 MANUFACTURER DESIGNATION: CIM12 (01, 02, 03) (C, N) N, P INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/12	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/12- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWD(1-3)-12H-(01-03)P(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: H SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/12	Glenair
GOVERNMENT DESIGNATION: M83513/12- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM12-(H03CT)(H03NT)(H03PT) INSERT ARRANGEMENT: H, , , , SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/12	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/12- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM12H100(01, 02, 03) ( , A174P) (N, P) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/12	ITT Cannon
GOVERNMENT DESIGNATION: M83513/12- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/12-H ( ) ( ) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/12	Min-E-Con
GOVERNMENT DESIGNATION: M83513/12- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: (0 thru 1)-1532257-(0 thru 9) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/12	TE Connectivity

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/13- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-26(2,3,5,A,K,T)-(009 thru 037)-4(3,4,5)5-(00,22)0S-(900,0B7) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/13	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/13- TEST OR QUALIFICATION REFERENCE: 83513-054-95 MANUFACTURER DESIGNATION: 100R ( ) SCBR ( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/13	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/13- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1037SCBTT3, MDA2037SCBRPPT3, MDAS037SCBRWT3 INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/13	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/13- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 289-(61 thru 66)-(10 thru 80)-(0, 1, 2) (03) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/13	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/13- TEST OR QUALIFICATION REFERENCE: 83513-284-92 MANUFACTURER DESIGNATION: CIM13 (A thru F) (01, 02, 03) (C, N) (N, P) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/13	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/13- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-13(A-F)-(01-03)S(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/13	Glenair
GOVERNMENT DESIGNATION: M83513/13- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM13-(H03CP)(H03NP)(H03PP) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/13	HiRel Connectors, Inc.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/13- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM13 (A9 thru F37) (01, 02, 03) ( , A174P) (N, P) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/13	ITT Cannon
GOVERNMENT DESIGNATION: M83513/13- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/13- ( ) ( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/13	Min-E-Con
GOVERNMENT DESIGNATION: M83513/13- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: (0 thru 1)-15322(58 thru 63)-(0 thru 9) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/13	TE Connectivity
GOVERNMENT DESIGNATION: M83513/14- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-36(2,3,5,A,K,T)-051-4(3,4,5)5-(00,22)0S-(900,0B7) INSERT ARRANGEMENT: G SHELL FINISH: A, C, K, N, T, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/14	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/14- TEST OR QUALIFICATION REFERENCE: 83513-054-95 MANUFACTURER DESIGNATION: 100R ( ) 51SCBR ( ) ( ) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/14	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/14- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100SCBRRT3, MDA2100SCBRWT3, MDS100SCBRPT3 INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/14	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/14- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 289- (61 thru 66) - (90) - (0, 1, 2) (03) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/14	Cinch Connectors, Inc.



## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/14- TEST OR QUALIFICATION REFERENCE: 83513-284-92 MANUFACTURER DESIGNATION: CIM14 (01, 02, 03) (C, N) (N, P) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/14	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/14- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-448-03 MANUFACTURER DESIGNATION: MWDM(1-3)-14G)-(01-03)S(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: G SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/14	Glenair
GOVERNMENT DESIGNATION: M83513/14- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM14-(H03CT)(H03NT)(H03PT) INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/14	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/14- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM14G51 (01, 02, 03) ( , A174P) (N, P) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/14	ITT Cannon
GOVERNMENT DESIGNATION: M83513/14- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/14-G ( ) ( ) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/14	Min-E-Con
GOVERNMENT DESIGNATION: M83513/14- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: (0 thru 1)-1532264-(0 thru 9) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/14	TE Connectivity
GOVERNMENT DESIGNATION: M83513/15- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-46(2,3,5,A,K,T)-100-4 (3,4,5)5-(00,62)0S-(900,0B7,0H6) INSERT ARRANGEMENT: H SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, U, W, Y	/15	AirBorn, Inc.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/15- TEST OR QUALIFICATION REFERENCE: 83513-054-95 MANUFACTURER DESIGNATION: 100R ( ) 100SCBR ( ) ( ) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/15	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/15- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100SCBRRTT3, MDA2100SCBRWT3, MDAS100SCBRPT3 INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/15	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/15- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 289- (61 thru 66) - (00) - (0, 1, 2) (03) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/15	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/15- TEST OR QUALIFICATION REFERENCE: 83513-284-92 MANUFACTURER DESIGNATION: CIM15 (01, 02, 03) (C, N) (N, P) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/15	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/15- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-15H)-(01-03)S(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: H SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/15	Glenair
GOVERNMENT DESIGNATION: M83513/15- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM15-(H03CT)(H03NT)(H03PT) INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/15	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/15- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM15H100 (01, 02, 03) ( , A174P) (N, P) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/15	ITT Cannon

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/15- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/15-H ( ) ( ) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/15	Min-E-Con
GOVERNMENT DESIGNATION: M83513/15- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: (0 thru 1)-1532265-(0 thru 9) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/15	TE Connectivity
GOVERNMENT DESIGNATION: M83513/16- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-27(2,3,5,A,K,T)-(009 thru 037)-3(2,3,4)5-(00,22)0R(-0B7) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/16	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/16- TEST OR QUALIFICATION REFERENCE: 83513-054-95 MANUFACTURER DESIGNATION: 100R ( ) ( ) PBR ( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/16	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/16- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100PBRWT3, MDA2100PRPT3, MDS100PBRTT3 INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/16	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/16- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 288- (61 thru 66) - (10 thru 80) - (0, 1, 2) (02) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/16	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/16- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-16(A-F)-(01-03)P(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/16	Glenair

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/16- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM16-(H03CP)(H03NP)(H03PP) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/16	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/16- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM16 (A9 thru F37) (01, 02, 03) ( , A174P) (N, P) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/16	ITT Cannon
GOVERNMENT DESIGNATION: M83513/16- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/16 ( ) ( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/16	Min-E-Con
GOVERNMENT DESIGNATION: M83513/16- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: 094-4 (1 thru 6) (14, 24) - (00, 70) (04, 05, 06, 07) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/16	TE Connectivity
GOVERNMENT DESIGNATION: M83513/17- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-37(2,3,5,A,K,T)-051-3(2,3,4)5-(00,22)0R(-0B7) INSERT ARRANGEMENT: G SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/17	AirBom, Inc.
GOVERNMENT DESIGNATION: M83513/17- TEST OR QUALIFICATION REFERENCE: 83513-054-95 MANUFACTURER DESIGNATION: 100R ( ) ( ) 51PBR ( ) ( ) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/17	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/17- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100PBRWT3, MDA2100PRPT3, MDS100PBRTT3 INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/17	Axon Cable, Inc.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/17- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 288- (61 thru 66) - (90) - (0, 1, 2) (02) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/17	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/17- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-17G)-(01-03)P(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: G SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/17	Glenair
GOVERNMENT DESIGNATION: M83513/17- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM17-(H03CP)(H03NP)(H03PP) INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/17	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/17- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM17G51 (01, 02, 03) ( , A174P) (N, P) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/17	ITT Cannon
GOVERNMENT DESIGNATION: M83513/17- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/17-G ( ) ( ) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/17	Min-E-Con
GOVERNMENT DESIGNATION: M83513/17- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: 094-47 (14, 24) - (00, 70) (04, 05, 06) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/17	TE Connectivity
GOVERNMENT DESIGNATION: M83513/18- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-47(2,3,5,A,K,T)-100-3(2,3,4)5-(00,22)0R(05K,0BJ) INSERT ARRANGEMENT: H SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/18	AirBorn, Inc.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/18- TEST OR QUALIFICATION REFERENCE: 83513-054-95 MANUFACTURER DESIGNATION: 100R ( ) 100PBR ( ) ( ) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/18	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/18- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100PBRWT3, MDA2100PRPT3, MDAS100PBRTT3 INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/18	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/18- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 288- (61 thru 66) - (100) - (0, 1, 2) (02) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/18	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/18- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-18H)-(01-03)P(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: H SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/18	Glenair
GOVERNMENT DESIGNATION: M83513/18- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM18-(H03CP)(H03NP)(H03PP) INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/18	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/18- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM18H100 (01, 02, 03) ( , A174P) (N, P) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/18	ITT Cannon
GOVERNMENT DESIGNATION: M83513/18- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/18-H ( ) ( ) ( ) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/18	Min-E-Con

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/18- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: 094-49 (14, 24) - (00, 70) (04, 05, 06) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/18	TE Connectivity
GOVERNMENT DESIGNATION: M83513/19- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-28(2,3,5,A,K,T)-(009 thru 037)-4(3,4,5)5-(00,22)0R-(900,0B7) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/19	AirBom, Inc.
GOVERNMENT DESIGNATION: M83513/19- TEST OR QUALIFICATION REFERENCE: 83513-054-95 MANUFACTURER DESIGNATION: 100R ( ) ( ) SBR ( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/19	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/19- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100SBRPT3, MDA2100SRTT3, MDS100SBRWT3 INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/19	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/19- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 289- (61 thru 66) - (10 thru 80) - (0, 1, 2) (02) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/19	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/19- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-19(A-F)-(01-03)S(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/19	Glenair
GOVERNMENT DESIGNATION: M83513/19- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM19-(H03CT)(H03NT)(H03PT) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/19	HiRel Connectors, Inc.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/19- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM19 (A9 thru F37) (01, 02, 03) ( , A174P) (N, P) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/19	ITT Cannon
GOVERNMENT DESIGNATION: M83513/19- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/19- ( ) ( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/19	Min-E-Con
GOVERNMENT DESIGNATION: M83513/19- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: 094-4 (1 thru 6) (16, 26) - (00,70) (04, 05, 06) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/19	TE Connectivity
GOVERNMENT DESIGNATION: M83513/20- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-38(2,3,5,A,K,T)-051-4(3,4,5)5-(00,22)0R-(900,0B7) INSERT ARRANGEMENT: G SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/20	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/20- TEST OR QUALIFICATION REFERENCE: 83513-054-95 MANUFACTURER DESIGNATION: 100R ( ) 51SBR ( ) ( ) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/20	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/20- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100SBRPT3, MDA2100SRRT3, MDS100SBRWT3 INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/20	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/20- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 289- (61 thru 66) - (90) - (0, 1, 2) (02) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/20	Cinch Connectors, Inc.



## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/20- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-20G)-(01-03)S(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: G SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/20	Glenair
GOVERNMENT DESIGNATION: M83513/20- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM20-(H03CT)(H03NT)(H03PT) INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/20	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/20- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM20G51 (01, 02, 03) ( , A174P) (N, P) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/20	ITT Cannon
GOVERNMENT DESIGNATION: M83513/20- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/20-G ( ) ( ) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/20	Min-E-Con
GOVERNMENT DESIGNATION: M83513/20- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: 094-47 (16, 26) - (00, 70) (04, 05) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/20	TE Connectivity
GOVERNMENT DESIGNATION: M83513/21- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-48(2,3,5,A,K,T)-100-4(3,4,5)5-(00,62)0R-(05K,0BJ) INSERT ARRANGEMENT: H SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/21	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/21- TEST OR QUALIFICATION REFERENCE: 83513-054-95 MANUFACTURER DESIGNATION: 100R ( ) 100SBR ( ) ( ) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/21	Amphenol Canada Corp.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/21- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100SBRPT3, MDA2100SRTT3, MDAS100SBRWT3 INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/21	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/21- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 289- (61 thru 66) - (00) - (0, 1, 2) (02) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/21	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/21- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-21H)-(01-03)S(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: H SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/21	Glenair
GOVERNMENT DESIGNATION: M83513/21- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM21-(H03CT)(H03NT)(H03PT) INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/21	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/21- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM21H100 (01, 02, 03) ( , A174P) (N, P) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/21	ITT Cannon
GOVERNMENT DESIGNATION: M83513/21- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/21-H ( ) ( ) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/21	Min-E-Con
GOVERNMENT DESIGNATION: M83513/21- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: 094-49 (16, 26) - (00, 70) (04, 05, 06) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/21	TE Connectivity

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/22- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-21(2,3,5,A,K,T)-(009 thru 037)-1(2,3,4)5-(00,22)00(-0B7) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/22	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/22- TEST OR QUALIFICATION REFERENCE: 83513-054-95 MANUFACTURER DESIGNATION: 100R( ) ( )PBS( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/22	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/22- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100PBSWT3, MDA2100PBSWT3, MDS100PBSPT3 INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/22	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/22- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 288- (61 thru 66) - (10 thru 80) - (0, 1, 2) (01) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/22	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/22- TEST OR QUALIFICATION REFERENCE: 83513-284-92 MANUFACTURER DESIGNATION: CIM22 (A thru F) (01, 02, 03) (C, N) (N, P) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/22	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/22- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-22(A-F)-(01-03)P(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/22	Glenair
GOVERNMENT DESIGNATION: M83513/22- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM22-(H03CP)(H03NP)(H03PP) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/22	HiRel Connectors, Inc.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/22- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM22 (A9 thru F37) (01, 02, 03) ( , A174P) (N, P) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/22	ITT Cannon
GOVERNMENT DESIGNATION: M83513/22- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/22-( ) ( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/22	Min-E-Con
GOVERNMENT DESIGNATION: M83513/22- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: (0 thru 1)-15322(66 thru 71)-(0 thru 9) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/22	TE Connectivity
GOVERNMENT DESIGNATION: M83513/23- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-31(2,3,5,A,K,T)-051-1(2,3,4)5-(00,22)00(-0B7) INSERT ARRANGEMENT: G SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/23	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/23- TEST OR QUALIFICATION REFERENCE: 83513-054-95; 83513-2808-10 MANUFACTURER DESIGNATION: 100R ( ) 51PBS ( ) ( ) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/23	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/23- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100PBSWT3, MDA2100PBSWT3, MDS100PBSPT3 INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/23	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/23- TEST OR QUALIFICATION REFERENCE: 83513-284-92 MANUFACTURER DESIGNATION: CIM23 (01,02,03) (C,N) (N,P) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/23	Cristek Intereconnects, Inc.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/23- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-23G)-(01-03)P(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: G SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/23	Glenair
GOVERNMENT DESIGNATION: M83513/23- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM23-(H03CP)(H03NP)(H03PP) INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/23	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/23- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM23G51 (01, 02, 03) ( ,A174P) (N, P) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/23	ITT Cannon
GOVERNMENT DESIGNATION: M83513/23- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/23-G ( ) ( ) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/23	Min-E-Con
GOVERNMENT DESIGNATION: M83513/23- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: (0 thru 1)-1532272-(0 thru 9) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/23	TE Connectivity
GOVERNMENT DESIGNATION: M83513/24- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-41(2,3,5,A,K,T)-100-1(2,3,4)5-(00,62)00(-0B7,0H6) INSERT ARRANGEMENT: H SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, U, W, Y	/24	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/24- TEST OR QUALIFICATION REFERENCE: 83513-054-95; 83513-2808-10 MANUFACTURER DESIGNATION: 100R( ) 100PBS( ) ( ) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/24	Amphenol Canada Corp.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/24- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA2100PBSWT3, MDA2100PBSWT3, MDAS100PBSPT3 INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/24	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/24- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 288-(61 thru66)-(00)-(0,1,2)(01) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/24	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/24- TEST OR QUALIFICATION REFERENCE: 83513-284-92 MANUFACTURER DESIGNATION: CIM24 (01,02,03)(C,N)(N,P) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/24	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/24- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-24H)-(01-03)P(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: H SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/24	Glenair
GOVERNMENT DESIGNATION: M83513/24- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM24-(H03CP)(H03NP)(H03PP) INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/24	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/24- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM24H100(01,02,03)(A174P)(N,P) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/24	ITT Cannon
GOVERNMENT DESIGNATION: M83513/24- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/24-H( ) ( ) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/24	Min-E-Con

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/24- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-389-86; 83519-313-90 MANUFACTURER DESIGNATION: (0 thru 1)-1532273-(0 thru 9) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/24	TE Connectivity
GOVERNMENT DESIGNATION: M83513/25- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-22(2,3,5,A,K,T)-(009 thru 037)-2(2,3,4)5-(00,22)00-(900,0B7) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/25	AirBom, Inc.
GOVERNMENT DESIGNATION: M83513/25- TEST OR QUALIFICATION REFERENCE: 83513-054-95; 83513-2808-10 MANUFACTURER DESIGNATION: 100R ( ) ( ) SMIBS ( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/25	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/25- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100SBSWT3, MDA2100SBSWT3, MDS100SBSPT3 INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/25	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/25- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 289-(61thru 66)-(10 thru 80)-(0,1,2)(01) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/25	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/25- TEST OR QUALIFICATION REFERENCE: 83513-284-92 MANUFACTURER DESIGNATION: CIM25 (A thru F)(01,02,03)(C,N)(N,P) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/25	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/25- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-25(A-F)-(01-03)S(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/25	Glenair

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/25- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM25-(H03CT)(H03NT)(H03PT) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/25	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/25- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM25(A9 thru F37)(01,02,03)(,A174P)(N,P) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/25	ITT Cannon
GOVERNMENT DESIGNATION: M83513/25- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/25-( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/25	Min-E-Con
GOVERNMENT DESIGNATION: M83513/25- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: (0 thru 1)-15322(74 thru 79)-(0 thru 9) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/25	TE Connectivity
GOVERNMENT DESIGNATION: M83513/26- TEST OR QUALIFICATION REFERENCE: 85313-286-86 MANUFACTURER DESIGNATION: MK-32(2,3,5,A,K,T)-051-2(2,3,4)5-(00,22)00-(900,0B7) INSERT ARRANGEMENT: G SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/26	AirBom, Inc.
GOVERNMENT DESIGNATION: M83513/26- TEST OR QUALIFICATION REFERENCE: 83513-054-95 MANUFACTURER DESIGNATION: 100R ( ) 51SBS ( ) ( ) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/26	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/26- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100SBSWT3, MDA2100SBSWT3, MDS100SBSPT3 INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/26	Axon Cable, Inc.



## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/26- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 289-(61 thru 66)-(90)-(0,1,2)(01) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/26	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/26- TEST OR QUALIFICATION REFERENCE: 83513-284-92 MANUFACTURER DESIGNATION: CIM26 (01,02,03)(C,N)(N,P) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/26	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/26- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-26G)-(01-03)S(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: G SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/26	Glenair
GOVERNMENT DESIGNATION: M83513/26- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM26-(H03CT)(H03NT)(H03PT) INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/26	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/26- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM26G51(01,02,03)(.A174P)(N,P) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/26	ITT Cannon
GOVERNMENT DESIGNATION: M83513/26- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/26-G( )( ) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/26	Min-E-Con
GOVERNMENT DESIGNATION: M83513/26- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: (0 thru 1)-1532280-(0 thru 9) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/26	TE Connectivity

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/27- TEST OR QUALIFICATION REFERENCE: 83513-286-86 MANUFACTURER DESIGNATION: MK-42(2,3,5,A,K,T)-100-2(2,3,4)5-(00,62)00-(900,0B7,0H7) INSERT ARRANGEMENT: H SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, U, W, Y	/27	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/27- TEST OR QUALIFICATION REFERENCE: 83513-054-95 MANUFACTURER DESIGNATION: 100R ( ) 100SBS ( ) ( ) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/27	Amphenol Canada Corp.
GOVERNMENT DESIGNATION: M83513/27- TEST OR QUALIFICATION REFERENCE: 83513-1241-05 MANUFACTURER DESIGNATION: MDA1100SBSWT3, MDA2100SBSPT3, MDAS100SBSTT3 INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/27	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/27- TEST OR QUALIFICATION REFERENCE: 83513-006-95 MANUFACTURER DESIGNATION: 289-(61 thru 66)-(00)-(0,1,2)(01) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/27	Cinch Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/27- TEST OR QUALIFICATION REFERENCE: 83513-284-92 MANUFACTURER DESIGNATION: CIM27 (01, 02, 03) (C, N) (N, P) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/27	Cristek Intereconnects, Inc.
GOVERNMENT DESIGNATION: M83513/27- TEST OR QUALIFICATION REFERENCE: 83513-094-98; 83513-488-03 MANUFACTURER DESIGNATION: MWDM(1-3)-27H)-(01-03)S(.109,.140,.172)(B,P,T,W) INSERT ARRANGEMENT: H SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/27	Glenair
GOVERNMENT DESIGNATION: M83513/27- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM27-(H03CT)(H03NT)(H03PT) INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/27	HiRel Connectors, Inc.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/27- TEST OR QUALIFICATION REFERENCE: 83513-69-93 MANUFACTURER DESIGNATION: MDM27H100 (01, 02, 03) ( ,A174P) (N, P) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/27	ITT Cannon
GOVERNMENT DESIGNATION: M83513/27- TEST OR QUALIFICATION REFERENCE: 83513-32-94 MANUFACTURER DESIGNATION: M83513/27-H ( ) ( ) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/27	Min-E-Con
GOVERNMENT DESIGNATION: M83513/27- TEST OR QUALIFICATION REFERENCE: 83513-031-98; 83513-310-89; 83513-313-90; 83513-389-86 MANUFACTURER DESIGNATION: (0 thru 1)-1532281-(0 thru 9) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P	/27	TE Connectivity
GOVERNMENT DESIGNATION: M83513/28- TEST OR QUALIFICATION REFERENCE: 83513-962-04 MANUFACTURER DESIGNATION: MK-23(2,3,5,A,K,T)-0(009 thru 037)-1(2,3,4)5-(00,22)00-(0B7) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/28	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/28- TEST OR QUALIFICATION REFERENCE: 83513-819-04 MANUFACTURER DESIGNATION: MWDM(1 thru 3)-28-(A thru F)-(01 thru 03)P-(.109 thru .172)(N thru W) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/28	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/28- TEST OR QUALIFICATION REFERENCE: 83513-819-04 MANUFACTURER DESIGNATION: MWDM(1 thru 3)-28-(A thru F)-(01 thru 03)P-(.109 thru .172)(N thru W) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/28	Glenair, Inc.
GOVERNMENT DESIGNATION: M83513/28- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM28-(H03CP)(H03NP)(H03PP) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/28	HiRel Connectors, Inc.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/28- TEST OR QUALIFICATION REFERENCE: 83513-1813-07 MANUFACTURER DESIGNATION: M83513/28-( ) ( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/28	Min-E-Con
GOVERNMENT DESIGNATION: M83513/28- TEST OR QUALIFICATION REFERENCE: 83513-1228-05 MANUFACTURER DESIGNATION: 8356(1 thru 6)(0 thru 1)(17 thru 19)(0,7,8,9) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/28	Ulti-Mate Connector, Inc.
GOVERNMENT DESIGNATION: M83513/29- TEST OR QUALIFICATION REFERENCE: 83513-962-04 MANUFACTURER DESIGNATION: MK-33(2,3,5,A,K,T)-051-1(2,3,4)5-(00,22)00-(0B7) INSERT ARRANGEMENT: G SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/29	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/29- TEST OR QUALIFICATION REFERENCE: 83513-819-04 MANUFACTURER DESIGNATION: MWDM(1 thru 3)-29-G-(01 thru 03)P-(.109 thru .172)(N thru W) INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/29	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/29- TEST OR QUALIFICATION REFERENCE: 83513-819-04 MANUFACTURER DESIGNATION: MWDM(1 thru 3)-29-G-(01 thru 03)P-(.109 thru .172)(N thru W) INSERT ARRANGEMENT: G SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/29	Glenair, Inc.
GOVERNMENT DESIGNATION: M83513/29- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM29-(H03CP)(H03NP)(H03PP) INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/29	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/29- TEST OR QUALIFICATION REFERENCE: 83513-1813-07 MANUFACTURER DESIGNATION: M83513/29-G( ) ( ) ( ) INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/29	Min-E-Con

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/29- TEST OR QUALIFICATION REFERENCE: 83513-1228-05 MANUFACTURER DESIGNATION: 83567(0 thru 1)(17 thru 19)(0,7,8,9) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/29	Ulti-Mate Connector, Inc.
GOVERNMENT DESIGNATION: M83513/30- TEST OR QUALIFICATION REFERENCE: 83513-962-04 MANUFACTURER DESIGNATION: MK-43(2,3,5,A,K,T)-100-1(2,3,4)5-(00,62)00-(0B7) INSERT ARRANGEMENT: H SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/30	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/30- TEST OR QUALIFICATION REFERENCE: 83513-819-04 MANUFACTURER DESIGNATION: MWDM(1 thru 3)-30-H)-(01 thru 03)P-(.109 thru .172)(N thru W) INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/30	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/30- TEST OR QUALIFICATION REFERENCE: 83513-819-04 MANUFACTURER DESIGNATION: MWDM(1 thru 3)-30-H-(01 thru 03)P-(.109 thru .172)(N thru W) INSERT ARRANGEMENT: H SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/30	Glenair, Inc.
GOVERNMENT DESIGNATION: M83513/30- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM30-(H03CP)(H03NP)(H03PP) INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/30	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/30- TEST OR QUALIFICATION REFERENCE: 83513-1813-07 MANUFACTURER DESIGNATION: M83513/30-H)( ) ( ) INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/30	Min-E-Con
GOVERNMENT DESIGNATION: M83513/30- TEST OR QUALIFICATION REFERENCE: 83513-1228-05 MANUFACTURER DESIGNATION: 83568(0 thru 1)(17 thru 19)(0,7,8,9) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/30	Ulti-Mate Connector, Inc.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/31- TEST OR QUALIFICATION REFERENCE: 83513-962-04 MANUFACTURER DESIGNATION: MK-24(2,3,5,A,K,T)-0(09,15,21,25,31,37)-2(2,3,4)5-(00,22)00-(900,0B7) SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/31	AirBom, Inc.
GOVERNMENT DESIGNATION: M83513/31- TEST OR QUALIFICATION REFERENCE: 83513-819-04 MANUFACTURER DESIGNATION: MWDM(1 thru 3)-31-(A thru F)-(01 thru 03)S-(.109 thru .172)(N thru W) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/31	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/31- TEST OR QUALIFICATION REFERENCE: 83513-819-04 MANUFACTURER DESIGNATION: MWDM(1 thru 3)-31-(A thru F)-(01 thru 03)S-(.109 thru .172)(N thru W) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/31	Glenair, Inc.
GOVERNMENT DESIGNATION: M83513/31- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM31-(H03CT)(H03NT)(H03PT) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/31	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/31- TEST OR QUALIFICATION REFERENCE: 83513-1813-07 MANUFACTURER DESIGNATION: M83513/31-( ) ( ) ( ) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/31	Min-E-Con
GOVERNMENT DESIGNATION: M83513/31- TEST OR QUALIFICATION REFERENCE: 83513-1228-05 MANUFACTURER DESIGNATION: 8357(1 thru 6)(0 thru 1)(17 thru 19)(0,7,8,9) INSERT ARRANGEMENT: A, B, C, D, E, F SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/31	Ulti-Mate Connector, Inc.
GOVERNMENT DESIGNATION: M83513/32- TEST OR QUALIFICATION REFERENCE: 83513-962-04 MANUFACTURER DESIGNATION: MK-34(2,3,5,A,K,T)-051-2(2,3,4)5-(00,22)00-(900,0B7) INSERT ARRANGEMENT: G SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/32	AirBom, Inc.

## PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/32- TEST OR QUALIFICATION REFERENCE: 83513-819-04 MANUFACTURER DESIGNATION: MWDM(1 thru 3)-32-G-(01 thru 03)S-(.109 thru .172)(N thru W) INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/32	Axon Cable, Inc.
GOVERNMENT DESIGNATION: M83513/32- TEST OR QUALIFICATION REFERENCE: 83513-819-04 MANUFACTURER DESIGNATION: MWDM(1 thru 3)-32-G-(01 thru 03)S-(.109 thru .172)(N thru W) INSERT ARRANGEMENT: G SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/32	Glenair, Inc.
GOVERNMENT DESIGNATION: M83513/32- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM32-(H03CT)(H03NT)(H03PT) INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/32	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/32- TEST OR QUALIFICATION REFERENCE: 83513-1813-07 MANUFACTURER DESIGNATION: M83513/32 G( ) ( ) INSERT ARRANGEMENT: G SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/32	Min-E-Con
GOVERNMENT DESIGNATION: M83513/32- TEST OR QUALIFICATION REFERENCE: 83513-1228-05 MANUFACTURER DESIGNATION: 83577(0 thru 1)(17 thru 19)(0,7,8,9) INSERT ARRANGEMENT: G SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, T, W	/32	Ulti-Mate Connector, Inc.
GOVERNMENT DESIGNATION: M83513/33- TEST OR QUALIFICATION REFERENCE: 83513-962-04 MANUFACTURER DESIGNATION: MK-44(2,3,5,A,K,T)-100-2(2,3,4)5-(00,62)00-(900,0B7) INSERT ARRANGEMENT: H SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/33	AirBorn, Inc.
GOVERNMENT DESIGNATION: M83513/33- TEST OR QUALIFICATION REFERENCE: 83513-819-04 MANUFACTURER DESIGNATION: MWDM(1 thru 3)-33-H-(01 thru 03)S-(.109 thru .172)(N thru W) INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/33	Axon Cable, Inc.

PART LISTINGS

	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
GOVERNMENT DESIGNATION: M83513/33- TEST OR QUALIFICATION REFERENCE: 83513-819-04 MANUFACTURER DESIGNATION: MWDM(1 thru 3)-33-H-(01 thru 03)S-(.109 thru .172)(N thru W) INSERT ARRANGEMENT: H SHELL FINISH: A, C, K, N, P, T TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/33	Glenair, Inc.
GOVERNMENT DESIGNATION: M83513/33- TEST OR QUALIFICATION REFERENCE: 83513-841-04 MANUFACTURER DESIGNATION: HMM33-(H03CT)(H03NT)(H03PT) INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/33	HiRel Connectors, Inc.
GOVERNMENT DESIGNATION: M83513/33- TEST OR QUALIFICATION REFERENCE: 83513-1813-07 MANUFACTURER DESIGNATION: M83513/33-H( ) ( ) INSERT ARRANGEMENT: H SHELL FINISH: C, N, P TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/33	Min-E-Con
GOVERNMENT DESIGNATION: M83513/33- TEST OR QUALIFICATION REFERENCE: 83513-1228-05 MANUFACTURER DESIGNATION: 83578(0 thru 1)(17 thru 19)(0,7,8,9) INSERT ARRANGEMENT: H SHELL FINISH: C, N TERMINATION LENGTH: 01, 02, 03 HARDWARE: N, P, U, Y	/33	Ulti-Mate Connector, Inc.



---

**Manufacturer and Supplier Location Information**

---

**Manufacturer: AirBorn Interconnect (CAGE Code: 10400)**

Location: 4321 AirBorn Drive, Addison, TX 75001-0519, US

## Plants:

1. Plant: Same Address as Manufacturer
2. AirBorn, Inc., 3500 AirBorn Circle, Georgetown, TX 78626, US

**Manufacturer: Amphenol Canada Corp. (CAGE Code: 03554)**

Location: 605 Milner Avenue, Toronto, M1B 5X6, Ontario  
Ontario, Canada

## Plants:

1. Amphenol Optimize Mexico, Carretera Internacional KM 6.5, Edificio 7, Parque Industrial PINSA, Nogales Sonora, MX

**Manufacturer: Amphenol Aerospace/Amphenol Connectors (CAGE Code: 77820)**

Location: 40-60 Delaware, Sidney, NY 13838, US

## Assembly Plants:

1. Amphenol Borisch Technologies, 4511 East Paris SE, Grand Rapids, MI 49512, US

**Manufacturer: Axon Cable, Inc. (CAGE Code: 0K0J2)**

Location: 1314 Plum Grove Road, Schaumburg, IL 60173-4546, US

## Plants:

1. Plant: Same Address as Manufacturer

**Manufacturer: Cinch Connectors, Inc. (CAGE Code: 71785)**

Location: 1700 Finley Road, Lombard, IL 60148-4890, US

## Plants:

1. Cinch Connectors de Mexico, Parque Industrial Maquilpark, Carr. Riberena Km. 9, Av. Florida, Reynosa, Tam., Mexico, Apdo. Postal 1016 C.P. 88500, MX

**Manufacturer: Cristek Interconnects, Inc. (CAGE Code: 67720)**

Location: 5395 E. Hunter Avenue, Anaheim, CA 92807, US

## Plants:

1. Plant: Same Address as Manufacturer

**Manufacturer: Glenair, Inc. (CAGE Code: 06324)**

Location: 1211 Air Way, Glendale, CA 91201-2497, US

## Assembly Plants:

1. A.E. Petsche Company, 2112 West Division Street, Arlington, TX 76012, US
2. Avnet, Inc., 60 S. McKemy Avenue, Chandler, AZ 85226, US
3. Glenair UK Ltd, 40 Lower Oakham Way, Oakham Business Park, Mansfield, Notts NG18 5BY, UK
4. Powell Electronics, Inc., 200 Commodore Drive, Logan Township, NJ 08085, US
5. TTI, 2601 Sylvania Cross Drive, Fort Worth, TX 76137, US

## Plants:

1. Plant: Same Address as Manufacturer
2. Microway Systems, Inc., CAGE: OCA77, 7000 N. Lawndale Avenue, Lincolnwood, IL 60712-2610, US

**Manufacturer: Hi-Rel Connectors, Inc. (CAGE Code: 34222)**

Location: 760 W. Wharton Drive, Claremont, CA 91711-4800, US

## Plants:

1. Plant: Same Address as Manufacturer

**Manufacturer: HTS-Engineering, Inc. (CAGE Code: 1SZ86)**

Location: 4079 Oceanside Boulevard, Suite G, Oceanside, CA 92956, US

## Plants:

1. Plant: Same Address as Manufacturer

**Manufacturer: ITT Cannon (CAGE Code: 71468)**

Location: P. O. Box 929, 666 East Dyer Road, Santa Ana, CA 92705, US

## Assembly Plants:

1. Avnet, Inc, Calzada Industrial Nuevo Nogales # 1061, Parque Industrial Nuevo Nogales, Nogales, Sonora 84094, Mexico
2. PEI Genesis Electronics, 4747 West Cleveland Road, South Bend, IN 46628, US
3. PEI Genesis UK, George Curl Way, Southampton SO18 2RZ, United Kingdom

---

**Manufacturer and Supplier Location Information**

---

**Manufacturer: ITT Cannon (CAGE Code: 71468)**

Location: P. O. Box 929, 666 East Dyer Road, Santa Ana, CA 92705, US

## Plants:

1. Plant: Same Address as Manufacturer
2. ITT Cannon de Mexico, SA de CV, ITT Cannon de Mexico, SA de CV, Avenida del Libre Comercio S/N Entre Calzada Industrial Nuevo Nogales y Calzada del Racquet Club, Col. Parque Industrial Nuevo Nogales, Nogales, Sonora C.P. 84093, MX

## Authorized Distributors:

1. Avnet, Inc., Calzada Industrial Nuevo Nogales # 1061, Parque Industrial Nuevo Nogales, Nogales, Sonora 84094, Mexico
2. PEI Genesis Electronics, 4747 West Cleveland Road, South Bend, IN 46628, US
3. PEI Genesis, UK, George Curl Way, Southampton SO18 2RZ, United Kingdom

**Manufacturer: Min-E-Con (CAGE Code: 54455)**

Location: 17312 Eastman, Irvine, CA 92614, US

## Plants:

1. Plant: Same Address as Manufacturer

**Manufacturer: Omnetics Connector Corp. (CAGE Code: 61873)**

Location: 7260 Commerce Circle East, Minneapolis, MN 55432, US

## Plants:

1. Plant: Same Address as Manufacturer

**Manufacturer: Tyco Electronics Corporation - Microdot (CAGE Code: 98278)**

Location: 250 Eddie Jones Way, Oceanside, CA 92058, US

## Assembly Plants:

1. LaBarge, Inc., 1505 S. Maiden Lane, Joplin, MO 64801-3819, US

## Plants:

1. TE Connectivity-Tyco Electronics AMP Amermex S.A de C.V, CAGE: SUL03, Blvd. Doctor Antonio Quiroga #22, Parque Industrial Progreso, Colonia El Llano, Hermosillo, Sonora 83210, MX

**Manufacturer: Ulti-Mate Connector, Inc. (CAGE Code: 58967)**

Location: 1872 North Case Street, Orange, CA 92865, US

## Plants:

1. Plant: Same Address as Manufacturer